

Date: Monday, December 29, 2025

REACH Project

Dear Customer,

Schneider Electric SE and its affiliates (Schneider Electric) have undertaken since 2008 to comply strictly with the Reach regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached herebelow information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Schneider Electric products.

This information will evolve over time in function of the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Moreover, Schneider Electric has taken into account the judgement of the EU Court of Justice of 10 September 2015 in case [C-106/14](#) in the declarations at part level.

In accordance with its environmental strategy, Schneider Electric and its affiliates have decided to apply REACH regulation on a worldwide basis.

In accordance with the Environment policy of our Company, we continuously work towards products and services which reduce the impact to the environment or on human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric. With this objective, Schneider Electric willingness is to substitute as soon as possible substances of concern with a specific focus on REACH Annex XIV replacement before their sunset date.

At life end, we invite you to follow appropriate waste and recycling procedures. In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the [Customer Care Centers](#)

Best Regards,

Vanessa MILER-FELS
VP Environment



Global Safety, Environment & Real Estate Senior Vice President
Schneider Electric Industries SAS

Schneider Electric Industries SAS
Postal address / Adresse postale :
Le Hive
35 rue Joseph Monier - CS 30323
F-92506 Rueil Malmaison Cedex
Phone: +33 (0)4 76 57 60 60
<http://www.schneider-electric.com>

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
954 503 439 rcs Nanterre - code APE : 2712Z
Siret : 954 503 439 01719
n°ident. TVA : FR 04 954 503 439
Siège Social ! 35, rue Joseph Monier
F - 92500 Rueil-Malmaison

Unless otherwise stated in the table, the data shown in this spreadsheet are related to the following production Date Code: 53/2025 (Week / Year)

Unless otherwise stated in the table, the data shown in this spreadsheet are related to the following version of the REACH regulation:
December 2025 candidate list



| | |
|-----------------------|---|
| Commercial ref. : | EVH5A22N2S |
| Range : | Schneider Charge |
| Brand : | Schneider Electric |
| Product description : | Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S |
| SCIP ID : | ab6451be-b3f4-4070-b9b6-e8f0e546f1eb |

In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. This includes for instance asbestos, polycyclic-aromatic hydrocarbons (PAH)...

According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC are present in this product above 0,1% threshold at part level.

Our products are safe from a chemical exposure perspective, under normal conditions of use. If any specific Safe conditions of use, you will find more details in the table.

For specific End of Life recommendations, please look at Product End of Life instructions according to WEEE document.

| Part | SVHC content | CAS number | EC number | Specific Safe conditions of use |
|---|------------------------------|------------|-----------|--|
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | orthoboric acid, sodium salt | - | - | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Boric acid | 10043-35-3 | 233-139-2 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Melamine | 108-78-1 | 203-615-4 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |

| | | | | |
|--|---|-------------------|------------------|---|
| <p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p> | <p>Disodium tetraborate, anhydrous</p> | <p>1330-43-4</p> | <p>215-540-4</p> | <p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p> |
| <p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p> | <p>Boric acid, Disodium salt</p> | <p>12267-73-1</p> | <p>235-541-3</p> | <p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p> |
| <p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p> | <p>Diboron trioxide</p> | <p>1303-86-2</p> | <p>215-125-8</p> | <p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p> |
| <p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p> | <p>Dodecamethylcyclohexasiloxane (D6)</p> | <p>540-97-6</p> | <p>-</p> | <p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p> |
| <p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p> | <p>Disodium octaborate</p> | <p>12008-41-2</p> | <p>-</p> | <p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p> |

| | | | | |
|--|----------------------------------|------------|-----------|--|
| This product includes metallic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead | 7439-92-1 | - | None |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Alkanes, C10-13, chloro | 85535-84-8 | 287-476-5 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Tris(2-chloroethyl)phosphate | 115-96-8 | 204-118-5 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level. | Disodium tetraborate, anhydrous | 1330-43-4 | 215-540-4 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level. | Diboron trioxyde | 1303-86-2 | 215-125-8 | None |
| This product includes Plastic part(s) that contain(s) the following substance(s) | Pyrochlore, antimony lead yellow | 8012-00-8 | 232-382-1 | This product is safe from chemical exposure perspective, under normal |

| | | | | |
|---|-----------------------------------|------------|-----------|--|
| above the threshold at part level. | | | | conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead bis(tetrafluoroborate) | 13814-96-5 | 237-486-0 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead dinitrate | 10099-74-8 | 233-245-9 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | PZT | 12626-81-2 | 235-727-4 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead monoxide (lead oxide) | 1317-36-8 | 215-267-0 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) | Trilead bis(carbonate)dihydroxide | 1319-46-6 | 215-290-6 | This product is safe from chemical exposure perspective, under normal conditions of use. |

| | | | | |
|--|------------------------------|------------|-----------|--|
| above the threshold at part level. | | | | Nevertheless, regular and prolonged direct contact are not recommended. |
| In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level. | dimethyl formamide | 68-12-2 | 200-679-5 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead oxide sulfate | 12036-76-9 | 234-853-7 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead titanate | 12060-00-3 | 235-038-9 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Tetralead trioxide sulphate | 12202-17-4 | 235-380-9 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Orange lead (lead tetroxide) | 1314-41-6 | 215-235-6 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and |

| | | | | |
|--|------------------------------------|------------|-----------|--|
| | | | | prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Sulfurous acid, lead salt, dibasic | 62229-08-7 | 263-467-1 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead cyanamidate | 20837-86-9 | 244-073-9 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead di(acetate) | 301-04-2 | 206-104-4 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Decamethylcyclopentasiloxane (D5) | 541-02-6 | - | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level. | Terphenyl hydrogenated | 61788-32-7 | - | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and |

| | | | | |
|--|--|-------------|-----------|--|
| | | | | prolonged direct contact are not recommended. |
| This product includes part(s) that contain(s) the following substance(s) above the threshold at part level. | Disodium octaborate | 12008-41-2 | - | Check with experts for safe use conditions from chemical exposure perspective and EoLi recommendations |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | Lead | 7439-92-1 | - | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level. | 4,4-Isobutylethylidenediphenol | 6807-17-6 | 401-720-1 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level. | 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone | 119313-12-1 | 404-360-3 | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |
| In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level. | orthoboric acid, sodium salt | - | - | This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended. |

| | | | | |
|--|--|-------------------|------------------|---|
| <p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p> | <p>Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide</p> | <p>75980-60-8</p> | <p>278-355-8</p> | <p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p> |
|--|--|-------------------|------------------|---|