



UK DECLARATION OF CONFORMITY

We : MANUFACTURER
Schneider Electric Industries SAS
35 rue Joseph Monier
Rueil Malmaison 92500 – France

UK Representative
Schneider Electric Limited
Stafford Park 5
Telford, TF3 3BL - United Kingdom

Hereby declare under our sole responsibility that the products:

Trademark	Schneider Electric
Product, Type	XA2 push buttons, pilot lights, ZA2 contact blocks and accessories. XA2...- Followed by numbers or letters. ZA2...- Followed by numbers or letters.

Are in conformity with the requirements of the following regulation and conformity was checked in accordance with the following standards.

Regulation	Designated standard
Electrical Equipment (Safety) Regulations SI 2016 No. 1101	BS EN 60947-1:2007+A2:2014 BS EN 60947-5-1:2017
The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 SI 2012 No. 3032	BS EN IEC 63000:2018

Subject to correct installation, maintenance and use conforming to its intended purpose, to the applicable regulations and standards, to the supplier's instructions and to accepted rules of the art.

This declaration becomes invalid in the case of any modification to the products not authorized by us.

The guides giving requirements, details and advices for installation of products used are available on:
<http://www.schneider-electric.com>

Issued at Telford - United Kingdom : 2022.06.28

DocuSigned by:

485DFE6A98894C3...
Name : David WILLIAMS
 VP Marketing UK&I
 Zone UK & Ireland



UK DECLARATION OF CONFORMITY

Product	Description
Dual Head Push Button	
XA2EA7A3415	Double-headed pushbuttons, White “I” and “O” , 1NO+1NC
XA2EW7L3741B5	Double-headed pushbuttons, White “I” and “O” , 1 pilot light, 24VDC/AC, 1NO+1NC
XA2EW7L3741M5	Double-headed pushbuttons, White “I” and “O” , 1 pilot light, 220V-230VAC, 1NO+1NC
Contact Block	
ZA2EE101	Contact block 1NO
ZA2EE102	Contact block 1NC
Pilot Light	
XA2EVB1LC	Pilot light, 24V AC/DC, White
XA2EVB3LC	Pilot light, 24V AC/DC, Green
XA2EVB4LC	Pilot light, 24V AC/DC, Red
XA2EVB5LC	Pilot light, 24V AC/DC, Amber
XA2EVB6LC	Pilot light, 24V AC/DC, Blue
XA2EVB8LC	Pilot light, 24V AC/DC, Yellow
XA2EVF1LC	Pilot light, 110V AC/DC, White, Anti-interference
XA2EVF3LC	Pilot light, 110V AC/DC, Green, Anti-interference
XA2EVF4LC	Pilot light, 110V AC/DC, Red, Anti-interference
XA2EVF5LC	Pilot light, 110V AC/DC, Amber, Anti-interference
XA2EVF6LC	Pilot light, 110V AC/DC, Blue, Anti-interference
XA2EVF8LC	Pilot light, 110V AC/DC, Yellow, Anti-interference
XA2EVM1LC	Pilot light, 220V-230V AC, White, Anti-interference
XA2EVM3LC	Pilot light, 220V-230V AC, Green, Anti-interference
XA2EVM4LC	Pilot light, 220V-230V AC, Red, Anti-interference
XA2EVM5LC	Pilot light, 220V-230V AC, Amber, Anti-interference
XA2EVM6LC	Pilot light, 220V-230V AC, Blue, Anti-interference
XA2EVM8LC	Pilot light, 220V-230V AC, Yellow, Anti-interference
XA2EVMD1LC	Pilot light, 220V-230V DC, White, Anti-interference
XA2EVMD3LC	Pilot light, 220V-230V DC, Green, Anti-interference
XA2EVMD4LC	Pilot light, 220V-230V DC, Red, Anti-interference
XA2EVMD5LC	Pilot light, 220V-230V DC, Amber, Anti-interference
XA2EVMD6LC	Pilot light, 220V-230V DC, Blue, Anti-interference
XA2EVMD8LC	Pilot light, 220V-230V DC, Yellow, Anti-interference
XA2EVQ1LC	Pilot light, 380V-400V AC, White, Anti-interference
XA2EVQ3LC	Pilot light, 380V-400V AC, Green, Anti-interference
XA2EVQ4LC	Pilot light, 380V-400V AC, Red, Anti-interference
XA2EVQ5LC	Pilot light, 380V-400V AC, Amber, Anti-interference
XA2EVQ6LC	Pilot light, 380V-400V AC, Blue, Anti-interference
XA2EVQ8LC	Pilot light, 380V-400V AC, Yellow, Anti-interference
XA2EVE1LC	Pilot light, 48V AC/DC, White
XA2EVE3LC	Pilot light, 48V AC/DC, Green
XA2EVE4LC	Pilot light, 48V AC/DC, Red
XA2EVE5LC	Pilot light, 48V AC/DC, Amber
XA2EVE6LC	Pilot light, 48V AC/DC, Blue
XA2EVE8LC	Pilot light, 48V AC/DC, Yellow
XA2EVJ1LC	Pilot light, 12V AC/DC, White
XA2EVJ3LC	Pilot light, 12V AC/DC, Green
XA2EVJ4LC	Pilot light, 12V AC/DC, Red
XA2EVJ5LC	Pilot light, 12V AC/DC, Amber
XA2EVJ6LC	Pilot light, 12V AC/DC, Blue
XA2EVJ8LC	Pilot light, 12V AC/DC, Yellow
XA2EVC1LC	Pilot light, 30V AC/DC, White
XA2EVC3LC	Pilot light, 30V AC/DC, Green
XA2EVC4LC	Pilot light, 30V AC/DC, Red



UK DECLARATION OF CONFORMITY

XA2EVC5LC	Pilot light, 30V AC/DC,Amber
XA2EVC6LC	Pilot light, 30V AC/DC, Blue
XA2EVC8LC	Pilot light, 30V AC/DC, Yellow
XA2EVEE1LC	Pilot light, 60V-63.5V AC/DC, White
XA2EVEE3LC	Pilot light, 60V-63.5V AC/DC, Green
XA2EVEE4LC	Pilot light, 60V-63.5V AC/DC, Red
XA2EVEE5LC	Pilot light, 60V-63.5V AC/DC,Amber
XA2EVEE6LC	Pilot light, 60V-63.5V AC/DC, Blue
XA2EVEE8LC	Pilot light, 60V-63.5V AC/DC, Yellow
XA2EVB34LC	Pilot light, 24V AC/DC,green/red
XA2EVM34LC	Pilot light, 220V-230V AC,green/red
XA2EVB1LPC	Pilot light, 24V AC/DC, White
XA2EVB3LPC	Pilot light, 24V AC/DC, Green
XA2EVB4LPC	Pilot light, 24V AC/DC, Red
XA2EVB5LPC	Pilot light, 24V AC/DC,Amber
XA2EVB6LPC	Pilot light, 24V AC/DC, Blue
XA2EVF1LPC	Pilot light, 110V AC/DC, White, Anti-interference
XA2EVF3LPC	Pilot light, 110V AC/DC, Green, Anti-interference
XA2EVF4LPC	Pilot light, 110V AC/DC, Red, Anti-interference
XA2EVF5LPC	Pilot light, 110V AC/DC, Amber, Anti-interference
XA2EVF6LPC	Pilot light, 110V AC/DC, Blue, Anti-interference
XA2EVM1LPC	Pilot light, 220V-230V AC, White, Anti-interference
XA2EVM3LPC	Pilot light, 220V-230V AC, Green, Anti-interference
XA2EVM4LPC	Pilot light, 220V-230V AC, Red, Anti-interference
XA2EVM5LPC	Pilot light, 220V-230V AC, Amber, Anti-interference
XA2EVM6LPC	Pilot light, 220V-230V AC, Blue, Anti-interference
XA2EVMD1LPC	Pilot light, 220V-230V DC,White, Anti-interference
XA2EVMD3LPC	Pilot light, 220V-230V DC,Green, Anti-interference
XA2EVMD4LPC	Pilot light, 220V-230V DC,Red, Anti-interference
XA2EVMD5LPC	Pilot light, 220V-230V DC,Amber, Anti-interference
XA2EVMD6LPC	Pilot light, 220V-230V DC,Blue, Anti-interference
XA2EVQ1LPC	Pilot light, 380V-400V AC, White, Anti-interference
XA2EVQ3LPC	Pilot light, 380V-400V AC, Green, Anti-interference
XA2EVQ4LPC	Pilot light, 380V-400V AC, Red, Anti-interference
XA2EVQ5LPC	Pilot light, 380V-400V AC, Amber, Anti-interference
XA2EVQ6LPC	Pilot light, 380V-400V AC, Blue, Anti-interference
XA2EVE1LPC	Pilot light, 48V AC/DC,White
XA2EVE3LPC	Pilot light, 48V AC/DC,Green
XA2EVE4LPC	Pilot light, 48V AC/DC,Red
XA2EVE5LPC	Pilot light, 48V AC/DC,Amber
XA2EVE6LPC	Pilot light, 48V AC/DC,Blue
XA2EVJ1LPC	Pilot light, 12V AC/DC,White
XA2EVJ3LPC	Pilot light, 12V AC/DC,Green
XA2EVJ4LPC	Pilot light, 12V AC/DC,Red
XA2EVJ5LPC	Pilot light, 12V AC/DC,Amber
XA2EVJ6LPC	Pilot light, 12V AC/DC,Blue
XA2EVF34SPC	Isolation switch indicator, 110V AC, green/red
XA2EVM34SPC	Isolation switch indicator, 220V-230V AC, green/red
XA2EVQ34SPC	Isolation switch indicator, 380V-400V AC, green/red
XA2EVF4BPC	Circuit breaker indicator, 110V AC, red
XA2EVM4BPC	Circuit breaker indicator, 220V-230V AC, red
XA2EVQ4BPC	Circuit breaker indicator, 380V-400V AC, red
XA2EVF4GPC	Ground indicator, 110V AC, red
XA2EVM4GPC	Ground indicator, 220V-230V AC, red
XA2EVQ4GPC	Ground indicator, 380V-400V AC, red
Push Button	
XA2EA11	Spring return, flush, white, 1NO
XA2EA21	Spring return, flush, black, 1NO
XA2EA31	Spring return, flush, green, 1NO
XA2EA51	Spring return, flush, yellow, 1NO



UK DECLARATION OF CONFORMITY

XA2EA61	Spring return, flush, blue, 1NO
XA2EA41	Spring return, flush, red, 1NO
XA2EA42	Spring return, flush, red, 1NC
XA2EA25	Spring return, flush, black, 1NO+1NC
XA2EA35	Spring return, flush, green, 1NO+1NC
XA2EA45	Spring return, flush, red, 1NO+1NC
XA2EA3311	Spring return, flush, marked head, "start", 1NO
XA2EA3341	Spring return, flush, marked head, "arrow", 1NO
XA2EA3351	Spring return, flush, marked head, "arrow", 1NO
XA2EA4322	Spring return, flush, marked head, red, 1NC
XA2EA4342	Spring return, flush, marked head, "stop", 1NC
XA2EA6511	Spring return, flush, marked head, "two arrows", 1NO
XA2EC21	Mushroom head Dia 40, black, 1NO
XA2EC31	Mushroom head Dia 40, green, 1NO
XA2EC42	Mushroom head Dia 40, red, 1NC
XA2EH021	Push-push, Flush, black, 1NO
XA2EH031	Push-push, Flush, green, 1NO
XA2EH042	Push-push, Flush, red, 1NC
XA2EH051	Push-push, Flush, yellow, 1NO
XA2ET42	Push-pull Dia 40, 1NC, red
XA2ES442	Turn to release Dia 30, red, 1NC
XA2ES542	Turn to release Dia 40, red, 1NC
XA2ES642	Turn to release Dia 60, red, 1NC
XA2ED21	Short handle, 2 positions, stay put, 1 NO
XA2ED25	Short handle, 2 positions, stay put, 1 NO+1NC
XA2ED33	Short handle, 3 Positions, stay put 2NO
XA2ED53	Short handle, 3 Positions, spring return from two side, 2NO
XA2ED41	Short handle, 2 positions, spring return, 1NO
XA2EJ21	Long handle, 2 positions, stay put, 1 NO
XA2EJ25	Long handle, 2 positions, stay put, 1 NO+1NC
XA2EJ33	Long handle 3 Positions, stay put, 2NO
XA2EJ53	Long handle ,3 Positions, spring return from two side, 2NO
XA2EG21	Two position, stay put, left side pullout, 1NO
XA2EG43	Two position, stay put, two sides pullout ,2NO
XA2EG63	Two position, left side pullout, spring return, 2NO
XA2EG73	3 positions, 2sides spring return, middle pullout, 2NO
XA2EG33	3 positions,stay put, middle pullout, 2NO
XA2EG03	3 positions, stay put ,3 sides pull out, 2NO
XA2EW31B1	Flush, IPB, 24V AC/DC. White, 1NO
XA2EW33B1	Flush, IPB, 24V AC/DC. Green, 1NO
XA2EW34B1	Flush, IPB, 24V AC/DC. Red, 1NO
XA2EW35B1	Flush, IPB, 24V AC/DC. Yellow, 1NO
XA2EW36B1	Flush, IPB, 24V AC/DC. Blue, 1NO
XA2EW34B2	Flush, IPB, 24V AC/DC. Red, 1NC
XA2EW31M1	Flush, IPB, 220 V AC. White, 1NO
XA2EW33M1	Flush, IPB, 220V AC Green, 1NO
XA2EW34M1	Flush, IPB, 220 V AC. Red, 1NO
XA2EW35M1	Flush, IPB, 220 V AC. Yellow, 1NO
XA2EW36M1	Flush, IPB, 220 V AC. Blue, 1NO
XA2EW34M2	Flush, IPB, 220 V AC. Red, 1NC
XA2EW31Q1	Flush, IPB, 380 V AC. White, 1NO
XA2EW34Q2	Flush, IPB, 380 V AC. Red, 1NC