

NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
- △4. FRONT ACCESS REQUIRED FOR SERVICE. MINIMUM REQUIRED FRONT CLEARANCE IS 1000[39.37].
5. CABLE ENTRY IS FROM TOP OR BOTTOM OF THE UNIT.
6. NET WEIGHT OF THE UNIT IS 405kg [891lbs].
7. IT IS AVAILABLE TO PUT BATTERIES ON ALL FIVE SHELVES. BUT THE SPACE OF BOTTOM SHELF IS LIMITED IF CABLE ENTRY FROM BOTTOM.



THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

Schneider
Electric

TITLE: Galaxy VL
EMPTY BATTERY CABINET
GENERAL ARRANGEMENT


PROJECT: SUBMITTAL DRAWINGS **SHEET** 1 OF 3

DWG NO:	GVEBC15		REV.	0
DRAWN BY:	K.NAGENDRA	18-JUN-20	THIRD	
ENGINEER:	A.D/Y.S	23-JUL-20	ANGLE	
APPROVED BY:	A.D/Y.S	23-JUL-20	PROJECTION	



NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
- △ 4. KNOCKOUT PLATE. DRILL/PUNCH HOLES AS PER REQUIREMENT.
- △ 5. REFER TO INSTALLATION MANUAL FOR MOUNTING BRACKET FIXING.



THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

Schneider Electric

TITLE: Galaxy VL
EMPTY BATTERY CABINET
TOP-BOTTOM VIEWS & ANCHORING


PROJECT: SUBMITTAL DRAWINGS **SHEET 2 OF 3**

DWG NO: GVEBC15 **REV.** 0


DRAWN BY: K.NAGENDRA **18-JUN-20** **THIRD**

ENGINEER: A.D/Y.S **23-JUL-20** **ANGLE**


APPROVED BY: A.D/Y.S **23-JUL-20** **PROJECTION**




INTERNAL LEFT SIDE VIEW



INTERNAL FRONT VIEW



INTERNAL RIGHT SIDE VIEW



NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
- △ 4. DIFFERENT BREAKER KIT CAN BE MOUNTED ON EITHER BOTTOM OR TOP SHELF AS PER REQUIREMENT. REFER TO BBK MANUAL FOR DETAILS.
5. SOME STRUCTURAL DETAILS HAVE BEEN OMITTED FOR THE PURPOSE OF CLARITY.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

Schneider
Electric

TITLE: Galaxy VL
EMPTY BATTERY CABINET
INTERNAL VIEW

PROJECT: SUBMITTAL DRAWINGS SHEET 3 OF 3

DWG NO: GVEBC15

DRAWN BY: JP/K.NAGENDRA 23-MAR-23

ENGINEER: A.D/Y.S./John Coen 23-MAR-23

APPROVED BY: A.D/Y.S./John Coen 23-MAR-23

REV. 1

THIRD

ANGLE

PROJECTION