

Applicant Schneider Electric Industries SAS
35, rue Joseph Monier
FR 92500 Rueil-Malmaison
France

Manufacturer Schneider Electric Industries SAS
35, rue Joseph Monier
FR 92500 Rueil-Malmaison
France

Factory Lexel Fabrika SIA
Krustpils 35a
Riga LV-1073
Latvia

Project Number PRJ0057470

Product Devices for installation for electronic systems (HBES)

Model/Type Ref. NH3535

Ratings 10 AX, 230 V~, 50 Hz

Brandname / Trademark 

Principal Characteristics IP20

Replaces This certificate replaced previous certificate No. P19223641/A3, due to addition of new cover design ELKO One.

A sample of the product was tested and found to be in conformity with

Safety

EN 50428:2005;A1;A2
EN 60669-1:1999;A1;A2
EN 60669-2-1:2004;A1;A12
EN 60669-2-5:2016

Validity *This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation.*

New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.

Additional Information See next pages

Additional model(s) See next pages

Signature



Jiyea Gim
Certification department

Date of Issue 2024-05-14


*Working for a more sustainable future
Please do not print*



www.nemko.com

Product Devices for installation for electronic systems (HBES)
Variant 1
Model/Type Ref. NH3535
Ratings. 10 AX, 230 V~, 50 Hz
Brandname / Trademark (if different from page 1) 
Principal Characteristics IP20

Product Devices for installation for electronic systems (HBES)
Variant 2
Model/Type Ref. NH3525
Ratings. 10 AX, 230 V~, 50 Hz
Brandname / Trademark (if different from page 1) 
Principal Characteristics IP20

Product Devices for installation for electronic systems (HBES)
Variant 3
Model/Type Ref. NH3525
Ratings. 10 AX, 230 V~, 50 Hz
Brandname / Trademark (if different from page 1) 
Principal Characteristics IP20

Product Devices for installation for electronic systems (HBES)
Variant 4
Model/Type Ref. NH3537
Ratings. 10 AX, 230 V~, 50 Hz
Brandname / Trademark (if different from page 1) 
Principal Characteristics IP20

Signature



Jiyea Gim
Certification department

Date of Issue 2024-05-14

*Working for a more sustainable future
Please do not print*



www.nemko.com

Product	Devices for installation for electronic systems (HBES)
Variant	5
Model/Type Ref.	NH3537
Ratings.	10 AX, 230 V~, 50 Hz
Brandname / Trademark (if different from page 1)	
Principal Characteristics	IP20
Product	Devices for installation for electronic systems (HBES)
Variant	6
Model/Type Ref.	NH3526
Ratings.	10 AX, 230 V~, 50 Hz
Brandname / Trademark (if different from page 1)	
Principal Characteristics	IP20
Product	Devices for installation for electronic systems (HBES)
Variant	7
Model/Type Ref.	NH3526
Ratings.	10 AX, 230 V~, 50 Hz
Brandname / Trademark (if different from page 1)	
Principal Characteristics	IP20

Signature



Jiyea Gim
Certification department

Date of Issue

2024-05-14

*Working for a more sustainable future
Please do not print*











www.nemko.com

Additional Information

Variations:

- NH3535 Countdown timer 10A
 - o Local control by rocker
 - o Remote control by mechanical push-button in parallel operation
 - o No RF-parts / functionality
- NH3525 Motion sensor with switch 10A
 - o Local control by rocker and via motion sensor
 - o Remote control by mechanical push-button in parallel operation
 - o No RF-parts / functionality
- NH3537 Wiser relay switch 10A (with Bluetooth Low Energy (BLE))
 - o Local control by rocker
 - o Remote control by mechanical push-button in parallel operation
 - o Contains RF-parts. It consists Bluetooth Low Energy (BLE) or ZigBee (the RF-chip supported both types)
 - o Remote control via a mobile App or other BLE devices by using Bluetooth Low Energy (BLE) protocol or ZigBee hub by ZigBee protocol.
 - o The change from BLE to ZigBee could be done by over the air update.
 - o The change from ZigBee to BLE could be done by making a factory reset as described in the user manual.
- NH3526 Wiser motion sensor with switch 10 A (with Bluetooth Low Energy (BLE) or ZigBee)
 - o Local control by rocker or via motion sensor
 - o Remote control by mechanical push-button in parallel operation
 - o Contains RF-parts. It consists Bluetooth Low Energy (BLE) or ZigBee (the RF-chip supported both types)
 - o Remote control via a mobile App or other BLE devices by using Bluetooth Low Energy (BLE) protocol or ZigBee hub by ZigBee protocol.
 - o A firmware update for BLE and ZigBee could be done by over the air update.
 - o The change from ZigBee to BLE could be done by making an image reset as described in the user manual.
- NH3526 Wiser motion sensor with switch 10 A (with Bluetooth Low Energy (BLE) or ZigBee)
 - o Local control by rocker or via motion sensor
 - o Remote control by mechanical push-button in parallel operation
 - o Contains RF-parts. It consists Bluetooth Low Energy (BLE) or ZigBee (the RF-chip supported both types)
 - o Remote control via a mobile App or other BLE devices by using Bluetooth Low Energy (BLE) protocol or ZigBee hub by ZigBee protocol.
 - o A firmware update for BLE and ZigBee could be done by over the air update.
 - o The change from ZigBee to BLE could be done by making an image reset as described in the user manual.

Rated load:

 LED 200 W	 1050 VA	 1000 VA
 2200 W	C 10 A, 140µF	
 2000 W	 200 W	
	 500 VA	

Signature

Jiyea Gim

Jiyea Gim

Certification department

Date of Issue

2024-05-14

Working for a more sustainable future
Please do not print



www.nemko.com