

MATRIX FOR NPS

W W W W W X X X X X Y Y Y Y Y Y Y Y Z Z Z Z Z
Z

W W W W W = MANUFACTURERS PREFIX A TO Z (may take up to 5 characters)

Low Voltage Isolated Secondary Differences Only(Non-Safety Critical)

X X X X X = VA OUTPUT 0 TO 9 (may take up to 5 characters)

See Current VA Levels below

Y Y Y Y Y Y Y Y = UNIT CONFIGURATION A TO Z or 0 to 9 (may take up to 8 characters)

Present UPS Configurations : I = International, R or RM = Rack Mount, XL = Extended Run, U = Unit Height, NET = Software in shipping box, PS = Power Switch, BP = Battery Pack etc...

Z Z Z Z Z Z = OPTION # A TO Z OR 0 TO 9 (may take up to 6 characters)

Option Examples : BX135 = Black Bezel, X138 = Sleep Pulse, X114 = NT Software etc...

EXAMPLE : _ _ _ S U _ 1 4 0 0 _ N E T _ _ _ _ _ B X 1 1 4 _
 W W W W W X X X X X Y Y Y Y Y Y Y Y Z Z Z Z Z Z

Present VA levels: 250 VA, 400 VA, 450 VA, 600 VA, 700 VA, 1000 VA, 1400 VA, 2200 VA, 3000 VA

Product Voltages (all units): 220VAC-240VAC, **Product Frequency (all units):** 50/60Hz

Present Model Prefixes: APC(Hewlett Packard), Bay(Bay Networks), BP(Back-UPS Pro), CH(China), DL(Dell), DIG(Digital), NS(Hewlet Packard), PR(Computacenter), PS(Powerstack), SAM(Samsung), SU(Smart-UPS), UNS(Unisys), SUvs(Smart-UPS value series)

Present Model Names Approved: APC3IA, APC2IA, APC10IA, APC62A, BAY450I, BP1000I, BP1400I, CH1000UXI, CH2200UXI, DL1400RMI, DL2200RMI3U, DL3000RMI3U, NS2200RMI3U, NS3000RMI3U, PR3000RMI3U, PS250I, PS450I, SUA 1000I, SUA 1500I, *SUA 1000IX38*, SAM1000INET, SAM1400INET, SU1000IBX120, SU1000INET, SU1000IX38, SU1000RMIBX120, SU1000RMINET, SU1000RMI2U, SU1000UXINET, SU1000XLINET, SU1400IBX120, SU1400INET, SU1400IX114, SU1400RMXLI3U, SU1400R3XLIX171, SU1400RMIBX120, SU1400RMIBX135, SU1400RMINET, SU1400RMI2U,

SU1400RMXLINET, SU2200IBX120, SU2200INET, SU2200R3IBX120, SU2200RMI3U, SU2200RMIBX120, SU2200RMINET, SU2200RMXLINET, SU2200UXINET, SU2200XLINET, SU2200XLIX114, SU3000INET, SU3000R3IBX120, SU3000R3IBX135, SU3000R3IX160, SU3000RMI3U, SU3000RMIBX120, SU3000RMINET, SU3000UXINET, SU420INET, SU450INET, SU450IX38, SU620INET, SU620IX114, SU700IBX120, SU700INET, SU700RMIBX120, SU700RMINET, SU700RMI2U, SU700RMIX38, SU700XLINET, SU700XLIX114, SUvs1000I, SUvs1400I, SUvs420I, SUvs650I, SUvs650IX107, UNS1000I, UNS1000RMI, UNS1000XLI, UNS1400I, UNS1400RMI, UNS2200I, UNS2200R3I, UNS2200RMI, UNS2200XLI, UNS3000I, UNS3000R3I, UNS3000RMI, UNS450I, UNS700I, UNS700RMI, UNS700XLI, SU700RMIX176, SU1000RMI176, SU1400RMIX176, APC10IA, SUA1000IX219, SUA1500IX219, DLA 1500I, DL1400RMI2U, SUA1500IX114, SUA1500ICH, SUA1000IX138, SUA1000ICH, SUA750XLI, SUA1000XLI, SU1400R2IBX180, SU3000R3IBX180, SU3000R3IBX120, SU1400R2IBX120, SU1000R2IBX120, SU700R2IBX120, SU1400RMIX134, SUA1500RMI2U, SUA1000RMI2U, SUA750RMI2U, SU1400R2IX195, SU1400R2IX135, SUA1500RMI2U, SUA1500IX38, SUA1000RMI2U, SUA750RMI2U, SU1400R2IX195, SU1400R2IX135, IBM1500RM2U,

Present Accessories For Use With Above Models: Model: ISO Transformer

SU023,

Models: Optional Back Panel SU026, SU027, SU027RM, SU028,

SU028RM, SU028RM3U, SU029, SU029RM, SU029RM3U, Models:

Redundant Switch(AC Line Monitor) SU043, SU044-1, SU045-1,

Models: Battery Pack SU24XLBP, SU24XLBPX114, SU24RMXLBP2U,

SU48BP, SU48RMXLBP, SU48XLBP, SU48XLBPX114,

UNS24XLBP, UNS48XLBP, UXBP24, UXBP24L, UXBP48

MATRIX FOR NPS

W W W W W X X X X X Y Y Y Y Y Y Y Y Z Z Z Z Z
Z

W W W W W = MANUFACTURERS PREFIX A TO Z (may take up to 5 characters)

Low Voltage Isolated Secondary Differences Only(Non-Safety Critical)

X X X X X = VA OUTPUT 0 TO 9 (may take up to 5 characters)

See Current VA Levels below

Y Y Y Y Y Y Y Y = UNIT CONFIGURATION A TO Z or 0 to 9 (may take up to 8 characters)

Present UPS Configurations : I = International, R or RM = Rack Mount, XL = Extended Run, U = Unit Height, NET = Software in shipping box, PS = Power Switch, BP = Battery Pack etc...

Z Z Z Z Z Z = OPTION # A TO Z OR 0 TO 9 (may take up to 6 characters)

Option Examples : BX135 = Black Bezel, X138 = Sleep Pulse, X114 = NT Software etc...

EXAMPLE : S U 1400 NET BX114
W W W W W X X X X X Y Y Y Y Y Y Y Y Z Z Z Z Z Z

Present VA levels: 250 VA, 400 VA, 450 VA, 600 VA, 700 VA, 1000 VA, 1400 VA, 2200 VA, 3000 VA

Product Voltages (all units): 220VAC-240VAC, Product Frequency (all units):
50/60Hz

Present Model Prefixes: APC(Hewlett Packard), Bay(Bay Networks), BP(Back-UPS Pro), CH(China), DL(Dell), DIG(Digital), NS(Hewlett Packard), PR(Computacenter), PS(Powerstack), SAM(Samsung), SU(Smart-UPS), UNS(Unisys), SUvs(Smart-UPS value series)

Present Model Names Approved: APC3IA, APC2IA, APC10IA, APC62A, BAY450I, BP1000I, BP1400I, CH1000UXI, CH2200UXI, DL1400RMI, DL2200RMI3U, DL3000RMI3U, NS2200RMI3U, NS3000RMI3U, PR3000RMI3U, PS250I, PS450I, SUA 1000I, SUA 1500I, *SUA 1000IX38*, SAM1000INET, SAM1400INET, SU1000IBX120, SU1000INET, SU1000IX38, SU1000RMIBX120, SU1000RMINET, SU1000RMI2U, SU1000UXINET, SU1000XLINET, SU1400IBX120, SU1400INET, SU1400IX114, SU1400RMXLI3U, SU1400R3XLIX171, SU1400RMIBX120, SU1400RMIBX135, SU1400RMINET, SU1400RMI2U,

SU1400RMXLINET, SU2200IBX120, SU2200INET, SU2200R3IBX120, SU2200RMI3U, SU2200RMIBX120, SU2200RMINET, SU2200RMXLINET, SU2200UXINET, SU2200XLINET, SU2200XLIX114, SU3000INET, SU3000R3IBX120, SU3000R3IBX135, SU3000R3IX160, SU3000RMI3U, SU3000RMIBX120, SU3000RMINET, SU3000UXINET, SU420INET, SU450INET, SU450IX38, SU620INET, SU620IX114, SU700IBX120, SU700INET, SU700RMIBX120, SU700RMINET, SU700RMI2U, SU700RMIX38, SU700XLINET, SU700XLIX114, SUVs1000I, SUVs1400I, SUVs420I, SUVs650I, SUVs650IX107, UNS1000I, UNS1000RMI, UNS1000XLI, UNS1400I, UNS1400RMI, UNS2200I, UNS2200R3I, UNS2200RMI, UNS2200XLI, UNS3000I, UNS3000R3I, UNS3000RMI, UNS450I, UNS700I, UNS700RMI, UNS700XLI, SU700RMIX176, SU1000RMI176, SU1400RMIX176, APC10IA, SUA1000IX219, SUA1500IX219, DLA 1500I, DL1400RMI2U, SUA1500IX114, SUA1500ICH, SUA1000IX138, SUA1000ICH, SUA750XLI, SUA1000XLI, SU1400R2IBX180, SU3000R3IBX180, SU3000R3IBX120, SU1400R2IBX120, SU1000R2IBX120, SU700R2IBX120, SU1400RMIX134, SUA1500RMI2U, SUA1000RMI2U, SUA750RMI2U, SU1400R2IX195, SU1400R2IX135, SUA1500RMI2U, SUA1500IX38, SUA1000RMI2U, SUA750RMI2U, SU1400R2IX195, SU1400R2IX135, IBM1500RM2U,

Present Accessories For Use With Above Models: Model: ISO Transformer
SU023,

Models: Optional Back Panel SU026, SU027, SU027RM, SU028, SU028RM, SU028RM3U, SU029, SU029RM, SU029RM3U, Models: Redundant Switch(AC Line Monitor) SU043, SU044-1, SU045-1, Models: Battery Pack SU24XLBP, SU24XLBPX114, SU24RMXLBP2U, SU48BP, SU48RMXLBP, SU48XLBP, SU48XLBPX114, UNS24XLBP, UNS48XLBP, UXBP24, UXBP24L, UXBP48

MATRIX FOR NPS

W W W W W X X X X X Y Y Y Y Y Y Y Y Z Z Z Z Z
Z

W W W W W = MANUFACTURERS PREFIX A TO Z (may take up to 5 characters)

Low Voltage Isolated Secondary Differences Only(Non-Safety Critical)

X X X X X = VA OUTPUT 0 TO 9 (may take up to 5 characters)

See Current VA Levels below

Y Y Y Y Y Y Y Y = UNIT CONFIGURATION A TO Z or 0 to 9 (may take up to 8 characters)

Present UPS Configurations : I = International, R or RM = Rack Mount, XL = Extended Run, U = Unit Height, NET = Software in shipping box, PS = Power Switch, BP = Battery Pack etc...

Z Z Z Z Z Z = OPTION # A TO Z OR 0 TO 9 (may take up to 6 characters)

Option Examples : BX135 = Black Bezel, X138 = Sleep Pulse, X114 = NT Software etc...

EXAMPLE : S U 1 4 0 0 N E T B X 1 1 4
W W W W W X X X X X Y Y Y Y Y Y Y Y Z Z Z Z Z Z

Present VA levels: 250 VA, 400 VA, 450 VA, 600 VA, 700 VA, 1000 VA, 1400 VA, 2200 VA, 3000 VA

Product Voltages (all units): 220VAC-240VAC, Product Frequency (all units):
50/60Hz

Present Model Prefixes: APC(Hewlett Packard), Bay(Bay Networks), BP(Back-UPS Pro), CH(China), DL(Dell), DIG(Digital), NS(Hewlet Packard), PR(Computacenter), PS(Powerstack), SAM(Samsung), SU(Smart-UPS), UNS(Unisys), SUvs(Smart-UPS value series)

Present Model Names Approved: APC3IA, APC2IA, APC10IA, APC62A, BAY450I, BP1000I, BP1400I, CH1000UXI, CH2200UXI, DL1400RMI, DL2200RMI3U, DL3000RMI3U, NS2200RMI3U, NS3000RMI3U, PR3000RMI3U, PS250I, PS450I, SUA 1000I, SUA 1500I, *SUA 1000IX38*, SAM1000INET, SAM1400INET, SU1000IBX120, SU1000INET, SU1000IX38, SU1000RMIBX120, SU1000RMINET, SU1000RMI2U, SU1000UXINET, SU1000XLINET, SU1400IBX120, SU1400INET, SU1400IX114, SU1400RMXLI3U, SU1400R3XLIX171, SU1400RMIBX120, SU1400RMIBX135, SU1400RMINET, SU1400RMI2U,

SU1400RMXLINET, SU2200IBX120, SU2200INET, SU2200R3IBX120,
 SU2200RMI3U, SU2200RMIBX120, SU2200RMINET, SU2200RMXLINET,
 SU2200UXINET, SU2200XLINET, SU2200XLIX114, SU3000INET,
 SU3000R3IBX120, SU3000R3IBX135, SU3000R3IX160, SU3000RMI3U,
 SU3000RMIBX120, SU3000RMINET, SU3000UXINET, SU420INET,
 SU450INET, SU450IX38, SU620INET, SU620IX114, SU700IBX120,
 SU700INET, SU700RMIBX120, SU700RMINET, SU700RMI2U,
 SU700RMIX38, SU700XLINET, SU700XLIX114, SUVs1000I,
 SUVs1400I, SUVs420I, SUVs650I, SUVs650IX107, UNS1000I,
 UNS1000RMI, UNS1000XLI, UNS1400I, UNS1400RMI, UNS2200I,
 UNS2200R3I, UNS2200RMI, UNS2200XLI, UNS3000I, UNS3000R3I,
 UNS3000RMI, UNS450I, UNS700I, UNS700RMI, UNS700XLI,
 SU700RMIX176, SU1000RMI176, SU1400RMIX176, APC10IA,
 SUA1000IX219, SUA1500IX219, DLA 1500I, DL1400RMI2U,
 SUA1500IX114, SUA1500ICH, SUA1000IX138, SUA1000ICH,
 SUA750XLI, SUA1000XLI, SU1400R2IBX180, SU3000R3IBX180, SU3000R3IBX120,
 SU1400R2IBX120, SU1000R2IBX120, SU700R2IBX120, SU1400RMIX134, SUA1500RMI2U,
 SUA1000RMI2U, SUA750RMI2U, SU1400R2IX195, SU1400R2IX135, SUA1500RMI2U, SUA1500IX38,
 SUA1000RMI2U, SUA750RMI2U, SU1400R2IX195, SU1400R2IX135, IBM1500RM2U,

Present Accessories For Use With Above Models: Model: ISO Transformer

SU023,

Models: Optional Back Panel SU026, SU027, SU027RM, SU028,
 SU028RM, SU028RM3U, SU029, SU029RM, SU029RM3U, Models:

Redundant Switch(AC Line Monitor) SU043, SU044-1, SU045-1,

Models: Battery Pack SU24XLBP, SU24XLBPX114, SU24RMXLBP2U,
 SU48BP, SU48RMXLBP, SU48XLBP, SU48XLBPX114,

UNS24XLBP, UNS48XLBP, UXBP24, UXBP24L, UXBP48