


TALL FRAME-SINGLE POD-SIMPLE ROOF WITH RACKS AND DISTRIBUTION PANELS



NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
4. WEIGHT - REFER TO THE RESPECTIVE SUBMITTALS.
- △ 5. THIS DIMENSION MAY VARY AS PER RACK WIDTH AND NUMBER OF RACK. SHOWN TYPICAL ARRANGEMENT FOR TWELVE 600mm WIDE RACKS. TELESOPING BEAM CAN ACCOMMODATE ANY COMBINATION OF RACKS FROM 8-12 FEET.
- △ 6. TALL FRAME CAN ACCOMMODATE UP TO 52U, SHOWN TYPICAL ARRANGEMENT FOR 42U/48U RACKS. REFER TO TABLE FOR DETAILS.
7. THIS DRAWING IS FOR TYPICAL CONFIGURATION.



RACK HEIGHT	
U	mm [inch]
42U	1991 [78.39]
45U	2124 [83.64]
48U	2258 [88.90]

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.




TITLE: HYPERPOD
 TALL FRAME, SINGLE POD, SIMPLE ROOF
 WITH RACKS AND DISTRIBUTION PANEL
 FRONT VIEW

PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 3

DWG NO: TFSPSRWRD
 DRAWN BY: BALA 30-JUN-17
 ENGINEER: A COTTER 30-JUN-17
 APPROVED BY: SYMONS 30-JUN-17

REV. 1
 FIRST ANGLE PROJ

TALL FRAME-SINGLE POD-SIMPLE ROOF WITH RACKS AND DISTRIBUTION PANELS



RIGHT SIDE VIEW

NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- △ 4. OVERALL CONTAINMENT POD WIDTH DIMENSION MAY VARY AS PER THE COMPONENT SELECTED.
1070 [42.13] DEPTH RACK SHOWN FOR TYPICAL ARRANGEMENT. REFER TO TABLE FOR DETAILS.
- △ 5. THIS DIMENSION MAY VARY AS PER THE RACK SELECTED. 48U RACK SHOWN FOR TYPICAL ARRANGEMENT.



RACK DEPTH
mm [inch]
825 [32.480]
1070 [42.125]
1200 [47.244]

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: HYPERPOD
TALL FRAME, SINGLE POD, SIMPLE ROOF
WITH RACKS AND DISTRIBUTION PANEL
FRONT VIEW

PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 3

DWG NO: TFSPSRWRD REV. 1

DRAWN BY: BALA 30-JUN-17

ENGINEER: A COTTER 30-JUN-17


APPROVED BY: SYMONS 30-JUN-17

FIRST

ANGLE

PROJ

TALL FRAME-SINGLE POD-SIMPLE ROOF WITH RACKS AND DISTRIBUTION PANELS



AISLE WIDTH	
Feet	mm [inch]
3	914.4 [36.0]
4	1219.2 [48.0]
5	1524.0 [60.0]
6	1828.8 [72.0]

NOTES:

1. COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

△ 4. ACROSS AISLE DIMENSION MAY VARY AS PER THE REQUIREMENT. TABLE SHOWS STANDARD CONFIGURATION.

AR3107 48U RACKS AR3100 42U RACK
 TOP VIEW (TOP MOST TELESCOPIC BEAM NOT SHOWN FOR CLARITY)

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: HYPERPOD
 TALL FRAME, SINGLE POD, SIMPLE ROOF
 WITH RACKS AND DISTRIBUTION PANEL
 FRONT VIEW
 PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 3

DWG NO:	TFSPSRWRD	REV.	1
DRAWN BY:	BALA	30-JUN-17	FIRST ANGLE PROJ
ENGINEER:	A COTTER	30-JUN-17	
APPROVED BY:	SYMONS	30-JUN-17	