
TALL FRAME, SINGLE POD, SIMPLE ROOF WITH RACKS ONLY




- 1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]
- 4. WEIGHT REFER TO THE RESPECTIVE SUBMITTALS.
- △ 5. THIS DIMENSION MAY VARY AS PER RACK WIDTH AND NUMBER OF RACK. SHOWN TYPICAL ARRANGEMENT FOR TWELVE 600mm WIDE RACKS. TELESCOPING BEAM CAN ACCOMMODATE ANY COMBINATION OF RACKS FROM 8-12 FEET.
- △ 6. TALL FRAME CAN ACCOMMODATE UP TO 52U, SHOWN TYPICAL ARRANGEMENT FOR 42U/48U RACKS.

 REFER TO TABLE FOR DETAILS.
- 7. THIS DRAWING IS FOR TYPICAL CONFIGURATION.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: HYPERPOD TALL FRAME, SINGLE POD, SIMPLE ROOF WITH RACK AND W/O DISTRIBUTION PANEL FRONT VIEW		DWG NO: TF	REV. 1		
		DRAWN BY:	BALA	30-JUN-17	FIRS:
		ENGINEER:	A COTTER	30-JUN-17	ANGL
PROJECT: SUBMITTAL DRAWINGS	SHEET 1 OF 3	APPROVED BYFR	SYMONS	30-JUN-17	PRO



NOTES:

RACK DEPTH mm [inch]

825 [32.480] 1070 [42.125]

1200 [47.244]

RIGHT SIDE VIEW

- 1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- A4. OVERALL CONTAINMENT POD WIDTH DIMENSION MAY VARY AS PER THE COMPONENT SELECTED. 1070 [42.13] DEPTH RACK SHOWN FOR TYPICAL ARRANGEMENT. REFER TO TABLE FOR DETAILS.
- $oldsymbol{\Delta}$ 5. This dimension may vary as per the rack selected. 48U rack shown for typical arrangement


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: HYPERPOD TALL FRAME, SINGLE POD, SIMPLE ROOF WITH RACK AND W/O DISTRIBUTION PANEL RIGHT SIDE VIEW		DWG NO: TFSPSRWR		
		DRAWN BY:	BALA	30-JUN-17
		ENGINEER:	A COTTER	30-JUN-17
PROJECT: SUBMITTAL DRAWINGS SHEET 2 (OF 3 /	APPROVED BYFR	SYMONS	30-JUN-17

ANGLE

TALL FRAME, SINGLE POD, SIMPLE ROOF WITH RACKS ONLY



AISLE WIDTH				
Feet	mm [inch]			
3	914.4 [36.0]			
4	1219.2 [48.0]			
5	1524.0 [60.0]			
6	1828.8 [72.0]			

NOTES:

- 1. COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

 Δ 4. ACROSS AISLE DIMENSION MAY VARY AS PER THE REQUIREMENT.

TABLE SHOWS STANDARD CONFIGURATION.

(TOP MOST TELESCOPIC BEAM NOT SHOWN FOR CLARITY) TOP VIEW

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



HYPERPOD TALL FRAME, SINGLE POD, SIMPLE ROOF WITH RACK AND W/O DISTRIBUTION PANEL TOP VIEW		DWG NO: TFSPSRWR		
		DRAWN BY:	BALA	30-JUN-17
		ENGINEER:	A COTTER	30-JUN-17
PROJECT: SUBMITTAL DRAWINGS	SHEET 3 OF 3	APPROVED BYR	SYMONS	30-JUN-17

ANGLE