

NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL CODES.
2. PLEASE REFER TO PRODUCT MANUALS FOR ADDITIONAL DETAILS.
3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
4. THIS ROOF FAN TRAY IS FOR USE WITH AR3100, AR3104 & AR3107 APC NetShelter SX ENCLOSURES OF 600mm Wide X 1070mm Deep ONLY.
5. NET WEIGHT OF UNIT IS 8.41 kg [18.5 LBS].
6. IEC320-C13 TO BS:1363, IEC320-C13 TO IEC320-C14, IEC320-C13 TO CEE7/7 POWER CORDS OF 2.5 METER [8.2 FEET] LENGTH EACH ARE SUPPLIED WITH THE UNIT.
7. ROOF GROMMETS (0M-6444A - QTY.: 5) ARE SUPPLIED WITH THE SKU.

ACF502					
INPUT VOLTAGE	FREQUENCY	CURRENT	NOISE	AIR FLOW	OPERATING VOLTAGE RANGE
230 VAC	50Hz	0.50A	62 dBA	370 CFM	196-264 VAC
	60Hz	0.40A	62 dBA	440 CFM	196-264 VAC
208 VAC	50Hz	0.40A	62 dBA	370 CFM	196-264 VAC
	60Hz	0.35A	62 dBA	398 CFM	196-264 VAC

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.




Schneider Electric

TITLE:
RACK FAN TRAY
208/230V, 50/60Hz
For NetShelter SX 600mm ENCLOSURE
ASSEMBLY- MAIN MECHANICAL





DWG NO:	ACF502		REV:	0
DRAWN:	JAYAPRAKASH	01-APR-09	THIRD	
ENGINEER:	M.UHRHAN/B.OLIVER	14-APR-09	ANGLE	
APPROVED:	S.DIMBERKEY/C.ZALDMAR/A.KURJA/S.BAGH	14-APR-09	PROJECTION	

PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 3

ROOF FAN TRAY



FAN COVER ASSEMBLY



NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL CODES.
2. PLEASE REFER TO PRODUCT MANUALS FOR ADDITIONAL DETAILS.
3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: RACK FAN TRAY
208/230V, 50/60Hz
For NetShelter SX 600mm ENCLOSURE
ROOF FAN TRAY & FAN COVER ASSEMBLY
PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 3

DWG NO:	ACF502	REV:	0
DRAWN:	JAYAPRAKASH	01-APR-09	THIRD ANGLE PROJECTION
ENGINEER:	M.UHRHAN/B.OLIVER	14-APR-09	
APPROVED:	S.UMMERKEY/C.ZALDMAR/AKURJA/S.WAGH	14-APR-09	

TYPICAL APPLICATION



NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL CODES.
2. PLEASE REFER TO PRODUCT MANUALS FOR ADDITIONAL DETAILS.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE:	RACK FAN TRAY 208/230V, 50/60Hz For NetShelter SX 600mm ENCLOSURE TYPICAL APPLICATION		DWG NO:	ACF502	REV:	0
PROJECT:	SUBMITTAL DRAWINGS	SHEET 3 OF 3	DRAWN:	JAYAPRAKASH	01-APR-09	THIRD ANGLE PROJECTION
			ENGINEER:	M.UHRHAN/B.OLIVER	14-APR-09	
			APPROVED:	S.UMMERREY/C.ZALDMAR/A.KURJA/S.BAGH	14-APR-09	