


- WIDE RACKS. TELESCOPING BEAM CAN ACCOMMODATE ANY COMBINATION OF RACKS FROM 8-12 FEET.
- △ 6. TALL FRAME CAN ACCOMMODATE UP TO 52U, SHOWN TYPICAL ARRANGEMENT FOR 42U/48U RACKS. REFER TO TABLE FOR DETAILS.
- 7. THIS DRAWING IS FOR TYPICAL CONFIGURATION.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE



HYPERPOD	
	DICED
TALL FRAME, SINGLE POD, DUCT	KISEK
WITH RACK AND W/O DISTRIBUTION	PANE
FRONT VIEW	

TITLE: HYPERPOD TALL FRAME, SINGLE POD, DUCT RISER		DWG NO: TFSPDRWR			REV.
WITH RACK AND W/O DISTRIBUTION	ON PANEL	DRAWN BY:	JAYAPRAKASH	04-MAY-17	FIRST
FRONT VIEW		ENGINEER:	A COTTER	12-MAY-17	ANGLE
PROJECT: SUBMITTAL DRAWINGS SHE	ET 1 0F 3	APPROVED BYR	SYMONS	12-MAY-17	PROJ



RACK DEPTH mm [inch] 825 [32.480] 1070 [42.125] 1200 [47.244]

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.

2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.

3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

lacktriangle 4. Overall containment pod width dimension may vary as per the component selected. 1070 [42.13] DEPTH RACK SHOWN FOR TYPICAL ARRANGEMENT. REFER TO TABLE FOR DETAILS.

 $oldsymbol{\Delta}$ 5. This dimension may vary as per the rack selected. 48U rack shown for typical arrangement.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE


Schneider **Electric**

TALL FRAME, SINGLE POD, DUCT RISER WITH RACK AND W/O DISTRIBUTION PANEL RIGHT SIDE VIEW

TREV. DWG NO: JAYAPRAKASH 04-MAY-17 **ENGINEER:** 12-MAY-17

PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 3 APPROVED BYR SYMONS

FIRS: ANGLE 12-MAY-17





NOTES:

ш			
AISLE WIDTH			
Feet	mm [inch]		
3	914.4 [36.0]		
4	1219.2 [48.0]		
5	1524.0 [60.0]		
6	1828.8 [72.0]		

1. COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.

2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.

3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

△ 4. ACROSS AISLE DIMENSION MAY VARY AS PER THE REQUIREMENT.

TABLE SHOWS STANDARD CONFIGURATION.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

Schneider Electric

TITLE: HYPERPOD TALL FRAME, SINGLE POD, DUCT RISER	DWG NO: TFSPDRWR			
WITH RACK AND W/O DISTRIBUTION PANEL	DRAWN BY:	JAYAPRAKASH	04-MAY-17	
TOP VIEW	ENGINEER:	A COTTER	12-MAY-17	
PROJECT: SUBMITTAL DRAWINGS SHEET 3 OF 3	APPROVED BYFR	SYMONS	12-MAY-17	

ANGLE