




FRONT VIEW
(SHOWN WITHOUT MOUNTING EARS, IEC RECEPTACLES AND PLUG)




LEFT SIDE VIEW




TOP VIEW




VIEW-A
(ENLARGED VIEW)




VIEW-B
IEC 320 C20 PLUG
(ENLARGED VIEW)



VIEW-C
IEC 320 C19 RECEPTACLE
(ENLARGED VIEW)



VIEW-D
IEC 320 C13 RECEPTACLE
(ENLARGED VIEW)



- NOTES:
1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
 4. NET WEIGHT OF THE UNIT IS 3.74 kg [8.25 lb].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

Schneider
Electric

TITLE: RACK ATS
16A, 250V
INPUT: (2) IEC 320 C20,
OUTPUT: (8) IEC 320 C13, (1) IEC 320 C19
GENERAL ARRANGEMENT

PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 1

DWG NO: AP4423

REV: 0

DRAWN: JAYAPRAKASH 06-SEP-17
ENGINEER: PETE FISCHER 18-SEP-17
APPROVED: STEVE WATSON 18-SEP-17

FIRST ANGLE PROJECTION