


# HYPERPOD SYSTEM

## SHORT FRAME, SINGLE POD, SIMPLE ROOF, WITH RACK AND WITHOUT DISTRIBUTION CABINETS



FRONT VIEW

Rack Depth	
mm	[inch]
825	[ 32.480]
1070	[42.125]
1200	[47.244]

△5

Sl.No.	Description
1	Sliding Door (Shown in closed position)
2	Sliding Support (left)
3	Sliding Support (Right)
4	Header
5	Vertical Post
6	Aisle-End Cap Assembly
7	Large Cantilever (optional)
8	Overhead support frame
9	Mini Cantilever (optional)
10	Simple roof
11	Cross over tray
12	Stop rail ( bottom)
13	Window Rail assembly
14	Row Length Brush
15	Rack (AR3100)

**NOTES:**

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
4. TYPICAL ARRANGEMENT FOR AR3100 RACK SHOWN FOR REFERENCE.
- △5. RACK DEPTH AND HEIGHT MAY VARY AS PER THE REQUIREMENT. REFER TO THE TABLE FOR RACK DEPTH.
6. REFER TO THE RESPECTIVE SUBMITTALS FOR COMPONENT DETAILS.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

**Schneider Electric**

**TITLE:** HyperPod  
Short Frame, Single Pod, Simple roof, 4' Aisle  
with Rack and without Distribution Cabinets  
ASSEMBLY-FRONT VIEW

PROJECT: SUBMITTAL DRAWING SHEET 1 OF 3

**DWG NO:** SFSPSRWRWOD4F

**DRAWN BY:** JAYAPRAKASH 24-JUL-18

**ENGINEER:** TONG XU 31-JUL-18


**APPROVED BY:** AARON COTTER 31-JUL-18

REV. 0

THIRD

ANGLE

PROJECTION



Aisle Width	
Feet	mm [inch]
3	914.4 [36.0]
4	1371.6 [54.0]
5	1524.0 [60.0]
6	1981.2 [78.0]

△ 4

**NOTES:**

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
- △ 4. AISLE DIMENSION MAY VARY AS PER THE REQUIREMENT. REFER TO THE TABLE FOR CONFIGURATION.


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



**TITLE:** HyperPod  
Short Frame, Single Pod, Simple roof, 4' Aisle  
without Distribution Cabinets  
ASSEMBLY-TOP VIEW

<b>DWG NO:</b>	SFSPSRWRWOD4F	<b>REV.</b>	0
<b>DRAWN BY:</b>	JAYAPRAKASH	24-JUL-18	THIRD
<b>ENGINEER:</b>	TONG XU	31-JUL-18	ANGLE
<b>APPROVED BY:</b>	AARON COTTER	31-JUL-18	PROJECTION

**PROJECT:** SUBMITTAL DRAWING **SHEET** 2 OF 3



Rack Height	
U	mm [inch]
42U	1991 [78.39]
45U	2124 [83.64]
48U	2258 [88.90]

**NOTES:**

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
- △4. RACK HEIGHT MAY VARY AS PER THE REQUIREMENT. REFER TO THE TABLE FOR THE DETAILS.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



**TITLE:** HyperPod  
Short Frame, Single Pod, Simple roof, 4' Aisle  
without Distribution Cabinets  
ASSEMBLY-RIGHT SIDE VIEW

<b>DWG NO:</b>	SFSPSRWRWOD4F	<b>REV.</b>	0
<b>DRAWN BY:</b>	JAYAPRAKASH	24-JUL-18	THIRD
<b>ENGINEER:</b>	TONG XU	31-JUL-18	ANGLE
<b>APPROVED BY:</b>	AARON COTTER	31-JUL-18	PROJECTION

PROJECT: SUBMITTAL DRAWING SHEET 3 OF 3