



- NOTES:**
1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
  2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
  3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
  4. NET WEIGHT OF UNIT IS 159.85kg [352 lb].
  5. CABLE ENTRY IS TOP OR BOTTOM OF THE UNIT.
  6. FRONT AND REAR SERVICE ACCESS REQUIRED.
  7. AIR FLOW AND SERVICE REQUIREMENTS, AS WELL AS MINIMUM CLEARANCE TO FIRE SUPPRESSION SYSTEMS SHOULD BE CONSIDERED WHEN LOCATING THE ENCLOSURE.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: NetShelter SX 52U 600mm WIDE X 1200mm DEEP ENCLOSURE WITH SIDES GENERAL ARRANGEMENT		DWG NO: AR3308	REV: 0
PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 3		DRAWN BY: JAYAPRAKASH	08-JUL-19
		ENGINEER: JIE ZHU	09-JUL-19
		APPROVED BY: GREG IVEY	09-JUL-19
			FIRST ANGLE PROJECTION



- NOTES:
1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
  2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
  3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: NetShelter SX 52U  
600mm WIDE X 1200mm DEEP  
ENCLOSURE WITH SIDES  
TOP VIEW & SECTION VIEW


PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 3

DWG NO:	AR3308	REV:	0
DRAWN BY:	JAYAPRAKASH	DATE:	08-JUL-19
ENGINEER:	JIE ZHU	DATE:	09-JUL-19
APPROVED BY:	GREG MEY	DATE:	09-JUL-19
			FIRST ANGLE PROJECTION



**BOTTOM VIEW**

(WITH PALLET BRACKETS, CAN BE USED FOR ANCHORING)  
TOP ROOF NOT SHOWN



**BOTTOM VIEW**

(WITH OPTIONAL BOLT-DOWN BRACKETS FOR ANCHORING)  
TOP ROOF NOT SHOWN

**NOTES:**

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- △ 4. ANCHORING CAN BE INSTALLED EITHER INSIDE OR OUTSIDE THE NetShelter WITH ONE AT FRONT AND ONE IN BACK.
- △ 5. BOLT-DOWN KIT (SKU# AR7701) IS OPTIONAL AND HAS TO BE ORDERED SEPARATELY.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: NetShelter SX 52U  
600mm WIDE X 1200mm DEEP  
ENCLOSURE WITH SIDES  
BOTTOM VIEWS

DWG NO:	AR3308	REV:	0
DRAWN BY:	JAYAPRAKASH	08-JUL-19	FIRST
ENGINEER:	JIE ZHU	09-JUL-19	ANGLE
APPROVED BY:	GREG IVEY	09-JUL-19	PROJECTION