



## TYPICAL ARRANGEMENT- ADJUSTABLE MOUNTING SUPPORT

ACDC2200-2201









## **Adjustable Mounting Kit Details**

Weight, kg (lbs) SKU Description ACDC2200 Adjustable Mtg Kit 152-241mm(6-9.5in) 5.50 (12.01) ACDC2201 Adjustable Mtg Kit 152-241mm(6-9.5in) V0 6.40 (14.08)

## NOTES:

1. COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.

TOP VIEW

- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- △ 4. NET WEIGHT OF UNIT-REFER TO TABLE
  - 5. TYPICAL ARRANGEMENT SHOWN FOR ACDC2200/2201.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE



IIILE:
Eco—Aisle (TM) Aisle Containment Systen
ADJUSTABLE MOUNTING SUPPORT
ACCEMBLY ACDOSSON SSOS

 $\sqrt{4}$ 

REAR VIEW


DWG NO:	ACDC2200	)-2203
DDAWAL DV	/ K NACENDDA	07 MAD 14


FIRS ASSEMBLY ACDC2200-2201 ENGINEERUSTIN SHI/MARK MENG angle APPROVED BYAARON GRAFF 07-MAR-14


PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 4

## TYPICAL ARRANGEMENT- ADJUSTABLE MOUNTING SUPPORT

# ACDC2202-2203







**Adjustable Mounting Kit Details** 

		Weight,
SKU	Description	kg (lbs)
ACDC2202	Adjustable Mtg Kit 241-419mm(9.5-16.5in)	7.20 (15.84)
ACDC2203	Adjustable Mtg Kit 241-419mm(9.5-16.5in) VO	8.80 (19.36)

## NOTES:

1. COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.

TOP VIEW

- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- △ 4. NET WEIGHT OF UNIT-REFER TO TABLE
  - 5. TYPICAL ARRANGEMENT SHOWN FOR ACDC2202/ACDC2203.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TEE:			
n-Aisle	(MT)	Aisle	Contain

-Aisle (TM) Aisle Containment System ADJUSTABLE MOUNTING SUPPORT ASSEMBLY ACDC2202-2203


4


1	ACDC2200-2203				
	DRAWN BY:	K.NAGENDRA	07-MAR-14		
	CHOINEEDHOTH	OUR AMERIC MENO	07 1115 44		

FIRS


angle


07-MAR-14 ENGINEERUSTIN SHI/MARK MENG PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 4 APPROVED BYAARON GRAFF 07-MAR-14





SIDE VIEW





TOP VIEW (REFER TO HOLE DETAILS)

- 1. COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.




()
Eco-Aisle (TM) Aisle Containment Syster
ADJUSTABLE MOUNTING SUPPORT
ADJUSTABLE MOUNTING SUFFURT
DDACKET DETAILS

TITLE:

DWG NO: A(	CDC2200	)-2
DRAWN BY:	K.NAGENDRA	07-

DRAWN BY:	K.NAGENDRA	07-MAR-14	FIRST
ENGINEERUSTIN	SHI/MARK MENG	07-MAR-14	ANGLE
APPROVED BY	ARON GRAFF	07-MAR-14	PROJ

PROJECT: SUBMITTAL DRAWINGS SHEET 3 OF 4



SKU	PANEL TYPE	P (HEIGHT)	t (THICKNESS)
ACDC2200	POLYCARBONATE RIBBED PANEL	246 (9.7)	6.0 (0.24)
ACDC2201	POLYCARBONATE CLEAR PANEL	252 (10.0)	2.36 (0.093)
ACDC2202	POLYCARBONATE RIBBED PANEL	424 (16.7)	6.0 (0.24)
ACDC2203	POLYCARBONATE CLEAR PANEL	430 (16.9)	2.36 (0.093)

### NOTES:

- 1. COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- △4. POLYCARBONATE CLEAR PANEL SHOWN.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE:	l
Eco-Aisle (TM) Aisle Containment System	L
ADJUSŤABĹE MOUNTING SUPPORT	l
POLYCARBONATE PANEL	r

n	DWG NO: A(	CDC2200	)-2203	REV. 1
	DRAWN BY:	K.NAGENDRA		FIRST
	ENGINEERUSTIN	SHI/MARK MENG	07-MAR-14	ANGLE

PROJECT: SUBMITTAL DRAWINGS	SHEET 4 OF 4	APPROVED BYAARON	GRAFF	07-MAR-14