

### ASSEMBLY (ENLARGED VIEW) - ACAC10032





#### NOTES:

- 1. INSTALLATION MUST COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- 4. NET WEIGHT OF THE UNIT 8.0kg [17.6 lbs].
- 5. PIPING CONNECTION INSULATION IS PART OF THE SKU.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



THEE.	
InRow CHILLED	WATER COOLING
UPPER PIPING	KIT-ACAC301S
ASSE	MBLY

DWG NO:	ACAC1	0032	REV. (
DRAWN BY:	K.NAGENDRA	06-MAY-14	FIR
ENGINEER:	VITVIANC / DAN CAO	06-MAY-14	ANG

PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 3 APPROVED BYNICHOLAS SCHWEISSGUTH

06-MAY-14

# ASSEMBLY-INLET PIPING [1.61] 1.0" UNION NPT 200 [7.86] 148 [5.84] 1-1/8" PIPE 1032 [40.62] 1394 [54.90] [1.18] 1-1/8" ID UNIÓN SWEAT 73 [2.87] 96 [3.79] FRONT VIEW LEFT SIDE VIEW 55 [2.18] 11 ISOMETRIC VIEW [.43]

## NOTES:

- 1. INSTALLATION MUST COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

# Schneider Electric


INROW CHILLED WATER COOLING UPPER PIPING KIT-ACAC301S INLET PIPING-DETAILS


DWG NO: ACAC 10032			REV.
DRAWN BY:	K.NAGENDRA	06-MAY-14	FIRST
ENGINEER:	XUXIANG/PAN GAO	06-MAY-14	ANGLE


PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 3 APPROVED BYNICHOLAS SCHWEISSGUTH

06-MAY-14 XUXIANG/PAN GAO 06-MAY-14

# ASSEMBLY-OUTLET PIPING







### NOTES:

- INSTALLATION MUST COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

## Schneider Electric

ш	HЬ	•	
ш	ш		

InRow CHILLED WATER COOLING UPPER PIPING KIT—ACAC301S OUTLET PIPING—DETAILS

PROJECT: SUBMITTAL DRAWINGS SHEET 3 OF 3 APPROVED BYNICHOLAS SCHWEISSGUTH

DWG NO: ACAC10032			REV.
DRAWN BY:	K.NAGENDRA	06-MAY-14	FIRST
ENGINEER:	XUXIANG/PAN GAO	06-MAY-14	ANGLE

06-MAY-14