


## NOTES:

- 1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL CODES.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND PREPARATION WORK.
- 3. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
- 4. NET WEIGHT OF UNIT IS 16.64lb [7.55kg]
- 5. LENGTH OF THE CORD IS 72.0 Inches [1829mm].
- 6. UNIVERSAL MOUNTING BRACKET IS AN ALTERNATIVE MOUNTING METHOD TO THE TOOL LESS MOUNT FOR 3RD PARTY ENCLOSURES. BRACKET IS PROVIDED WITH THE UNIT. DETAILED INSTALLATION INSTRUCTIONS

ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE

INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE

- CAN BE FOUND IN THE PROVIDED MANUAL. 7. BRACKET KITS TO MOUNT TO SPECIFIC 3RD PARTY ENCLOSURES
- ARE AVAILABLE AS OPTIONS. 8. REFER TO WARNING LABEL ON REAR OF UNIT FOR
- SCREW MOUNTING.



GENERAL ARRANGEMENT

PROJECT: SUBMITTAL DRAWINGS | SHEET | 1 OF 2 | APPROVED BY:

**ENGINEER** 

Y JIANG


T HORSTMANN

21-AUG-18

22-AUG-18

ANGLE

PROJ



- STATE AND LOCAL ELECTRICAL CODES.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND PREPARATION WORK.
- 3. THIS DRAWING DEPICTS THE POWER SYSTEM CONNECTIONS AND IS NOT REPRESENTATIVE OF THE PHYSICAL LAYOUT. PLEASE REFER TO MECHANICAL DRAWINGS FOR PHYSICAL LAYOUT.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: RACK PDU 2G, METERED ZERO U, 8.6kW, 208V	DWG NO: AP8865
INPUT: NEMA L21—30P OUTPUT: (36)IEC 320 C13, (6)IEC 320 C19, (2)NEMA 5-20	DRAWN BY: JAYAPRAKASH 21-AUG-18
`´ELECTRICAL´SCHEMATİC`	ENGINEER: Y JIANG 21-AUG-18
PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 2	APPROVED BY: T HORSTMANN 22-AUG-18

PROJ

ANGLE