


Circularity Profile

CABLE ENDS






Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Metal	0.265	
To be dismantled	2	Plastic	0.115	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Linery cable end insulated for clip-in marker. It applied to single conductor with 4 mm ² cable cross section. It has red surface treatment. It conforms to NF C 63-023 standard. It is UL certified.
Product reference	DZ5CA042
Total representative product mass	0.00038 kg
Representative product dimensions	3.2 mm * 20 mm * 12 mm (Tube diameter * Length * Tube length)
Accessories	No
Date of information release	05-2024



Additional information

Is the product in the scope of WEEE Directive (2012/19/EU)	Yes
Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No
Recyclability potential	95% Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>

35 rue Joseph Mounier
CS30323

F-92506 Rueil Malmaison Cedex

RCS Nanterre 954 504 439
Capital social 896 313 776€

www.se.com

ENVEOLI2405008_V1

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

05/2024