

# Product End of Life Instructions

## PowerPact J-frame Molded Case Circuit Breaker with Thermal-magnetic Trip Unit





## Potential disassembly risks

### ⚠ DANGER / PELIGRO / DANGER / 危險

#### HAZARD OF ELECTRIC SHOCK, EXPLOSION OR ARC FLASH

Install circuit breaker so minimum clearance distance to grounded metal is maintained.

Failure to follow these instructions will result in death or serious injury.

#### PELIGRO DE DESCARGA ELÉCTRICA, EXPLOSIÓN O DESTELLO POR ARQUEO

Instale el interruptor automático de manera que se conserve la distancia mínima de espacio libre a las partes metálicas conectadas a tierra.

El incumplimiento de estas instrucciones podrá causar la muerte o lesiones serias.

#### RISQUE D'ÉLECTROCUTION, D'EXPLOSION OU D'ÉCLAIR D'ARC

Installez le disjoncteur de sorte qu'une distance d'isolement minimale avec le métal mis à la terre soit maintenue.

Si ces directives ne sont pas respectées, cela entraînera la mort ou des blessures graves.


可能有触电、爆炸或电弧灼伤的危險

安装断路器的最小间隙应保留接地金属的空间。

不遵循上述说明将导致人员伤亡。



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	POUSSOIR TELECOMMANDE/PA46 GF30 FR(17) BLACK	1.84	plastic containing brominated flame retardants
Potential hazards	2	VIS DE RACCORDEMENT SURMOULEE/PA46 GF30 FR(17) BLACK	0.54	plastic containing brominated flame retardants



## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Square D
Product function	This product with thermal-magnetic Trip Unit is designed to protect electrical systems from damage caused by overloads and short circuits.
Product reference	JGL36250
Additional similar product references	JGL36250 320234751 320234752 320234753 320234754 0G201040 0G201041 0G201042 0G201043 1280412020 1280412021 16020845 16020846 2544171000 2704656 2757784 2757785 2757786 2757787 2757792 320234752 320234753 320234754 3393785 3393789 3404239 3404300 3404303 3404306 3699257 3949411 3949412
Total representative product mass	2138.11g
Representative product dimensions	191.01 mm x 104.65 mm x 127.00 mm
Date of information release	Sep-20



## Additional information

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	<b>58%</b>	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS  
Country Customer Care Center  
<http://www.schneider-electric.com/contact>  
35, rue Joseph Monier  
CS 30323  
F- 92506 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 896 313 776 €  
[www.schneider-electric.com](http://www.schneider-electric.com)

Published by Schneider Electric

ENVEOLI1311008\_V3

© 2019 - Schneider Electric – All rights reserved

9/2020