# **Product End of Life Instructions**

# Standard motor mechanism module MT400/630, ComPacT


## ComPacT NSX400/630 Motor Mechanism






## 🛕 Potential disassembly risks

The Motor mechanism must be in OFF position and DISCHARGED state before starting dismantling operations.



### **End of Life Instructions**



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	Energy Springs	102,40	For safety reasons the energy springs must not be dismantled. The entire mechanism can be put in a shredding machine as is

### **Product description**

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The MT400/630 standard motor mechanism module for ComPacT NSX 400/630 and PowerPacT Multistandard H frame devices is a mechanism that allows automatic device spring-charging. When equipped with this module, circuit breakers feature very high mechanical endurance as well as easy and reliable closing/opening operations. All circuit breaker indications and information remain visible and accessible, including trip unit settings and its indications. The suitability for isolation is mantained and padlocking of the device remains possible while providing a double insulation of the front face. The motor mechanism is supplied with an SDE adapter.
Product reference	LV432641
Additional similar product references	LV432639 LV432640 LV432641 LV432642 LV432647 LV432643 LV432644 LV432645 LV432646 LV432652
Total representative product mass	2889 g
Representative product dimensions	150mm x 139mm x 160mm
Accessories	No
Date of information release	11/2023

## Additional information

Legal information	and Elect legislatic facilities	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No			
Recyclability potential	65%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

ENVEOLI2308039\_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

11/2023