

A

B

C

D

A

B

C

D


This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism disassembled and all power sources off.

Les informations techniques contenues dans ce document sont la propriété exclusive de Schneider Electric Industries S.A.S et ne peuvent être utilisées ou divulguées à des tiers quels qu'ils soient sans son accord écrit. Seuls nos engagements pour exécution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouverte, démontés - tous sources coupées.

**FUNCTIONAL PLATE DOLD18-B0 WITH GV3
WIRED VERSION 1 WAY ROTATION
COORDINATION TYPE 2 (IEC 60947-4-1)
POWER: 18.5 kW**

FUNCTIONAL PLATE DOLD18 GV3 WIRED VERSION 1 WAY ROTATION				CELLEAN OFFER			
Echelle Scale 1/1							
Unite / Department							
Code diffusion Distribution code	Project - No commande Project - Order No.			Indice Rev		Folio Sheet	
QGH7750003				00		001	

00	16/01/2017	Edition originale / First issue		AKKA		O.MEURANT		A.PERRIN	
Ind	Date	Modification / Modification		Nom / Name	Visa	Nom / Name	Visa	Nom / Name	Visa
Rev	Date			Dessine / Drawn		Verifie / Checked		Approuve / Approved	



This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document (sauf la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers) sont la propriété de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls ceux autorisés par l'ordre de commande sont contraignants pour l'exécution. Tous les appareils représentés dans ce schéma sont en position ouverte - débrayés - débrayés - toutes sources coupées.

Ind.	Date	Modification	Archiv.	Ind.	Date	Modification	Archiv.
00	16/01/2017	Edition originale					

FUNCTIONAL PLATE
DOLD18
GV3
WIRED VERSION
1 WAY ROTATION

CELLEAN OFFER



QGH7750003

Project - No commande Project - Order No.	Index Rev 00	Folio Sheet 003
--	--------------------	-----------------------

This technical information is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagram are in their open position. Drawn out with operating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document sont la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls ceux autorisés par la commande et les schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouverte - débrayés - toutes sources coupées.

1 2 3 4 5 6 7 8 9 10

A

B

C



D

A

B


C

D



DO NOT DISCONNECT
THE GROUND WIRE
BEFORE DISCONNECTING
THE MOTOR CABLE

APPROXIMATE WEIGHT : 3500g



Ind.	Date	Modification	Archiv.	Ind.	Date	Modification	Archiv.
00	10/01/2017	Edition originale					

LAYOUT
DOLD18
GV3
WIRED VERSION
1 WAY ROTATION

CELLEAN OFFER



QGH7750003	
Projet - No commande	Indice
Project - Order No.	Rev
	00
Folio	004
Sheet	

1	2		3		4	5	6	7	8	9	10
Type of circuit	Electrical Features P(kW) I(A)		Wire Destination From To		Sheet N°	Designation	Color	Section	Wire Type	Câble end	
										From	To
POWER CIRCUIT	18.5 kW	40A	XP1.1	Q1.1	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	10 mm²	H07V-K	CABLE END INSULATED LONG SIZE	CABLE END INSULATED
			XP1.2	Q1.3	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	10 mm²	H07V-K	CABLE END INSULATED LONG SIZE	CABLE END INSULATED
			XP1.3	Q1.5	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	10 mm²	H07V-K	CABLE END INSULATED LONG SIZE	CABLE END INSULATED
			Q1.2	KM1.1	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	10 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			Q1.4	KM1.3	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	10 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			Q1.6	KM1.5	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	10 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
CONTROL CIRCUIT			KM1.A1	XAUX1.1	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			KM1.A2	XAUX1.2	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			KM1.21	XAUX1.5	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			KM1.13	XAUX1.4	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			KM1.14	XAUX1.3	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			KM1.14	KM1.22	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			Q1.13	XAUX1.8	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			Q1.23	XAUX1.7	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			Q1.24	XAUX1.6	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED
			Q1.24	Q1.14	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED

This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties in any form without its written consent. Only those drawings and diagrams permitted after order booking are valid for execution. All devices shown in this diagrams are in open position, drawn out with separating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document (sauf la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers ou à des tiers sans son accord écrit. Seuls nos engagements sur ce schéma sont en vigueur. Les appareils représentés sont en position ouverte - débrayés - toutes sources coupées.

00	10/01/2017	Edition originale									
Ind.	Date	Modification	Archiv.	Ind.	Date	Modification	Archiv.				

WIRE LIST
 DOLD18
 GV3
 WIRED VERSION
 1 WAY ROTATION

CELLEAN OFFER



QGH7750003
 Projet - No commande
 Project - Order No.

Indice Rev	Folio Sheet
00	005

		1	2	3	4	5	6	7	8	9	10
A	TAG	SHEET	DESCRIPTION				MANUFACTURER		MANUFACTURER REF.		QTY
	KM1	003	3P ELK CONT 50A 24VDC				SCHNEIDER ELECTRIC		LC1D50ABD		1
	Q1	003	MOTOR BREAKER 30-40A				SCHNEIDER ELECTRIC		GV3P40		1
	Q1	003	FRONT INST AUX CONTACTS NO +				SCHNEIDER ELECTRIC		GVAE20		1
	XAUX1	003	MOVING CONNECTOR SINGLE 8P 12A				SCHNEIDER ELECTRIC		LGYDC8APM		1
	XP1	003	MOVING CONNECTOR 4P 50A				SCHNEIDER ELECTRIC		LGYDC4P50M		1
B			FUNCTION PLATE H300 x W200 2 WINDOWS VERSION A				SCHNEIDER ELECTRIC		NSYME03022A		1
			DIN RAIL, WIDTH: 35mm, HEIGHT: 15mm, LENGTH: 200mm				-----		DIN RAIL T2		1
C											
D											

This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position. Drawn out with operating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document (sauf le matériel existant de Schneider Electric Industries S.A.S. et ne pouvant être utilisées ou divulguées à des tiers) sont la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls ceux autorisés par la commande. Les appareils représentés sur ce schéma sont en position ouvert - débranchés - toutes sources coupées.

00	16/01/2017	Edition originale / First issue								
Ind. Rev	Date	Modification /	Modification	Archiv. Micro-filmed	Ind. Rev	Date	Modification /	Modification	Archiv. Micro-filmed	

PART LIST
 DOLD18
 GV3
 WIRED VERSION
 1 WAY ROTATION

CELLEAN OFFER



QGH7750003

Project - No commande
 Project - Order No.

Indice Rev	Folio Sheet
00	006