

1 2 3 4 5 6 7 8 9 10

A

B

C

D

A

B

C

D

**SERVO DRIVE PLATE LXM32U90-A0**  
**SERVO DRIVE LXM32MD85N4**  
**POWER: 9 kW**  
**OUTPUT CURRENT: 85 A RMS**

This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism disassembled and at power sources off.


Les informations techniques contenues dans ce document sont la propriété exclusive de Schneider Electric Industries S.A.S et ne peuvent être utilisées ou divulguées à des tiers quels qu'ils soient sans son accord écrit. Seuls nous engageons pour l'exécution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert, démontés - toutes sources coupées.

|     |            |                                 |                 |                   |                     |      |            |      |                      |
|-----|------------|---------------------------------|-----------------|-------------------|---------------------|------|------------|------|----------------------|
| 00  | 16/01/2017 | Edition originale / First issue | AKKA            | O.MEURANT         | A.PERRIN            |      |            |      |                      |
| Ind | Date       | Modification / Modification     | Nom / Name      | Visa              | Nom / Name          | Visa | Nom / Name | Visa | Archiv. Micro-filmed |
| Rev | Date       |                                 | Dessine / Drawn | Verifie / Checked | Approuve / Approved |      |            |      |                      |

SERVO DRIVE PLATE  
LXM32U90  
SERVO DRIVE LXM32MD85N4  
POWER 9 KW  
OUTPUT CURRENT: 85A RMS

CELLEAN OFFER

Echelle Scale  
1/1



Unite / Department



|                                  |  |            |               |                 |
|----------------------------------|--|------------|---------------|-----------------|
| Code diffusion Distribution code | Projet - No commande Project - Order No. | PHA7329203 | Indice Rev 00 | Folio Sheet 001 |
|----------------------------------|--|------------|---------------|-----------------|



A

B

C

D

A


B

C

D

This technical information, contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position. Drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls les schémas et les plans de câblage autorisés après commande sont contraignants pour l'exécution. Tous les appareils représentés sur ce schéma sont en position ouverte - débranchés - toutes sources coupées.



|      |            |                   |         |      |      |              |         |  |  |
|------|------------|-------------------|---------|------|------|--------------|---------|--|--|
| 00   | 16/01/2017 | Edition originale |         |      |      |              |         |  |  |
| Ind. | Date       | Modification      | Archiv. | Ind. | Date | Modification | Archiv. |  |  |

FUNCTIONAL PLATE  
LXM32U90  
SERVO DRIVE LXM32MD85N4  
POWER 9 KW  
OUTPUT CURRENT: 85A RMS

CELLEAN OFFER



PHA7329203  
Projet - No commande  
Project - Order No.

|            |             |
|------------|-------------|
| Indice Rev | Folio Sheet |
| 00         | 003         |

A

B

C

D

A


B

C

D



This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position. Drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document (sauf la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers) sont la propriété de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls nos engagements par exécution, les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouverte - débranchés - débranchés - toutes sources coupées.



APPROXIMATE WEIGHT : 15000 g

DO NOT DISCONNECT THE GROUND WIRE BEFORE DISCONNECTING THE MOTOR CABLE



| Ind. | Date       | Modification      | Archiv. | Ind. | Date | Modification | Archiv. |
|------|------------|-------------------|---------|------|------|--------------|---------|
| 00   | 10/01/2017 | Edition originale |         |      |      |              |         |

LAYOUT  
LXM32U90  
SERVO DRIVE LXM32MD85N4  
POWER 9 KW  
OUTPUT CURRENT: 85A RMS

CELLEAN OFFER



|  |  |            |             |
|--|--|------------|-------------|
| PHA7329203                                   |  | Indice Rev | Folio Sheet |
| Project - No commande<br>Project - Order No. |  | 00         | 004         |

| Type of circuit | Electrical Features |        | Wire Destination |          | Sheet N° | Designation                       | Color | Section | Wire Type | Câble end                        |                     |
|-----------------|---------------------|--------|------------------|----------|----------|-----------------------------------|-------|---------|-----------|----------------------------------|---------------------|
|                 | P (kW)              | I (A)  | From             | To       |          |                                   |       |         |           | From                             | To                  |
| POWER CIRCUIT   | 9 kW                | 19.9 A | XP1.1            | Q1.1     | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 4 mm²   | H07V-K    | CABLE END INSULATED<br>LONG SIZE | CABLE END INSULATED |
|                 |                     |        | XP1.2            | Q1.3     | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 4 mm²   | H07V-K    | CABLE END INSULATED<br>LONG SIZE | CABLE END INSULATED |
|                 |                     |        | XP1.3            | Q1.5     | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 4 mm²   | H07V-K    | CABLE END INSULATED<br>LONG SIZE | CABLE END INSULATED |
|                 |                     |        | Q1.2             | A1.L1    | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 4 mm²   | H07V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | Q1.4             | A1.L2    | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 4 mm²   | H07V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | Q1.6             | A1.L3    | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 4 mm²   | H07V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | A1.PE            | MM1      | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 10 mm²  | H07V-K    | CABLE END INSULATED              | CABLE END INSULATED |
| CONTROL CIRCUIT |                     |        | XAUX1.1          | A1.STO_A | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 1 mm²   | H05V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | XAUX1.2          | A1.STO_B | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 1 mm²   | H05V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | XAUX1.3          | A1.24V   | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 1 mm²   | H05V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | XAUX1.4          | A1.0V    | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 1 mm²   | H05V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | XAUX1.5          | A1.DQCOM | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 1 mm²   | H05V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | XAUX1.6          | A1.DQ0   | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 1 mm²   | H05V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | XAUX1.7          | A1.DICOM | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 1 mm²   | H05V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        | XAUX1.8          | A1.DI0   | 003      | UNIPOLAR INSULATED ELECTRIC CABLE | BLACK | 1 mm²   | H05V-K    | CABLE END INSULATED              | CABLE END INSULATED |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |
|                 |                     |        |                  |          |          |                                   |       |         |           |                                  |                     |

This technical information remains in the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those diagrams and diagrams permitted after order booking are binding for execution. All devices shown in this diagram are in open position, drawn out with operating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document (sauf la présence éventuelle de Schémas Électriques Industriels S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans le consentement écrit de Schneider Electric Industries S.A.S. Les schémas sont en position ouvert - disjoncteurs - débrayés - toutes sources coupées.

|         |            |                   |         |      |      |              |         |  |  |  |  |
|---------|------------|-------------------|---------|------|------|--------------|---------|--|--|--|--|
| 00      | 10/01/2017 | Edition originale |         |      |      |              |         |  |  |  |  |
| Archiv. |            |                   |         |      |      |              |         |  |  |  |  |
| Ind.    | Date       | Modification      | Archiv. | Ind. | Date | Modification | Archiv. |  |  |  |  |

WIRE LIST  
 LXM32U90  
 SERVO DRIVE LXM32MD85N4  
 POWER 9 KW  
 OUTPUT CURRENT: 85A RMS



CELLEAN OFFER  
 PHA7329203  
 Projet - No commande  
 Project - Order No.

|            |             |
|------------|-------------|
| Indice Rev | Folio Sheet |
| 00         | 005         |

|   |            |                         |   |   |                    |                     |          |                          |   |            |
|---|------------|-------------------------|---|---|--------------------|---------------------|----------|--------------------------|---|------------|
|   | 1          | 2                       | 3   | 4 | 5                  | 6                   | 7        | 8                        | 9 | 10         |
| A | <b>TAG</b> | <b>SHEET</b>            | <b>DESCRIPTION</b>                                |   |                    | <b>MANUFACTURER</b> |          | <b>MANUFACTURER REF.</b> |   | <b>QTY</b> |
|   | A1         | 003                     | LXM32 MODULAR 85A RMS PEA K 3PH 480V              |   |                    | SCHNEIDER ELECTRIC  |          | LXM32MD85N4              |   | 1          |
|   | Q1         | 003                     | MOTOR CIRCUIT BREAKER                             |   |                    | SCHNEIDER ELECTRIC  |          | GV2P22                   |   | 1          |
|   | XAUX1      | 003                     | MOVING CONNECTOR SINGLE 8P 12A                    |   |                    | SCHNEIDER ELECTRIC  |          | LGYDC8APM                |   | 1          |
|   | XP1        | 003                     | MOVING CONNECTOR 3P 32A IP2X                      |   |                    | SCHNEIDER ELECTRIC  |          | LGYDC3P32M2S             |   | 1          |
|   |            |                         | DRIVE PLATE ATV320 11-15 kW LEXIUM 9-11kW         |   |                    | SCHNEIDER ELECTRIC  |          | NSYME0503CA              |   | 1          |
|   |            |                         | DIN RAIL, WIDTH: 35mm, HEIGHT: 15mm, LENGTH: 90mm |   |                    | -----               |          | DIN RAIL T0.90           |   | 1          |
|   |            | SHUTTER AND CABLE GLAND |   |   | SCHNEIDER ELECTRIC |                     | NSYMEWGL |                          | 2 |            |
| B |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
| C |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
| D |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |
|   |            |                         |   |   |                    |                     |          |                          |   |            |

This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document (sauf le matériel existant de Schneider Electric Industries S.A.S. et ne pouvant être utilisées ou divulguées à des tiers) sont la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls ceux des schémas et des plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - déconnectés - débranchés - toutes sources coupées.

|          |            |                                 |              |                      |          |      |                |              |                      |  |
|----------|------------|---------------------------------|--------------|----------------------|----------|------|----------------|--------------|----------------------|--|
| 00       | 16/01/2017 | Edition originale / First issue |              |                      |          |      |                |              |                      |  |
| Ind. Rev | Date       | Modification /                  | Modification | Archiv. Micro-filmed | Ind. Rev | Date | Modification / | Modification | Archiv. Micro-filmed |  |

PART LIST

CELLEAN OFFER



**PHA7329203**

Project - No commande  
Project - Order No.

|                  |                    |
|------------------|--------------------|
| Indice Rev<br>00 | Folio Sheet<br>006 |
|------------------|--------------------|