


This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position. Drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls nos engagements pour l'exécution des plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - déarmés - débranchés - toutes sources coupées.



PREVENTA
SECURITY MODULE
XPSAV11113

VW3A9921 + GV2AF4

-A1
SCHNEIDER ELECTRIC
ATV320U11N4B

OUTPUT RELAY 1 AND 2

ALTIVAR 320

DC BUS

Braking
resistor

FREE INPUTS

24 Vdc
External supply


0 Vdc
External supply

FUNCTIONAL PLATE
V320U11
VARIABLE SPEED DRIVE ATV320U11
POWER 1.1 KW

CELLEAN OFFER





PHA1584703		
Project - No commande	Indice Rev	Folio Sheet
Project - Order No.	00	003



APPROXIMATE WEIGHT : 5000 g

DO NOT DISCONNECT
THE GROUND WIRE
BEFORE DISCONNECTING
THE MOTOR CABLE



00	10/01/2017	First issue					
Rev	Date	Modification	Micro-	Rev	Date	Modification	Micro-

LAYOUT
V320U11
VARIABLE SPEED DRIVE ATV320U11
POWER 1.1 KW

CELLEAN OFFER



PHA1584703

Project - No commande			
Project - Order No.			

Indice
Rev
00

Folio
Sheet
004

1													2			3		4		5		6		7		8		9		10	
Type of circuit													Electrical Features P(kW) I(A)		Wire Destination From To		Sheet N°	Designation			Color	Section	Wire Type	Câble end From To							
POWER CIRCUIT													1.1 kW	5 A	XP1.1	Q1.1	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	2.5 mm²	H07V-K	CABLE END INSULATED LONG SIZE			CABLE END INSULATED				
															XP1.2	Q1.3	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	2.5 mm²	H07V-K	CABLE END INSULATED LONG SIZE			CABLE END INSULATED				
															XP1.3	Q1.5	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	2.5 mm²	H07V-K	CABLE END INSULATED LONG SIZE			CABLE END INSULATED				
															A1.M	MM1	003	UNIPOLAR INSULATED ELECTRIC CABLE			G/Y	10 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				
CONTROL CIRCUIT															XAUX1.1	A1.STO	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	1.5 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				
															XAUX1.2	A1.P24	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	1.5 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				
															XAUX1.3	A1.DI1	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	1.5 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				
															XAUX1.4	A1.DI2	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	1.5 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				
															XAUX1.5	A1.DI3	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	1.5 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				
															XAUX1.6	A1.R1A	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	1.5 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				
															XAUX1.7	A1.R1C	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	1.5 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				
															XAUX1.8	A1.R1B	003	UNIPOLAR INSULATED ELECTRIC CABLE			BLACK	1.5 mm²	H07V-K	CABLE END INSULATED			CABLE END INSULATED				

[illegible]