

FAB: SCHNEIDER ELECTRIC
REF: XPS AV11113P

This technical information, contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties in any form without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position. Drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document (sauf la mention contraire) sont la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans le consentement écrit de Schneider Electric Industries S.A.S. Seuls les schémas et les plans de câblage remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouverte - débranchés - débranchés - toutes sources coupées.

Ind.	Date	Modification	Archiv.	Ind.	Date	Modification	Archiv.
00	11/04/2017	Edition originale					

FUNCTIONAL PLATE
XPSAV
EMERGENCY STOP CATEGORY 1
SAFETY MODULE XPSAV

CELLEAN OFFER



OGH9391503	
Projet - No commande	Indice
Project - Order No.	Rev
	00
Folio	003
Sheet	

A

B

C

D

A



B

C

D

This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document (y compris les schémas, les plans, les dessins, les photos, les vidéos, les fichiers audio et les fichiers vidéo) sont la propriété exclusive de Schneider Electric Industries S.A.S et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls nos engagements sur ce schéma sont en position ouvert - débrayés - débrayés - toutes sources coupées.



LAYOUT
XPSAV
EMERGENCY STOP CATEGORY 1
SAFETY MODULE XPSAV

CELLEAN OFFER



QGH9391503

Project - No commande
Project - Order No.

Indice
Rev
00

Folio
Sheet
004

1	2		3		4	5	6	7	8	9		10
Type of circuit	Electrical Features		Wire Destination		Sheet N°	Designation	Color	Section	Wire Type	Wire routing in cut out	Câble end	
	U (V)	P (W)	From	To							From	To
AUXILIARY SUPPLY	24 VDC	5 W	XAUX1.1	F1.A1	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			XAUX1.2	F1.A2	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
CONTROL CIRCUIT			F1.A1	F1.03	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.03	F1.13	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.13	F1.37	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.37	F1.47	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.47	F1.Y+	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.S13	X1.6	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			X1.5	X1.3	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			X1.4	F1.S14	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.S11	X1.1	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			X1.2	F1.S12	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.S31	F1.S32	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.S21	F1.S22	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.Y39	X1.8	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			X1.7	F1.Y40	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.04	XAUX1.3	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.14	XAUX1.4	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.38	XAUX1.5	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
			F1.48	XAUX1.6	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K		CABLE END INSULATED	CABLE END INSULATED
F1.Y64	XAUX1.7	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED				
F1.Y74	XAUX1.8	003	UNIPOLAR INSULATED ELECTRIC CABLE	BLACK	1.5 mm²	H07V-K	CABLE END INSULATED	CABLE END INSULATED				

This technical information remains the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with separating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document sont la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls nos engagements pour l'exécution, les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - débranchés - débranchés - toutes sources coupées.

WIRE LIST
 XPSAV
 EMERGENCY STOP CATEGORY 1
 SAFETY MODULE XPSAV

CELLEAN OFFER



OGH9391503

Project - No commande	Indexe Rev	Folio Sheet
Project - Order No.	00	005

A

B

C

D

A

B

C

D

This technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S. and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams permitted after order booking are binding for execution. All devices shown in this diagrams are in open position. Drawn out with operating mechanism disengaged and all power sources off.

Les informations techniques contenues dans ce document (sauf le matériel existant de Schneider Electric Industries S.A.S. et ne pouvant être utilisées ou divulguées à des tiers) sont la propriété exclusive de Schneider Electric Industries S.A.S. et ne peuvent être utilisées ou divulguées à des tiers sans son accord écrit. Seuls nos engagements pour l'exécution des plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - débranchés - toutes sources coupées.

TAG	SHEET	DESCRIPTION	MANUFACTURER	MANUFACTURER REF.	QTY
F1	003	EMERG STOP MOD TEMP 24V	SCHNEIDER ELECTRIC	XPS AV11113P	1
X1	003	END BRACKET SNAP ON FOR 35 MM DIN RAILS	SCHNEIDER ELECTRIC	NSYTRAAB35	2
X1	003	MARKING FOR TERMINAL BLOK NUMBER 1-10	SCHNEIDER ELECTRIC	NSYTRAB510	1
X1	003	END COVER FOR NSYTRR23-NSYTRR22SC-NSYTRP23 TERMINALS	SCHNEIDER ELECTRIC	NSYTRACR23	1
X1	003	SPRING TERMINAL BLOCK, 2.5mm2, 24A, SINGLE-LEVEL 1x2 SPRING, GREY	SCHNEIDER ELECTRIC	NSYTRR23	8
XAUX1	003	MOVING CONNECTOR SINGLE 8P 12A	SCHNEIDER ELECTRIC	LGYDC8APM	1
		FUNCTION PLATE H200 x W200 4 WINDOWS VERSION A	SCHNEIDER ELECTRIC	NSYME02024A	1
		DIN RAIL, WIDTH: 35mm, HEIGHT: 15mm, LENGTH: 200mm	-----	DIN RAIL T2	1
		SHUTTER AND CABLE GLAND	SCHNEIDER ELECTRIC	NSYMEWGL	3

PART LIST
XPSAV
EMERGENCY STOP CATEGORY 1
SAFETY MODULE XPSAV

CELLEAN OFFER



OGH9391503

Project - No commande Project - Order No.	Indice Rev 00	Folio Sheet 006
--	---------------------	-----------------------