



ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **4900-047-06**

Valid from: 2018 06 23
until: 2020 06 23

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **Schneider Electric Industries SAS**
35, rue Joseph Monier
92500 Rueil-Malmaison
France

Product: **Two pole socket outlet with side earthing contacts**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **TGM-VA EE 33388B**

Österreichischer Verband für Elektrotechnik
Head of Testing & Certification



W. Martin

Digitally signed by W. Martin
Email=w.martin@ove.at

Dipl.-Ing. W. Martin

Vienna, 2018 05 02

OVE Testing & Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under www.bmdw.gov.at/akkreditierung.





Manufacturer:

Merten GmbH
Fritz Kotz Straße 8
51674 Wiehl-Bomig
Germany

Factory location(s):

Merten GmbH
Fritz Kotz Straße 8
51674 Wiehl-Bomig
Germany

Tested and certified according to:

ÖVE/ÖNORM IEC 60884-1:2005-09-01
ÖVE/ÖNORM E 8684-1:2010-03-01

Product: Two pole socket outlet with side earthing contacts

Type designation:
Rating:

Trademark:

270
Rated voltage: AC 250 V
Rated current: 16 A
SCHUKO socket-outlet
scre-type terminals, flush-type
see typelist

MERTEN/SCHNEIDER ELECTRIC

OVE Testing & Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under www.bmdw.gv.at/akkreditierung.



Typelist

System M (Thermo/Duro)

270/2371

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert

270/2373

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/2376

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with hinged lid

270/2376 IP44

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 44

Insert with hinged lid and gasket

270/2374 IP44

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 44

Insert with hinged lid and improved protection against accidental contact

270/2374

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with hinged lid and improved protection against accidental contact

270/2300

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/2301

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Socket-outlet

OVE Testing & Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under www.bmdw.gv.at/akkreditierung.

270/2309

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Central plate with labelling field and control light incl. Modul 2003

270/2309

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with labelling field and improved protection against accidental contact

270/2474

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with hinged lid and labelling field

270/2485

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert 45° with improved protection against accidental contact

270/2496

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert 45° with labelling field and improved protection against accidental contact

270/2334

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Central plate with light opening and LED display lighting incl. Modul 2334

270/2300-35 (M-Creativ)

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with transparent cover and improved protection against accidental contact

System Design (Thermo/Duro)

270/2375

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert

OVE Testing & Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under www.bmdw.gv.at/akkreditierung.



270/2377 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/2372 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with hinged lid

270/2379 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with labelling field

270/2378 IP44 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 44

Insert with hinged lid, gasket and improved protection against accidental contact

270/2378 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with hinged lid and improved protection against accidental contact

270/2306 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with improved protection against accidental contact, Tracent

270/2379 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with labelling field and control light incl. Modul 2003

270/2308 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with labelling field and improved protection against accidental contact

270/2478 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with hinged lid and labelling field

OVE Testing & Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under www.bmdw.gv.at/akkreditierung.



270/2476

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert 45° with improved protection against accidental contact

270/2477

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert 45° with labelling field and improved protection against accidental contact

System Design D-Life (Thermo/metal)

270/NHA2920902 (thermo)

MERTEN/SCHNEIDER ELECTRIC

270/NHA2922002 (metal)

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/NHA5195702

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with hinged lid, gasket and improved protection against accidental contact

AQUADESIGN

270/2330 IP44

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 44

Insert with hinged lid and improved protection against accidental contact

270/2335

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/2330 IP44

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 44

Insert with hinged lid, labelling field and improved protection against accidental contact

270/2330 IP44

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 44

Insert with hinged lid, lockable and improved protection against accidental contact

OVE Testing & Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under www.bmdw.gv.at/akkreditierung.





Renova

270/EAV54699

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

Anti vandalism

270/S1B7217902

MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V

Rated current: 16 A

IP 20

Socket-outlet with improved protection against accidental contact

OVE Testing & Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under www.bmdw.gv.at/akkreditierung.

