

Certificate Number: AZ 69026438

Page: 0001



CERTIFICATE OF APPROVAL

Authorised marking: TUV-026438-EA

TÜV Rheinland Australia Pty Ltd "Electrical Product Safety Certification (EPSC) Scheme", accredited by JAS-ANZ in accordance with ISO/IEC 17065, has issued this certificate under the Gas and Electricity (Consumer safety) Act 2017 as a declared Recognised External Approval Scheme (REAS). The electrical equipment described hereunder has been evaluated and found to be electrically safe at the time of certification. It is a requirement that all equipment supplied under this certificate shall be identical to the equipment as certified. The certificate holder shall place the above mentioned authorised marking on the product. The certificate holder may use the Regulatory Compliance Mark (RCM) provided all the requirements of AS/NZS 4417.1 & AS/NZS 4417.2 applicable to the article are fulfilled.

CERTIFICATE HOLDER:

Schneider Electric
(Australia) Pty. Ltd.
33-37 Port Wakefield Road
Gepps Cross SA 5094
Australia

DESCRIPTION OF EQUIPMENT

Declared class:

MINIATURE OVERCURRENT CIRCUIT- BREAKER

Product:

Miniature Over Current Circuit Breaker

Trade Name / Manufacturer:

Schneider Electric

Model Number:

iC60H series and iC60N series
Refer to APPENDIX VER 1.0 Page 1 - 6 for further details

Ratings:

230/400V~, 240/415V~, 50/60Hz, 1- 63A
Rated short circuit capacity: iC60H: 10kA; iC60N: 6kA
Remarks: Alternative Authorised Marking: TUV022483EA and TUV16017EA are applicable to above mentioned models

Standard:

AS/NZS 60898.1:2004

Issue Date:

19/12/2022

Expiry Date:

19/12/2027

Signed for and on behalf of TÜV Rheinland Australia Pty Ltd

A handwritten signature in blue ink, appearing to read 'Grant Li', positioned above a horizontal line.

Grant Li



www.jas-anz.org/register

Appendix

Authorised marking: TUV-026438-EA

Version: 1.0

Issue date: 19-12-2022

Schneider iC60N Series 1-63A 230/400V~, 240/415V~, Icn: 6000A, Curve B

| Single Pole 230/400V~,240/415V~ | | 2 Poles 400/415V~ | | Rated current In (A) |
|------------------------------------|------------|----------------------|------------|-------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60N 1P 1A B | A9F43101 | iC60N 2P 1A B | A9F43201 | 1 |
| iC60N 1P 2A B | A9F43102 | iC60N 2P 2A B | A9F43202 | 2 |
| iC60N 1P 3A B | A9F43103 | iC60N 2P 3A B | A9F43203 | 3 |
| iC60N 1P 4A B | A9F43104 | iC60N 2P 4A B | A9F43204 | 4 |
| iC60N 1P 6A B | A9F43106 | iC60N 2P 6A B | A9F43206 | 6 |
| iC60N 1P 10A B | A9F43110 | iC60N 2P 10A B | A9F43210 | 10 |
| iC60N 1P 16A B | A9F43116 | iC60N 2P 16A B | A9F43216 | 16 |
| iC60N 1P 20A B | A9F43120 | iC60N 2P 20A B | A9F43220 | 20 |
| iC60N 1P 25A B | A9F43125 | iC60N 2P 25A B | A9F43225 | 25 |
| iC60N 1P 32A B | A9F43132 | iC60N 2P 32A B | A9F43232 | 32 |
| iC60N 1P 40A B | A9F43140 | iC60N 2P 40A B | A9F43240 | 40 |
| iC60N 1P 50A B | A9F43150 | iC60N 2P 50A B | A9F43250 | 50 |
| iC60N 1P 63A B | A9F43163 | iC60N 2P 63A B | A9F43263 | 63 |

| 3 Poles 400/415V~ | | 4 Poles 400/415V~ | | Rated current In (A) |
|----------------------|------------|----------------------|------------|-------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60N 3P 1A B | A9F43301 | iC60N 4P 1A B | A9F43401 | 1 |
| iC60N 3P 2A B | A9F43302 | iC60N 4P 2A B | A9F43402 | 2 |
| iC60N 3P 3A B | A9F43303 | iC60N 4P 3A B | A9F43403 | 3 |
| iC60N 3P 4A B | A9F43304 | iC60N 4P 4A B | A9F43404 | 4 |
| iC60N 3P 6A B | A9F43306 | iC60N 4P 6A B | A9F43406 | 6 |
| iC60N 3P 10A B | A9F43310 | iC60N 4P 10A B | A9F43410 | 10 |
| iC60N 3P 16A B | A9F43316 | iC60N 4P 16A B | A9F43416 | 16 |
| iC60N 3P 20A B | A9F43320 | iC60N 4P 20A B | A9F43420 | 20 |
| iC60N 3P 25A B | A9F43325 | iC60N 4P 25A B | A9F43425 | 25 |
| iC60N 3P 32A B | A9F43332 | iC60N 4P 32A B | A9F43432 | 32 |
| iC60N 3P 40A B | A9F43340 | iC60N 4P 40A B | A9F43440 | 40 |
| iC60N 3P 50A B | A9F43350 | iC60N 4P 50A B | A9F43450 | 50 |
| iC60N 3P 63A B | A9F43363 | iC60N 4P 63A B | A9F43463 | 63 |

Signed for and on behalf of TÜV Rheinland Australia Pty Ltd



Grant Li



www.jas-anz.org/register

Appendix

Authorised marking: TUV-026438-EA

Version: 1.0

Issue date: 19-12-2022

Schneider iC60N Series 1-63A 230/400V~, 240/415V~, Icn: 6000A, Curve C

| Single Pole 230/400V~,240/415V~ | | 2 Poles 400/415V~ | | Rated current In (A) |
|------------------------------------|------------|----------------------|------------|-------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60N 1P 1A C | A9F44101 | iC60N 2P 1A C | A9F44201 | 1 |
| iC60N 1P 2A C | A9F44102 | iC60N 2P 2A C | A9F44202 | 2 |
| iC60N 1P 3A C | A9F44103 | iC60N 2P 3A C | A9F44203 | 3 |
| iC60N 1P 4A C | A9F44104 | iC60N 2P 4A C | A9F44204 | 4 |
| iC60N 1P 6A C | A9F44106 | iC60N 2P 6A C | A9F44206 | 6 |
| iC60N 1P 10A C | A9F44110 | iC60N 2P 10A C | A9F44210 | 10 |
| iC60N 1P 16A C | A9F44116 | iC60N 2P 16A C | A9F44216 | 16 |
| iC60N 1P 20A C | A9F44120 | iC60N 2P 20A C | A9F44220 | 20 |
| iC60N 1P 25A C | A9F44125 | iC60N 2P 25A C | A9F44225 | 25 |
| iC60N 1P 32A C | A9F44132 | iC60N 2P 32A C | A9F44232 | 32 |
| iC60N 1P 40A C | A9F44140 | iC60N 2P 40A C | A9F44240 | 40 |
| iC60N 1P 50A C | A9F44150 | iC60N 2P 50A C | A9F44250 | 50 |
| iC60N 1P 63A C | A9F44163 | iC60N 2P 63A C | A9F44263 | 63 |

| 3 Poles 400/415V~ | | 4 Poles 400/415V~ | | Rated current In (A) |
|----------------------|------------|----------------------|------------|-------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60N 3P 1A C | A9F44301 | iC60N 4P 1A C | A9F44401 | 1 |
| iC60N 3P 2A C | A9F44302 | iC60N 4P 2A C | A9F44402 | 2 |
| iC60N 3P 3A C | A9F44303 | iC60N 4P 3A C | A9F44403 | 3 |
| iC60N 3P 4A C | A9F44304 | iC60N 4P 4A C | A9F44404 | 4 |
| iC60N 3P 6A C | A9F44306 | iC60N 4P 6A C | A9F44406 | 6 |
| iC60N 3P 10A C | A9F44310 | iC60N 4P 10A C | A9F44410 | 10 |
| iC60N 3P 16A C | A9F44316 | iC60N 4P 16A C | A9F44416 | 16 |
| iC60N 3P 20A C | A9F44320 | iC60N 4P 20A C | A9F44420 | 20 |
| iC60N 3P 25A C | A9F44325 | iC60N 4P 25A C | A9F44425 | 25 |
| iC60N 3P 32A C | A9F44332 | iC60N 4P 32A C | A9F44432 | 32 |
| iC60N 3P 40A C | A9F44340 | iC60N 4P 40A C | A9F44440 | 40 |
| iC60N 3P 50A C | A9F44350 | iC60N 4P 50A C | A9F44450 | 50 |
| iC60N 3P 63A C | A9F43363 | iC60N 4P 63A C | A9F44463 | 63 |

Signed for and on behalf of TÜV Rheinland Australia Pty Ltd



Grant Li



www.jas-anz.org/register

Appendix

Authorised marking: TUV-026438-EA

Version: 1.0

Issue date: 19-12-2022

Schneider iC60N Series 1-63A 230/400V~, 240/415V~, Icn: 6000A, Curve D

| Single Pole 230/400V~, 240/415V~ | | 2 Poles 400/415V~ | | Rated current In (A) |
|-------------------------------------|------------|----------------------|------------|----------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60N 1P 1A D | A9F45101 | iC60N 2P 1A D | A9F45201 | 1 |
| iC60N 1P 2A D | A9F45102 | iC60N 2P 2A D | A9F45202 | 2 |
| iC60N 1P 3A D | A9F45103 | iC60N 2P 3A D | A9F45203 | 3 |
| iC60N 1P 4A D | A9F45104 | iC60N 2P 4A D | A9F45204 | 4 |
| iC60N 1P 6A D | A9F45106 | iC60N 2P 6A D | A9F45206 | 6 |
| iC60N 1P 10A D | A9F45110 | iC60N 2P 10A D | A9F45210 | 10 |
| iC60N 1P 16A D | A9F45116 | iC60N 2P 16A D | A9F45216 | 16 |
| iC60N 1P 20A D | A9F45120 | iC60N 2P 20A D | A9F45220 | 20 |
| iC60N 1P 25A D | A9F45125 | iC60N 2P 25A D | A9F45225 | 25 |
| iC60N 1P 32A D | A9F45132 | iC60N 2P 32A D | A9F45232 | 32 |
| iC60N 1P 40A D | A9F45140 | iC60N 2P 40A D | A9F45240 | 40 |
| iC60N 1P 50A D | A9F45150 | - | - | 50 |
| iC60N 1P 63A D | A9F45163 | iC60N 2P 63A D | A9F45263 | 63 |

| 3 Poles 400/415V~ | | 4 Poles 400/415V~ | | Rated current In (A) |
|----------------------|------------|----------------------|------------|----------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60N 3P 1A D | A9F45301 | iC60N 4P 1A D | A9F45401 | 1 |
| iC60N 3P 2A D | A9F45302 | iC60N 4P 2A D | A9F45402 | 2 |
| iC60N 3P 3A D | A9F45303 | iC60N 4P 3A D | A9F45403 | 3 |
| iC60N 3P 4A D | A9F45304 | iC60N 4P 4A D | A9F45404 | 4 |
| iC60N 3P 6A D | A9F45306 | iC60N 4P 6A D | A9F45406 | 6 |
| iC60N 3P 10A D | A9F45310 | iC60N 4P 10A D | A9F45410 | 10 |
| iC60N 3P 16A D | A9F45316 | iC60N 4P 16A D | A9F45416 | 16 |
| iC60N 3P 20A D | A9F45320 | iC60N 4P 20A D | A9F45420 | 20 |
| iC60N 3P 25A D | A9F45325 | iC60N 4P 25A D | A9F45425 | 25 |
| iC60N 3P 32A D | A9F45332 | iC60N 4P 32A D | A9F45432 | 32 |
| iC60N 3P 40A D | A9F45340 | iC60N 4P 40A D | A9F45440 | 40 |
| iC60N 3P 50A D | A9F45350 | - | - | 50 |
| iC60N 3P 63A D | A9F45363 | - | - | 63 |

Signed for and on behalf of TÜV Rheinland Australia Pty Ltd



Grant Li


www.jas-anz.org/register

Appendix

Authorised marking: TUV-026438-EA

Version: 1.0

Issue date: 19-12-2022

Schneider iC60H Series 1-63A 230/400V~, 240/415V~, Icn: 10000A, Curve B

| Single Pole 230/400V~,240/415V~ | | 2 Poles 400/415V~ | | Rated current In (A) |
|------------------------------------|------------|----------------------|------------|----------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60H 1P 1A B | A9F53101 | iC60H 2P 1A B | A9F53201 | 1 |
| iC60H 1P 2A B | A9F53102 | iC60H 2P 2A B | A9F53202 | 2 |
| iC60H 1P 3A B | A9F53103 | iC60H 2P 3A B | A9F53203 | 3 |
| iC60H 1P 4A B | A9F53104 | iC60H 2P 4A B | A9F53204 | 4 |
| iC60H 1P 6A B | A9F53106 | iC60H 2P 6A B | A9F53206 | 6 |
| iC60H 1P 10A B | A9F53110 | iC60H 2P 10A B | A9F53210 | 10 |
| iC60H 1P 16A B | A9F53116 | iC60H 2P 16A B | A9F53216 | 16 |
| iC60H 1P 20A B | A9F53120 | iC60H 2P 20A B | A9F53220 | 20 |
| iC60H 1P 25A B | A9F53125 | iC60H 2P 25A B | A9F53225 | 25 |
| iC60H 1P 32A B | A9F53132 | iC60H 2P 32A B | A9F53232 | 32 |
| iC60H 1P 40A B | A9F53140 | iC60H 2P 40A B | A9F53240 | 40 |
| iC60H 1P 50A B | A9F53150 | iC60H 2P 50A B | A9F53250 | 50 |
| iC60H 1P 63A B | A9F53163 | iC60H 2P 63A B | A9F53263 | 63 |

| 3 Poles 400/415V~ | | 4 Poles 400/415V~ | | Rated current In (A) |
|----------------------|------------|----------------------|------------|----------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60H 3P 1A B | A9F53301 | iC60H 4P 1A B | A9F53401 | 1 |
| iC60H 3P 2A B | A9F53302 | iC60H 4P 2A B | A9F53402 | 2 |
| iC60H 3P 3A B | A9F53303 | iC60H 4P 3A B | A9F53403 | 3 |
| iC60H 3P 4A B | A9F53304 | iC60H 4P 4A B | A9F53404 | 4 |
| iC60H 3P 6A B | A9F53306 | iC60H 4P 6A B | A9F53406 | 6 |
| iC60H 3P 10A B | A9F53310 | iC60H 4P 10A B | A9F53410 | 10 |
| iC60H 3P 16A B | A9F53316 | iC60H 4P 16A B | A9F53416 | 16 |
| iC60H 3P 20A B | A9F53320 | iC60H 4P 20A B | A9F53420 | 20 |
| iC60H 3P 25A B | A9F53325 | iC60H 4P 25A B | A9F53425 | 25 |
| iC60H 3P 32A B | A9F53332 | iC60H 4P 32A B | A9F53432 | 32 |
| iC60H 3P 40A B | A9F53340 | iC60H 4P 40A B | A9F53440 | 40 |
| iC60H 3P 50A B | A9F53350 | iC60H 4P 50A B | A9F53450 | 50 |
| iC60H 3P 63A B | A9F53363 | iC60H 4P 63A B | A9F53463 | 63 |

Signed for and on behalf of TÜV Rheinland Australia Pty Ltd



Grant Li



www.jas-anz.org/register

Appendix

Authorised marking: TUV-026438-EA

Version: 1.0

Issue date: 19-12-2022

Schneider iC60H Series 1-63A 230/400V~, 240/415V~, Icn: 10000A, Curve C

| Single Pole 230/400V~,240/415V~ | | 2 Poles 400/415V~ | | Rated current In (A) |
|------------------------------------|------------|----------------------|------------|----------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60H 1P 1A C | A9F54101 | iC60H 2P 1A C | A9F54201 | 1 |
| iC60H 1P 2A C | A9F54102 | iC60H 2P 2A C | A9F54202 | 2 |
| iC60H 1P 3A C | A9F54103 | iC60H 2P 3A C | A9F54203 | 3 |
| iC60H 1P 4A C | A9F54104 | iC60H 2P 4A C | A9F54204 | 4 |
| iC60H 1P 6A C | A9F54106 | iC60H 2P 6A C | A9F54206 | 6 |
| iC60H 1P 10A C | A9F54110 | iC60H 2P 10A C | A9F54210 | 10 |
| iC60H 1P 16A C | A9F54116 | iC60H 2P 16A C | A9F54216 | 16 |
| iC60H 1P 20A C | A9F54120 | iC60H 2P 20A C | A9F54220 | 20 |
| iC60H 1P 25A C | A9F54125 | iC60H 2P 25A C | A9F54225 | 25 |
| iC60H 1P 32A C | A9F54132 | iC60H 2P 32A C | A9F54232 | 32 |
| iC60H 1P 40A C | A9F54140 | iC60H 2P 40A C | A9F54240 | 40 |
| iC60H 1P 50A C | A9F54150 | iC60H 2P 50A C | A9F54250 | 50 |
| iC60H 1P 63A C | A9F54163 | iC60H 2P 63A C | A9F54263 | 63 |

| 3 Poles 400/415V~ | | 4 Poles 400/415V~ | | Rated current In (A) |
|----------------------|------------|----------------------|------------|----------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60H 3P 1A C | A9F54301 | iC60H 4P 1A C | A9F54401 | 1 |
| iC60H 3P 2A C | A9F54302 | iC60H 4P 2A C | A9F54402 | 2 |
| iC60H 3P 3A C | A9F54303 | iC60H 4P 3A C | A9F54403 | 3 |
| iC60H 3P 4A C | A9F54304 | iC60H 4P 4A C | A9F54404 | 4 |
| iC60H 3P 6A C | A9F54306 | iC60H 4P 6A C | A9F54406 | 6 |
| iC60H 3P 10A C | A9F54310 | iC60H 4P 10A C | A9F54410 | 10 |
| iC60H 3P 16A C | A9F54316 | iC60H 4P 16A C | A9F54416 | 16 |
| iC60H 3P 20A C | A9F54320 | iC60H 4P 20A C | A9F54420 | 20 |
| iC60H 3P 25A C | A9F54325 | iC60H 4P 25A C | A9F54425 | 25 |
| iC60H 3P 32A C | A9F54332 | iC60H 4P 32A C | A9F54432 | 32 |
| iC60H 3P 40A C | A9F54340 | iC60H 4P 40A C | A9F54440 | 40 |
| iC60H 3P 50A C | A9F54350 | iC60H 4P 50A C | A9F54450 | 50 |
| iC60H 3P 63A C | A9F54363 | iC60H 4P 63A C | A9F54463 | 63 |

Signed for and on behalf of TÜV Rheinland Australia Pty Ltd



Grant Li



www.jas-anz.org/register

Appendix

Authorised marking: TUV-026438-EA

Version: 1.0

Issue date: 19-12-2022

Schneider iC60H Series 1-63A 230/400V~, 240/415V~, Icn: 10000A, Curve D

| Single Pole 230/400V~,240/415V~ | | 2 Poles 400/415V~ | | Rated current In (A) |
|------------------------------------|------------|----------------------|------------|----------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60H 1P 1A D | A9F55101 | iC60H 2P 1A D | A9F55201 | 1 |
| iC60H 1P 2A D | A9F55102 | iC60H 2P 2A D | A9F55202 | 2 |
| iC60H 1P 3A D | A9F55103 | iC60H 2P 3A D | A9F55203 | 3 |
| iC60H 1P 4A D | A9F55104 | iC60H 2P 4A D | A9F55204 | 4 |
| iC60H 1P 6A D | A9F55106 | iC60H 2P 6A D | A9F55206 | 6 |
| iC60H 1P 10A D | A9F55110 | iC60H 2P 10A D | A9F55210 | 10 |
| iC60H 1P 16A D | A9F55116 | iC60H 2P 16A D | A9F55216 | 16 |
| iC60H 1P 20A D | A9F55120 | iC60H 2P 20A D | A9F55220 | 20 |
| iC60H 1P 25A D | A9F55125 | iC60H 2P 25A D | A9F55225 | 25 |
| iC60H 1P 32A D | A9F55132 | iC60H 2P 32A D | A9F55232 | 32 |
| iC60H 1P 40A D | A9F55140 | iC60H 2P 40A D | A9F55240 | 40 |

| 3 Poles 400/415V~ | | 4 Poles 400/415V~ | | Rated current In (A) |
|----------------------|------------|----------------------|------------|----------------------------|
| Reference No | | | | |
| Generic | Commercial | Generic | Commercial | |
| iC60H 3P 1A D | A9F55301 | iC60H 4P 1A D | A9F55401 | 1 |
| iC60H 3P 2A D | A9F55302 | iC60H 4P 2A D | A9F55402 | 2 |
| iC60H 3P 3A D | A9F55303 | iC60H 4P 3A D | A9F55403 | 3 |
| iC60H 3P 4A D | A9F55304 | iC60H 4P 4A D | A9F55404 | 4 |
| iC60H 3P 6A D | A9F55306 | iC60H 4P 6A D | A9F55406 | 6 |
| iC60H 3P 10A D | A9F55310 | iC60H 4P 10A D | A9F55410 | 10 |
| iC60H 3P 16A D | A9F55316 | iC60H 4P 16A D | A9F55416 | 16 |
| iC60H 3P 20A D | A9F55320 | iC60H 4P 20A D | A9F55420 | 20 |
| iC60H 3P 25A D | A9F55325 | iC60H 4P 25A D | A9F55425 | 25 |
| iC60H 3P 32A D | A9F55332 | iC60H 4P 32A D | A9F55432 | 32 |
| iC60H 3P 40A D | A9F55340 | iC60H 4P 40A D | A9F55440 | 40 |

Signed for and on behalf of TÜV Rheinland Australia Pty Ltd



Grant Li



www.jas-anz.org/register