



Ref. Certif. No.

ES1282-M2

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

RESIDUAL CURRENT OPERATED CIRCUIT-BREAKER WITHOUT
INTEGRAL OVERCURRENT PROTECTION (RCCB'S)

Name and address of the applicant

SCHNEIDER ELECTRIC ESPAÑA, S.A.
CL BAC DE RODA, 52 EDIFICIO A
08019 BARCELONA (Spain)

Name and address of the manufacturer

SCHNEIDER ELECTRIC ESPAÑA, S.A.
CM BARRANQUET, 57
46133 MELIANA (Valencia - Spain)

Name and address of the factory

SAME AS ABOVE

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark (if any)

SCHNEIDER ELECTRIC

Customer's Testing Facility (CTF) Stage used

CTF-Stage 3

Model / Type Ref.

See references on the Annex

Additional information (if necessary may also be
reported on page 2) Additional Information on page 2A sample of the product was tested and found
to be in conformity withIEC 61008-1:2010
IEC 61008-1:2010/AMD1:2012
IEC 61008-1:2010/AMD2:2013
IEC 1008-2-1:1990As shown in the Test Report Ref. No. which forms part
of this CertificateGS02/17 A GS10/17, GS120/17, GS21/17 A GS30/17, GS31/17 A
GS40/17, GS01/17, GS11/17 A GS20/17

This CB Test Certificate is issued by the National Certification Body

AENOR INTERNACIONAL S.A.U.
Cl Génova, 6
ES-28004 MADRID (SPAIN)

Date: 2017-10-13

Signature: 
Rafael GARCÍA MEIRO
Chief Executive Officer

ANNEX TO CB CERTIFICATE N° ES1282-M2

CERTIFIED REFERENCES AND THEIR PRINCIPAL CHARACTERISTICS

PRODUCT: RESIDUAL CURRENT OPERATED CIRCUIT-BREAKER WITHOUT INTEGRAL OVERCURRENT PROTECTION (RCCB'S)

Trade Mark: Schneider Electric

Type Ref.	No. of poles	Rated current	Rated voltage	Rated residual current	Frequency	Idm	In	Inc	Idc	Type	Additional information
Su-iLD 2P 100A 100mA A	2P	100 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 100A 100mA AC	2P	100 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 2P 100A 100mA Asi	2P	100 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 100A 30mA A	2P	100 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 100A 30mA AC	2P	100 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 2P 100A 30mA Asi	2P	100 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 100A 300mA A	2P	100 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 100A 300mA AC	2P	100 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 4
Su-iLD 2P 100A 300mA ACS	2P	100 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 2P 100A 300mA AS	2P	100 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 100A 300mA AsiS	2P	100 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 16A 10mA A	2P	16 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 16A 10mA AC	2P	16 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iLD 2P 16A 10mA Asi	2P	16 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 3
Su-iLD 2P 16A 100mA AG	2P	16 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 16A 100mA Asi	2P	16 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 16A 30mA A	2P	16 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 16A 30mA AC	2P	16 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iLD 2P 16A 30mA AG	2P	16 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 16A 30mA Asi	2P	16 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 16A 300mA A	2P	16 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 16A 300mA AC	2P	16 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 3
Su-iLD 2P 16A 300mA AsiS	2P	16 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 25A 10mA A	2P	25 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 25A 10mA AC	2P	25 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iLD 2P 25A 10mA Asi	2P	25 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 3
Su-iLD 2P 25A 100mA AG	2P	25 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 25A 100mA Asi	2P	25 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 25A 30mA A	2P	25 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 25A 30mA AC	2P	25 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iLD 2P 25A 30mA AG	2P	25 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 25A 30mA Asi	2P	25 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 25A 300mA A	2P	25 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 25A 300mA AC	2P	25 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 3
Su-iLD 2P 25A 300mA AsiS	2P	25 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 40A 10mA A	2P	40 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 40A 10mA AC	2P	40 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iLD 2P 40A 10mA Asi	2P	40 A	230 V~	10 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 3
Su-iLD 2P 40A 100mA A	2P	40 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 40A 100mA AC	2P	40 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 2P 40A 100mA ACG	2P	40 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA		
Su-iLD 2P 40A 100mA AG	2P	40 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 40A 100mA Asi	2P	40 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 40A 30mA A	2P	40 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 40A 30mA AC	2P	40 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iLD 2P 40A 30mA AG	2P	40 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iLD 2P 40A 30mA Asi	2P	40 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 40A 300mA A	2P	40 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 40A 300mA AC	2P	40 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 3
Su-iLD 2P 40A 300mA ACS	2P	40 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 2P 40A 300mA AS	2P	40 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 40A 300mA AsiS	2P	40 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 63A 100mA A	2P	63 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 2P 63A 100mA AC	2P	63 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 2P 63A 100mA Asi	2P	63 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 2P 63A 30mA A	2P	63 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4

ANNEX TO CB CERTIFICATE N° ES1282-M2

CERTIFIED REFERENCES AND THEIR PRINCIPAL CHARACTERISTICS

Type Ref.	No. of poles	Rated current	Rated voltage	Rated residual current	Frequency	Idm	In	Inc	Idc	Type	Additional information
Su-iID 2P 63A 30mA AC	2P	63 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 2P 63A 30mA AG	2P	63 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 2P 63A 30mA Asi	2P	63 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 2P 63A 300mA A	2P	63 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 2P 63A 300mA AC	2P	63 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 4
Su-iID 2P 63A 300mA ACS	2P	63 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 2P 63A 300mA AS	2P	63 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 2P 63A 300mA AsiS	2P	63 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 2P 80A 100mA A	2P	80 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 2P 80A 100mA AC	2P	80 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 2P 80A 100mA Asi	2P	80 A	230 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 2P 80A 30mA A	2P	80 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 2P 80A 30mA AC	2P	80 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 2P 80A 30mA Asi	2P	80 A	230 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 2P 80A 300mA A	2P	80 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 2P 80A 300mA AC	2P	80 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 4
Su-iID 2P 80A 300mA ACS	2P	80 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 2P 80A 300mA AS	2P	80 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 2P 80A 300mA AsiS	2P	80 A	230 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 100A 100mA A	4P	100 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 100A 100mA AC	4P	100 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 4P 100A 100mA AG	4P	100 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 100A 100mA Asi	4P	100 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 100A 100mA AsiS	4P	100 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 100A 30mA A	4P	100 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 100A 30mA AC	4P	100 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 4P 100A 30mA AG	4P	100 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 100A 30mA Asi	4P	100 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 100A 300mA A	4P	100 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 100A 300mA AC	4P	100 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 4
Su-iID 4P 100A 300mA ACS	4P	100 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 4P 100A 300mA AS	4P	100 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 100A 300mA AsiS	4P	100 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 100A 500mA A	4P	100 A	400 V~	500 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 25A 100mA A	4P	25 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 25A 100mA Asi	4P	25 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 25A 30mA A	4P	25 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iID 4P 25A 30mA AC	4P	25 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iID 4P 25A 30mA Asi	4P	25 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 25A 300mA A	4P	25 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 25A 300mA AC	4P	25 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 3
Su-iID 4P 25A 300mA AsiS	4P	25 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 25A 500mA A	4P	25 A	400 V~	500mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 40A 100mA A	4P	40 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 40A 100mA AC	4P	40 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 4P 40A 100mA AC THV	4P	40 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 4P 40A 100mA ACS THV	4P	40 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 4P 40A 100mA AG THV	4P	40 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 40A 100mA AS THV	4P	40 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 40A 100mA Asi	4P	40 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 40A 100mA AsiS THV	4P	40 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 40A 30mA A	4P	40 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iID 4P 40A 30mA A THV	4P	40 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iID 4P 40A 30mA AC	4P	40 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iID 4P 40A 30mA AC THV	4P	40 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 3
Su-iID 4P 40A 30mA AG THV	4P	40 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 3
Su-iID 4P 40A 30mA Asi	4P	40 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iID 4P 40A 300mA A	4P	40 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iID 4P 40A 300mA AC	4P	40 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 3
Su-iID 4P 40A 300mA AC THV	4P	40 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 3
Su-iID 4P 40A 300mA ACS	4P	40 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iID 4P 40A 300mA ACS THV	4P	40 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4

ANNEX TO CB CERTIFICATE N° ES1282-M2

CERTIFIED REFERENCES AND THEIR PRINCIPAL CHARACTERISTICS

Type Ref.	No. of poles	Rated current	Rated voltage	Rated residual current	Frequency	Idm	In	Inc	Idc	Type	Additional information
Su-iLD 4P 40A 300mA AS	4P	40 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 40A 300mA AsiS	4P	40 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 40A 300mA AsiS THV	4P	40 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 40A 500mA A	4P	40 A	400 V~	500mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 100mA A	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 100mA A THV	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 100mA AC	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 63A 100mA AC THV	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 63A 100mA ACS THV	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 63A 100mA AG THV	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 100mA AS THV	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 100mA Asi	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 63A 100mA AsiS THV	4P	63 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 63A 30mA A	4P	63 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 30mA A THV	4P	63 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 30mA AC	4P	63 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 63A 30mA AC THV	4P	63 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 63A 30mA AG THV	4P	63 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 30mA Asi	4P	63 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 63A 300mA A	4P	63 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 300mA AC	4P	63 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 4
Su-iLD 4P 63A 300mA AC THV	4P	63 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 4
Su-iLD 4P 63A 300mA ACS	4P	63 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 63A 300mA ACS THV	4P	63 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 63A 300mA AS	4P	63 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 63A 300mA AsiS	4P	63 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 63A 300mA AsiS THV	4P	63 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 63A 500mA A	4P	63 A	400 V~	500 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 80A 100mA A	4P	80 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 80A 100mA AC	4P	80 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 80A 100mA AG	4P	80 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 80A 100mA Asi	4P	80 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 80A 100mA AsiS	4P	80 A	400 V~	100 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 80A 30mA A	4P	80 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 80A 30mA AC	4P	80 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 80A 30mA AG	4P	80 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 80A 30mA Asi	4P	80 A	400 V~	30 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 80A 300mA A	4P	80 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 80A 300mA AC	4P	80 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	2 - 4
Su-iLD 4P 80A 300mA ACS	4P	80 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	AC	1 - 4
Su-iLD 4P 80A 300mA AS	4P	80 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4
Su-iLD 4P 80A 300mA AsiS	4P	80 A	400 V~	300 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A-si	1 - 4
Su-iLD 4P 80A 500mA A	4P	80 A	400 V~	500 mA	50 Hz	1,5 kA	1,5 kA	10 kA	10 kA	A	1 - 4

Additional information

- 1 Ambient temperature: -25/40°C
- 2 Ambient temperature: -5/40°C
- 3 Fixed contact: Cu without coating / Output Terminals: Steel + Cu-Sn coating surface
- 4 Fixed contact: Cu + Ag coating surface / Output Terminals: Cu (ETP R220) + Sn coating surface