



## YEDU.E95463 Uninterruptible Power-supply Equipment

[Page Bottom](#)

---

### Uninterruptible Power-supply Equipment

[See General Information for Uninterruptible Power-supply Equipment](#)

#### AMERICAN POWER CONVERSION CORP

E95463

132 FAIRGROUNDS RD

PO BOX 278

WEST KINGSTON, RI 02892 USA

Trademark and/or Tradename: "E95463", "APC", "APC By Schneider Electric", "American power Conversion", "MGE UPS System", "Schneider Electric", "3N94", "42C2".

**Accessory battery cabinets**, Models SYXR4, SYXR12, SYXR4J-BM, SYRMXR4, Listed in accordance with UL 1778 (Second Edition).

**Accessory external batteries**, Models SURT192XLBP, SURT192XLBPJ, FJRT192XLBPJ, SURT192RMXLBP3U, Listed in accordance with UL 1778 (Second Edition).

**Accessory step-down transformers**, Models AP9621, AP9626, AP9626J, AP9627, AP9627J, AP9628, AP9628J, AP9621X215, SUTF3, SUTF3-PSX, SUTF3J, SUTF3J-PSX, SYTF2, SYTF2J, SYTF2JX215, SYTF2X215, SYTF3, SYTF3-PSX, SYTF3J, SYTF3J-PSX, SYTF4, SUTF2, FJH4K6RMJ, Listed in accordance with UL 1778 (Second Edition).

**Accessory step-up/step-down transformers**, Models SURT003, SURT004, APTF10KW01, APTF20KW01, APTF10KJ01, APTF10KT01, Listed in accordance with UL 1778 (Second Edition).

**Accessory uninterruptible power supply modules**, Models SYPM Symmetra Power Module, SU24XLBPX114, SU48XLBPX114, Listed in accordance with UL 1778 (Second Edition).

**Battery frame cabinets**, Models SYBFXR3RM, SYBFXR9RM, SYBFXR9, Listed in accordance with UL 1778 (Second Edition).

**External battery packs**, Models SU24XLBP, -48BP, -48XLBP, SU24RMXLBP2U, SU48RMXLBP3U, Listed in accordance with UL 1778 (Second Edition).

**External bypass switch**, Model AP019 UPS Hot Swap-Out Box, Listed in accordance with UL 1778 (Second Edition).

**Listed Accessories, Battery pack option**, Models SURT192XLJ, SURT192XLBPJ, **PDU panel**0N-0262, Listed in accordance with UL 1778 (Second Edition).

**Optional hardwiring kit**, Model SURT009.

**Output option panel accessories**, Models SU027, SU027RM, SU028, SU028RM, SU029, SU029RM, SU029RM3U, Listed in accordance with UL 1778 (Second Edition).

**Power distribution unit (PDU) accessories**, Models AP7630, AP7580, AP7581, AP7582, AP7583, AP7584, Listed in accordance with UL 1778 (Second Edition).

**Remote battery supply cabinet**, Model SYCFXR9, Listed in accordance with UL 1778 (Second Edition).

**Maintenance bypass cabinet**, Model Symmetra PX 100 kW MBP, Listed in accordance with UL 1778 (Second Edition).

**Smart-Ups power switches**, Models SU040, SU041, SU042-1, SU042-2, SU042-4, SU043, SU044-1, SU044-2, SU045-1 for use with APC Smart-Ups product for up to 3000 VA; Models SU042X163, SU045X163, SU045X237, SU045X283, SU045X449, SU045X467, Listed in accordance with UL 1778 (Second Edition).

**Uninterruptible power supply battery cabinets**, Models BDP 310E 208V/800, BDP 310E 208V/1000, BDP 310E 480V/800, BDP 310E 480V/1000, BDP 320E 208V/800, BDP320E 208V/1000, BDP 320E 480V/800, BDP 320E 480V/1000, BDP 340E 208V/1000, BDP 340E 480V/1000, BDP 340E 480V/1000, BDP 360E 480V/1000, BDP 380E 480V/1000, SL, SLB, BDP2, BDP4 followed by additional suffix numbers and letters; Model SYCFXR8, SYCF8BF, SYB400K1000GXR followed by Pos or Neg; Models SUVTBXR, ISVTBXR may be followed by up to eleven alpha characters or a dash and up to ten alpha characters; Model ISB10 followed by -30K, -60K, -80K or -100K, followed by 1 to 6, followed by C1, C2 or C3, Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply battery disconnect cabinets**, Models MCCB-310E-208, -320E-208, -340E-208, -310E-480, -320E-480, -340E-480, -360E-208, -360E-480, -380E-280, -380E-480, -3120E-480, -3160E-480, -3240E-480, -3320E-480, -3400E-480, -3500E-480, SBB400K600G, SBB800K1000G, Listed in accordance with UL 1778, Second Edition.

Model SBB, followed by 10KF, 15K20F, 30K40F, 60K80F, 10K20G, 30K60G, 80KG, 120K160G, 240K320G, 400K500G, Listed in accordance with UL 1778, Second Edition.

Models SBB400K600G, SBB800K1000G and battery cabinets Model SYB400K1000GXR-POS or -NEG, Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply battery breaker/junction cabinets**, Model Battery Breaker Enclosure, Listed in accordance with UL 1778 (Fourth Edition).

**Uninterruptible power supplies**, Models BE350C, BE350U, BE500C, BE500U, BE350TW, BE500TW, BE350Uxxxx, BE500Uxxxx, BE500JP, BE350R, BE500R, BE550R, Listed in accordance with UL 1778 (Second Edition).

Models BackUPS BK-200B, -200C, -250B, -250C, -280B, -280C, -400C, -575, BackUPS PRO BK300, -280, -280B, -280C, -280BPNP, -280PNP, -280SIX38, -280SUS, -300J, -300JPNP, -350J, -420, -420B, -420C, -420BPNP, -420PNP, -420S, -420SUS, Models BK350EIX290, BK500M, BK500MUS, BK500EX114, BK650M, BK650MUS, SC 420, -500J, -500JPNP, -500JS, SC 620, -650, -650C, -650PNP, -650S, -650SUS, -1000, -1100, -1400, BF325, -350, -350U, -500U; Models BK350XXXXXXXXXX, BK500 with or without suffix BLK where XXXXXXXXXXXX may be any letters, numbers, "-" or blank; Models BP350U, -350UL, -500CLR, -500U, -500UC, BP700U, CNB700X, -900X, DL700, DL1400RM, -2200RM3U, -3000RM3U, PS450J, EMC350RMU1U, SC 250 RM1U, SC 450RM1U, SC 450R1X542, PS450I, PS10IX231 all units with or without suffix C; Models MATRIX 3000, -5000, with or without suffix J or W; Models NS2200RM3U, -2200RMNET, NS3000RM3U, NS3000RMT3U, PowerCell Personal 10T, PowerCell Professional Power Cell, Power stack 250, -450, SmartUPS Model SC620X565SmartUPS DIGL1400RM, -DIG3000RM3U, -DL1400RM, -DL2200RM3U, SmartUPS DL1400, -DL1400RM, -1400RM2U, -DL1400RMJ, -1400RMJ2U, DL5000RMT5U, -DLA1500, -DLG1400RM, -027, -027RM, -028, -028RM, -029, -029RM, -029RMU, -250, -450, -420NET, -450D, -500J, -620NET, -620INET, -700, -700B1, -700BX120, -700NET, -700J, -700JX114, -700RM, -700RMNET, -700RMX176, -700RMXLBX120, -700RMBX120, -700RMXLBX120, -700RMXLNET, -700RM2U, -700US, -700XL, -700XLRM, -700XLX114, -700X93, -1000, -1000B, -1000BX120, -1000NETUFS, -1000J, -1000RM, -1000RMBX120, -1000RMJ, -1000RMNET, -1000RMX176, -1000RMXLBX120, -1000RMX93, -1000RM2U, -1000US, -1000XL, -1000XLRM, -1000X93, -1200, -1200J, -1250-RMX22, -1250-X74, -1400, -1400B, -1400BX120, -1400J, -1400JX114, -1400JX172, -1400NETufs, -1400RM, -1400RMBX120, -1400RMBX135, -1400RMJ, -1400RMJBX135, -1400RMJX172, -1400RMNET, -1400RMX176, -1400RMX93, -1400RMX106, -1400RMX120, -1400RMX138, -1400R2X138, -1400RMXLBX120, -1400RMXLNET, -1400RMXLNET, -1400RM2U, 1400R2X180, -1400R2X217, -1400R2BX135, -1400R2UX93, -1400USPOWER STACK, -1400X106, -1400X145, -2200RMT3U, -2200RM13U, -3000R3X145, -1400X114, -1400X93, -1400XLTNET, -2000-X55, -2000-XL-4, -2000-4, -2200RM3U, -2200R3X258, -2200RMNET, -2200, -2200J, -2200JX114, -2200RM, -2200RMJ, -2200RMXL, -2200RMXLNET, -2200XL, SU700B, -700BX120, -700US, -700XLX114, -700NETufs, -1000B, -1000BX120, -1000US, -1000XLRM, -1000US, -1400B, -14000BX120, -1400US, SU700X167, SU1400RMIX134, SU1500RMX155, SU2000R3X155, SU2200BX120, SU2200NET, -2200R3BX120, -2200RMBX120, -2200RM3U, -2200R3X275, -2200R3X167, -2200XLNET, -2200XLX114, SU2200XLT, SU2200XLTJ153, SU2200RMXLTX153 -2200XLTNET, -2200XLX114, -3000R3BX120, -3000R3BX135, SU3000R3JBX135, -3000, -3000J, -3000RM, -3000RMJ, -3000RMJBX135, -3000RMX93, SURMJ3U, -3000TNET, -3000TX109, SU3000NET, -3000R3BX120, -3000R3BX135, -3000RM3U, -3000RMBX120, -3000RMJBX135, -3000RMNET, -3000RMT3U, -3000RMTX136, -3000RMX228, -3000TX109, -3000X93, -300J, -300JPNP, -420, -420PNP, -500J, -500JPNP, -650, -650PNP, -1000, -1400, SU1400R2BX135, SU700R2IX38, FJ700J, FJ3000J, FJ1500RMJ2U, FJ1500RMJ2U-M, FJ1500J, FJ1500J-M, FJ3000RMJ3U, FJ3000RMJ3U-M. All models may be provided with the suffix C denoting that they are shipped in a color box, Listed in accordance with UL 1778 (Second Edition).

Models DL700J, DL3000RMJ3U and SU3000X177, Listed in accordance with UL 1778 (Second Edition).

Models SMC1000-2U, SMC1000, SMC1500-2U, SMC1500, SUA1500X413, SMT1500X413, SMT1500X448, SMT3000R2X145, SMT3000R2X180, SMT1500R2X122, SMT1500R2X180, SMT1000R2X122, SUA750R2X122, SMT750R2X122, SMT2200R2X106, SMT2200R2X180, SMT2200R2X658, Listed in accordance with UL 1778 (Second Edition).

Models RWA1000, SUA1000J, SUA1000JB, RWA1500, SUA1500J, SUA1500JB, SUA500XLJ, IBM750, IBMR750, 2130-R1X, 39Y8872, IBM750J, IBMR750J, 2130-R7X, 39Y8885, IBM1000, IBMR1000, 2130-R3X, 39Y8876, IBM1000J, IBMR1000J, 2130-R8X, 39Y8887, IBM1500, IBM1500J, IBMR1500, 2130-R5X, 39Y8881, IBMR1500J, 2130-R9X, 39Y8889, 74P4902, 90P4812, 74P4904, 90P4814, 74P4906, 90P4816, 2130-1TX, 2130-3TX, 2130-5TX, 2130-7TX, 2130-8TX, 2130-9TX, SU5000RMXLTX5U, SU5000RMT5U, SU5000R5TBX114, -R5TBX114, -R5TBX120, -R5TBX135, -R5TX168, SU5000T, SU1400RMJ2U, SU5000RMXLTX5U, SUA1000IX38, DLA3000RM2U, DLA2200RM24, DLA3000RM3U, SUA1500IX38, SUA1500I, SU24R2XLBP, Listed in accordance with UL 1778 (Second Edition).

Models SURT1000XLI, SURT1000XLIX155, SUOL2000XLI, SURT2000XLI, SUOL1000XLI, Listed in accordance with UL 1778 (Second Edition).

Models SURT3000XLI, SURTD3000XLI, SURT3000XLIX554, SURT3000XLT, SURTD3000XLT, SURTD3000RMXLTX3U, SURT5000XLI, SURTD5000XLI, RWRTD5000XLU, RWRT5000XLU, SURT5000XLT, SURTD5000RMXLTX3U, SURTD5000XLT, SURT5000XLJ, SURTD5000XLJ, SURT3000UXI, SURTD3000UXI, SURT5000UXI, SURTD5000UXI, SURT3000XLIX322, SURTD3000XLIX322, SURT5000XLIX438, SURT6000RMXLTX3U, SURT6000XLI, SURT6000XLIX155, SURT6000XLIX547, SURT6000XLI-CC, SURT6000XLT, SURT6000XLJ, NECRT5000XLJ3U, NECRT5000XLJ3UW, NECRT5KXLJ3UW-M, SURTD5000RMXLP3U, SURTD5000RMXLP3U, SURTD6000RMXLP3U, SURTD6000RMXLP3U, FJRT5000XLJ3U, FJRT5000XLJ3U-M, SURT3000XLIX420, SURT5000XLIX420, EMC6000R3XLU, RWRTD5000XLU, RWRT5000XLU, NECRT5000XLJ3UW, IBMR5000RTH3U, 2419-RU1, Listed in accordance with UL 1778 (Second Edition).

Model 110SE, Listed in accordance with UL 1778 (Second Edition).

Models SUA2200RM2U, SUA3000RM2U, DLA2200RM2U, DLA3000RM2U, DLA3000RMT24, SUA2200R2X106, SUA2200R2X147, SUA2200R2X152, SUA2200R2X180, SUA3000R2X93, SUA3000R2X145, SUA3000R2X180, SUA3000R2X195, Listed in accordance with UL 1778 (Second Edition).

Smart-UPS, Models SURT7500XLT, SURT10000XLT, SURT10000RMXLTU6U, SURT10000XLJ, NMRT10000XLJ, NMRT10000XLJ-H, FJRT10000XLJ, FJRT10000XLJ-M, SURT8000RMXLTU6U, SURT8000XLJ, SURT8000XLJ, SURT8000XLTW, SURT8000XLI, SURT7500XLJ, SURT7500XLTW, SURT10000XLTW, EMCRT7500XLU, EMCRT10000XLU, IBMUPS7500XHV, IBMUPS10000XHV, NMRT8000UXJ6UW. Listed in accordance with UL 1778 (Second Edition).

Frame Models SYHF6KT, SYHF6KJ, SYHF6DT-PSX, SYF6KJ-PSX, FJH4K6RMJ; Power Module Model SYPM2KQ, Listed in accordance with UL 1778 (Second Edition).

Symmetra RM, Models SUA1000, SUA1000US, SUA1000X127, SUA1000X93, SUA1000X219, SUA1500, SUA1500J, NECA1500JW, NECA1500J2UWM, SUA1000XLX558, SUA1500US, SUA1500X93, SUA1500X99, SUA1500X114, SUA1500X219, SUA1500X448, SUA3000J, NECA3000JW, NECA3000JW-M, SY4KRMT, SY4K12RMT, SY8K12, SY12RMT, AP7630, Smart-UPS SU3000RMXL3U, SU3000RMXL3U-PSX, SYPF12KT, Listed in accordance with UL 1778 (Second Edition).

Models SU1400RMXL3U, SU1400RMXL34-PSX, SU1400RMXL3X171, SU700R2BX120, SU700RMUS, SU1000R2BX120, SU1000RMUS, SU1400R2BX120, SU1400R2X217, SU1400RM2UX93, SU1400RMUS, SU1400RMXLB34, SUA1500X106, Listed in accordance with UL 1778 (Second Edition).

Models EMC750RM1U, EMC750RM1U, EMC750R1, EMC750R1J, EMC750RMJ1U, SUA750RM1U, SU750RMJ1U, SUA750RM1U, SUA1000RM1U, NEC750RMJ1U, SUA750XL, SUA1000XL, BK350JP, BK500JP, BK350EIXXXXXX, NEC350JP, NEC500JP, NECA750RMJ1U, SU1000NET, SU1000XLNET, SU1400X93, SU2200X106, SU2200X111, SU2200X115, SU2200X180, SU2200X93, SU3000X177, SU700NET, SU700X93, SU700XLNET, SU1400RMXLJ3U, SU1400R3XLJX171, SUA1500RMJ2U, NECA1500RMJ2UW, NECA1500RMJ2UW-M, SUA1500RMJ2UB, DLA1500RMJ2U, SUA750RM2U, SUA1000RM2U, SUA750RMUS, SUA750XLX320, SUA750R2X338, SUA1000RMUS, SUA1500RM2U, SUA1500RMUS, DLA1500RM2U, DLA3000RMJ2U, FJ3000RMJ2U, SUA1500RM2UX106, SUA3000RMJ2U, SUA3000RMJ2UB, HTA3000RMJ2UB, SUA3000RT2X136, SUA1500RM2UX138, SUA1500RM2UX93, IBM1500RM2U, BE650BB, DL650XXXXXXXXXX, BE725BB, DL725XXXXXXXXXX, BN600XXXXXXXXXX, BE650RXXXXXXXXXX, BE725JP, BE750BB, SUA1500RLX93, SUA1500RLX106, SUA1500R2X122, SUA1500R2X180, DLA750, RWA750, SUA750, SUA750US, SUA750J, NECA750JW, NECA750JW-M, SUA750I, SUA750IX38, SUA750RMJ2U, DLA750J, SUA750X93, SUA750X114, 74P4902, 2130-1TX, 90P4811, FJC500J, FJC500J-M, SUA500J, SUA500JB, TBA500JB, NECA500JW, NECA500JW-M, SUA750JB, HTA750JB, FJ750J, FJ750J-M, FJ750J-MB, NEC3000RMJ3UW, NECA1500JW, NECA1500RMJ2UW, NECA3000JW, NECA750JW, SUA3000R2X345, SUA3000RSIX38, SU3000RMJ3U, NEC3000RMJ3UW, NEC3000RMJ3UW-M, SUA2200RMXL3U, SUA3000RMXLA3U, SUA3000RMXL3U, DLA2200, SUA2200US, SUA3000US, SUA2200XL, SUA3000XL, SUA3000XL, NMA3000RJ2UW, NMA3000RJ2UW-M, NMA3000RA3UW, NMA3000RA3UW-M, SUA5000RMT5U, SUA5000T, SMT3000RMT2U. Listed in accordance with UL 1778 (Second Edition).

Models BR800#, BX800#, CNB750#, CNB950#, BR900#, BX900#, BR800BLKX509#, BR900X509#, where # may be max 10 letters, numbers or blank, Listed in accordance with UL 1778 (Second Edition).

Models # SN1000, SC1000, SC1500, BX1000, BX1500, BR1000, BR1500, BX1200, BR1200, BN1050, BN1250 with or without suffix BLK, Listed in accordance with UL 1778 (Second Edition).

BackUPS PRO Models RW350DR, RW350DRI, SP500DR, SU500DR, RW500DR, SU500IDR, RW500DRI, followed by suffix and/or letters, Listed in accordance with UL 1778 (Second Edition).

Models CNB325#, BE325#, BE325-JP#. # May be max. 10 letters, numbers or blank, Listed in accordance with UL 1778 (Second Edition).

Model SUA750RMJ1UB, Listed in accordance with UL 1778 (Second Edition).

Model BH500NET, Listed in accordance with UL 1778 (Second Edition).

Models SYF8KT, SYAFKRMT, SYAF16KT, SYAF16KRMT, SYAF16KXR9T, SYA16K16PX441, SYA12K16PX442, SYAF16KBXRMT, Listed in accordance with UL 1778 (Second Edition).

Models SURTA1500RMXL2U, SURTA1500XL, SURTA1500XLJ, SURTA2000RMXL2U, RWRTA2000XL, SURTA2000XL, SURTA2200RMXL2U, SURTA2200XL, Listed in accordance with UL 1778 (Second Edition).

Models SURTA2400XL, SURTA3000RMXL3U, SURTA3000XL, Listed in accordance with UL 1778 (Second Edition).

Models J10, J15, S10, S15, S20 may also be followed by suffix BLK indicating enclosure is painted black; Models S20XXXXXXXXXX, CEN-UPS1250XXXXXXXXXX, where X can be any alphanumeric, "-" or blank, Listed in accordance with UL 1778 (Third Edition).

Model RLC1080XXXXXXXXXX, where "x" can be 0 thru 9, A thru Z, "-" or blank, Listed in accordance with UL 1778 (Second Edition).

Models IBM 3000 XRL2U, IBM 3000 XRH2U, 32P1681, 32P1682, MTMN 2130-R30, MTM2 2130 -R31, SUM1500RMXL2U, SYA1500RM2U, SUM3000RMXL2U, SYA3000RM2U, Listed in accordance with UL 1778 (Second Edition).

Model BR500# Listed in accordance with UL1778 (Second Edition).

Models DP310, -315, -320, -330, -340, -360, -380, -3100, -3120, -3160 -3220 may be followed by two alpha characters or a dash and two alpha characters; Models ISX-20KF, SYCF40KF, SYCF80KF, ISX-20KF; Model APC Silicon followed by 10, 15, 20, 30, 40, 60, 80, 120, 160, 240, 320, 400, 500, followed by KW, followed by 208V or 480V, followed by UPS; Model Symmetra MW followed by

-400KW, -600KW, -800KW, -1000KW, -1200KW, -1400KW or -1600KW; Models SUVV10KF, SUVVTP10KF, SUVV15KF, SUVVTP15KF, SUVV20KF, SUVVTP20KF, SUVV30KF, SUVV30KF, SUVVTR30KF, SUVVTRT20KF, SUVVTRT30KF, SUVVTR20KG, SUVVTR30KG, ISV10KF, ISV1TP10KF, ISV115KF, ISV1TP15KF, ISV120KF, ISV1TP20KF, ISV130KF, ISV1TP30KF may be followed by up to ten alpha characters or a dash and up to nine alpha characters; Models IS10KG, IS20KG, IS30KG, IS40KG, IS60KG, IS80KG, IS100KG, SUVVTSBP10K15F, G35TSBP10K15F, SUVVTSBP20K30F, G35TSBP20K30F, SUVVTSBP10K30F-DP, G35TSBP10K30F-DP, SUVVTFM10K30G, SUVVTFM10K30G, G35TFM10K30G, G35TFM10K30G, UVVTSBPXFM10K30G, G35TSBPXFM10K30F, SBPSU10K15F-WP, SBPSU20K30F-WP, SUVVTSBP10K15F, SUVVTSBP20K30F, G35TSBP20K30F, G35T10KF, G35T15KF, G35T20KF, G35T30KF, G35TBXR, Listed in accordance with UL 1778, Second Edition.

Model SY may be followed by any letter, followed by 400K400G, 600K600G, 800K800G, 1000K1000G, 1200K1200G, 1400K1400G or 1600K1600G, Listed in accordance with UL 1778, Second Edition.

Models SUA3000RMLJ3U, NMA3000RMLJ3U, Listed in accordance with ANSI/UL 1778 (Second Edition).

Models SMT750, SMT1000, SMT1500, SMT2200, SMT3000, Listed in accordance with ANSI/UL 1778 (Second Edition).

Models SMT750RM2U, SMT1000RM2U, SMT1500RM2U, SMT2200RM2U, SMT3000RM2U, Listed in accordance with ANSI/UL 1778 (Second Edition).

Model Symmetra PX 100 kW, Listed in accordance with UL 1778 (Second Edition).

**Uninterruptible power supply mounted in a cabinet**, Model A24R2410HCR, Listed in accordance with UL 1778, Third Edition. Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply isolation transformer modules**, Models DP310E, 208V, DP310E, 480V, DP315E/320E, 208V, DP315E/320E, 480V, DP330E/340E, 208V, DP330E/340E, 480V, DP360E/380E, 208V, DP360E/380E, 480V, Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply maintenance bypass switches**, Models SBP-10KFR2M1, -10KGR2M1, -15KFR2M1, -15KGR2M1, -20KFR2M1, -20KGR2M1, -30KFR2M1, -30KGR2M1, -40A-SS, -40KFR2M1, -40KGR2M1, -60KFC1M1, -60KGR2M1, -80A-SS, -80KGR2M1, -80KFC1M1, -175A-SS, Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply service by-pass cabinets**, Models SBPSU10K30FC1M1-WP, SBPSU10K30FC1M1-FP, SBPSU10K15FC1M1, SBPSU20K30FC1M, Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply accessory**, Models SL-ISE, SYMWSU, Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply external by-pass switches**, Models SYMPB800C1G12L-100, SYMPB1000C1G12L-100; Model Symmetra MW SSW 1000 followed by T or B; Model Symmetra MW SSW2000, 3000, or 4000 followed by T or B, may be followed by X489, Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply paralleling cabinet modules**, Models ISPARCAB1, ISPARCAB2, ISPARCAB3, Listed in accordance with UL 1778, Second Edition.

**Uninterruptible power supply input/output sidecar cabinets**, Models QJR37710, QPLI46100, Listed in accordance with UL 1778, Second Edition.

**UPS power distribution units**, for use only with MATRIX Series; Models SYMSTRF, SYMSTRF-J, SYMSTRF-PD, SYMINIF, SYMINIF-J, SYMINIF-PD Symmetra power arrays; UPS equipment, Models MXA100, -199, followed by suffix numbers and letters, Listed in accordance with UL 1778 (Second Edition).

**Accessory external batteries**, Models SURTA48XLBP, SURTA48XLBPJ, SURTA48RMLBP2U, Listed in accordance with UL 1778, Second Edition.

**UPS accessories**, Models SBP3000, SBP3000RM2U, SBP5000RMT2, SBP6KRMT2U, SBP16KP, SBP16KT, SBP16KRMP4U, SBP16KRMP4U-HW, SURTA48XLBP, SURTA48XLBP, SURTA48ALBPJ, SBP16KPX474, Listed in accordance with UL 1778 (Second Edition).

**Uninterruptible power supplies**, Models Symmetra PX 250KVA and Symmetra PX 500KVA, may be followed by up to ten alpha characters or a dash and up to nine alpha characters, Listed in accordance with ANSI/UL 1778 (Fourth Edition).

Model TDM3000R2XLI. Listed in accordance with UL 1778 (Fourth Edition).

UPS Model SURT5KSR3UXIX438 and Battery Pack Model SURT192SR2XLBF, Listed in accordance with UL 1778, Fourth Edition.

Models SMX750, SMX1000, SMX1500RM2U, SMX1500RM2UNC (models with or without BLK suffix), NMM1200RMJ1U, SMT1200RMJ1U, HTM1200RMJ1U, FJM1200RMJ1U, FJM1200RMJ1U-M. Listed in accordance with UL1778, Fourth Edition.

Models SMX2000RMLV2U, SMX2000RMLV2UNC, SMX2200RMLV2U, SMX3000RMLV2U, SMX3000RMLV2UNC, FJX3000RMLV2U, SMX3000RMJ2U, SMX2200RMHV2U, SMX3000RMHV2U, SMX3000RMHV2UNC, HTX3000RMLV2U, FJX3000RMLV2U-M, NMX3000RMJU2U, NMX3000RMJ2U-M, SMX2000LV, SMX2000LVNC, SMX3000LV, SMX3000LVNC, SMX3000HVT. Listed in accordance with UL1778, Fourth Edition.

**Accessory external batteries**, Models SMX120RMBP2U, SMX120RMBP2U, SMX120BP. Listed in accordance with UL 1778, Fourth Edition.

**Accessory**, Model 72-1740XX-XX, where 'X' is any number.

**Auxiliary cabinets**, Series 72-13242X-00, 72-132378-XX, 72-131562-XXX, where X is any number. Listed in accordance with UL 1778 (Second Edition).

Series 72-1315 followed by 0, 1, 2, 3, 4, 5 or 6, followed by 1, 2, 3, 4, 5, 6, 7 or 8, followed by 0, 1, 2, 3, 4, 5, 6 or 7, followed by 0, 1, 2 or 4, followed by 0 or 1. Listed in accordance with UL 1778 (Second Edition).

Models 72-16011\*-\*\*\*, 72-16013\*-\*\*\*, 72-17050X-10. Listed in accordance with UL 1778 (Second Edition).

Series 72-160S\*\*-\*\*\*, where S is 4, 5 or 8. Listed in accordance with UL 1778 (Second Edition).

Series 72-133110 followed by 01, 21, 31, 41, 51, 61; Series 72-133077, followed by 00, 35 and 70. Listed in accordance with UL 1778 (Second Edition).

Model 0M-814800. Listed in accordance with UL 1778 (Second Edition).

Models 72-17050X-X0, 72-1708XX-XX. Listed in accordance with UL 1778 (Second Edition).

Series 72-13242X-00, 72-132378-XX, 131562-XXX, where "X" is any number. Listed in accordance with UL 1778 (Second Edition).

Model 72-1730XX-XX, where 'X' is any number, may be followed by additional alphanumeric characters. Listed in accordance with UL 1778 (Second Edition).

Series 72-135186-XX, where "X" is any number. Listed in accordance with UL 1778 (Second Edition).

**Auxiliary cabinet assembly**, Series A2717-60000, A2716-60000. Listed in accordance with UL 1778 (Second Edition).

**Auxiliary cabinet maintenance bypass assembly**, Models 72-170600-XX and 72-1708XX-XX. Listed in accordance with UL 1778 (Second Edition).

**Battery cabinets**, Models 72-170400-XX. Listed in accordance with UL 1778 (Second Edition).

Model Pulsar EXB 2200/3200. Listed in accordance with UL 1778 (Second Edition).

Model 72-17308X-XX or 72-17305X-XX, where 'X' is any number. May be followed by additional alphanumeric characters. Listed in accordance with UL 1778 (Second Edition).

Models Evolution S EXB 1250/1750 RT 2U, Evolution S EXB 2500/3000 RT 2U, Evolution S EXB 2500/3000 RT 3U. Listed in accordance with ANSI/UL 1778 (Fourth Edition).

Model 72-17402X-XX, where 'X' is any number; Models 72-174022-16, 72-174022-26.

**Battery cabinet assemblies**, Series 891056, 891057, 891076, 891077, 891101, 891102. Listed in accordance with UL 1778 (Second Edition).

**Battery packs**, Models BT170410, PULSAR ESVB. Listed in accordance with UL 1778 (Second Edition).

**Battery supply cabinets**, Series 72-16025X-XXX. Listed in accordance with UL 1778 (Second Edition).

**External battery cabinets**, Series 72-1313 followed by 00, 01, 02, 04 or 05 followed by -00, -01, -02 or -03. Listed in accordance with UL 1778 (Second Edition).

Series 72-1602\*\*-00, 72-1602\*\*-10, where \* represents alphanumeric characters. Listed in accordance with UL 1778 (Second Edition).

Model PULSAR EXB 1500 RT. Listed in accordance with UL 1778 (Second Edition).

**Isolation transformers**, Model 89032. Listed in accordance with UL 1778 (Second Edition).

Models 891085, 891086, 891087, 891088, 891089, 72-153703-02, 72-153704-03, 72-153704-04, 72-153705-02, 72-153705-02, 72-153704-05, Listed in accordance with UL 1778 (Second Edition).

**Maintenance bypass cabinets**, Models 72-13181, 72-16001, 72-16002, 72-16004, 72-16005, 72-16602. Listed in accordance with UL 1778 (Second Edition).

**Remote battery cabinet**, Model M EXB.

**Remote status monitor panels**, Models 5-00369-XX, 5-00643-XX, 5-00644-XX, 6-00875-XX, 6-00938-XX, 6-00938-XX, 6-00938-04, 6-00938-XX, 6-00938-XX, 6-00938-XX, 7-00396-XX, 20-00029-XX, 20-00029-XX, 20-00048-XX, 20-00048-XX, 20-00121-XX, 20-00165-XX, 20-120100-XX, 20-120101-XX, 20-120101-XX, 20-120102-XX, 20-120103-XX, 20-120105-XX, 20-120106-XX, 72-501168-XX, 72-140528-XX, 76-141101-XX, 72-130142-XX, 72-131820-XX, 72-131820-XX, 72-131820-XX, 72-131820-XX, 72-131820-XX, 72-133XXX-XX, where XX represents any alphanumeric characters. Listed in accordance with UL 1778 (Second Edition).

Series 72-13 followed by 0 or 1, followed by 101, 102 or 103, 104, 106, followed by two alphanumeric characters digits 0 through 9. Listed in accordance with UL 1778 (Second Edition).

**Synchronization box module**, Model No. 72-13315X-XX. Listed in accordance with UL 1778 (Second Edition).

**Uninterruptible power supplies**, Models 72-160030-00, 72-160030-01, 72-160010-00, 72-160010-01. Listed in accordance with UL 1778 (Second Edition).

Models 72-1605XX-XX, 72-1608XX-XX. Listed in accordance with UL 1778 (Second Edition).

Models ESP014, ESP031, ESP045, ESP030, ESP040, ESP060, ESP090. Listed in accordance with UL 1778 (Second Edition).

Models 72-130108-44, 72-130108-33, 72-130108-66 may be followed by three digits. Listed in accordance with UL 1778 (Second Edition).

Models 72-1700XX-XX, 72-1701XX-XX, 72-1702XX-XX, 72-1703XX-XX, 72-171XXX-XX. Listed in accordance with UL 1778 (Second Edition).

Series 72-13, followed by 0, or 1 followed by 108 or 114 or 115, followed by 44, 33, or 66, may be followed by alphanumeric characters. Listed in accordance with UL 1778 (Second Edition).

Model 72-17300X-XX, where "X" is any number, may be followed by additional alphanumeric characters. Listed in accordance with UL 1778 (Second Edition).

Models PULSAR 1000 RT, PULSAR 1500 RT, Listed in accordance with ANSI/UL 1778 (Fourth Edition).

Models 72-1740XX-XX, where XX represents any alpha or numeric characters. May be followed by additional alphanumeric characters; Model +72-174001-00 G5K.

Series 72-13, followed by 0, or 1 followed by 117, may be followed by alphanumeric characters. Listed in accordance with UL 1778 (Second Edition).

**UPS conversion kits**, Models 81-165068-00, 81-165068-01. Listed in accordance with UL 1778 (Second Edition).

**UPS equipment cabinet**, Series 72-1315-0. Listed in accordance with UL 1778 (Second Edition).

**UPS transfer switches**, Models 72-131695-\*\*, 72-131736-\*\*, 72-131900-\*\*, 72-13200\*-\*\*, 72-13201#-##, 72-13202#-##, 72-1346XX-XX; with optional maintenance bypass cabinets; 72-131703-\*\*, 72-131742-\*\*, 72-131743-\*\*, 72-13201\*-\*\*, 72-13202\*-\*\*, 72-132378-00, 72-132378-01.

Model 72-13 followed by 0 or 1, followed by 111, 112 or 113, may be followed by additional numbers and letters; Model 50 followed by W or X, followed by a letter A to Z, followed by 5 additional numbers or letters.

**Uninterruptible power supply equipment**, Models SMT1500RMJ2U, SMT500J, SMT750J, SMT1000J, SMT1500J, SMT2200J, SMT3000J, SMT3000RMJ2U, NMT500J, NMT500J-M, FJT750J, HTT750J, NMT750J, NMT750J-M, HTT1000J, NMT1000J, NMT1000J-M, FJT1500J, HTT1500J, NMT1500J, NMT1500J-M, NMT3000J, NMT3000J-M, FJT1500RMJ2U, FJT1500RMJ2U-M, HTT1500RMJ2U, NMT1500RMJ2U, NMT1500RMJ2U-M, HTT3000RMJ2U, NMT3000RMJ2U, NMT3000RMJ2U-M. Listed in accordance with UL 1778 (Second Edition).

+ Complementary Listed under FTBR; Cat. No. 72-174001-00 G5K rated 50 kVA with 2 Models 72-174022-16 or 72-174022-26 battery cabinets.

#-May be max. 10 letters, numbers or blank.

X-May be any alphanumeric characters or blank.

Last Updated on 2012-06-22

---

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2012 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".