

Product	Boxes for flush type accessories
Applicant	ELKO AS Eyvind Lyches vei 10 1301 Sandvika Norway
Manufacturer	ELKO AS Eyvind Lyches vei 10 1301 Sandvika Norway
Factory	ELKO AS Postboks 124 Sporpind Industriområde 3341 Åmot Norway <input type="checkbox"/> See next page(s)
Ratings	60mm fixing distance
Trade mark	ELKO
Model / Type Ref.	L677
Principal characteristics	Catalogue ID S45/6: White thermoplastic box, halogen free, for one flush mounted accessory, with 2 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ± 3 mm to $+9$ mm, 45mm inside depth. <input type="checkbox"/> See next page(s)
A sample of the product was tested and found to be in conformity with	INST EN 60670-1:2005
Replaces	This certificate replaces previous certificate No. P11214550, due to change of plastic material and fixing ring.
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	<input type="checkbox"/> See next page(s)
Additional model(s)	<input checked="" type="checkbox"/> See next page(s)

Date of issue 25-04-2012



Signature

Hanne Yndestad

Certification Department

Nemko AS

Office address

Internet

Telephone

Fax

P.O. Box 73, Blindern

Gaustadalléen 30

www.nemko.com

+47 22 96 03 30

+ 47 22 96 05 50

N-0314 Oslo, Norway

Oslo

Enterprise number:

NO 974404532

Product	Boxes for flush type accessories
Pos. No	1
Model / Type Ref.	L680
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID 60/6: White thermoplastic box, halogen free, for two flush mounted accessories, with 2 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. 60mm inside depth.
Product	Boxes for flush type accessories
Pos. No	2
Model / Type Ref.	L779
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID S45/22: White thermoplastic box, halogen free, for one flush mounted accessory, with 3 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ± 3 mm to $+9$ mm, 45mm inside depth
Product	Boxes for flush type accessories
Pos. No	3
Model / Type Ref.	L661
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID S45/100: White thermoplastic box, halogen free, for one flush mounted accessory, with 6 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ± 3 mm to $+9$ mm, 45mm inside depth.
Product	Boxes for flush type accessories
Pos. No	4
Model / Type Ref.	L678
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID S60/6: White thermoplastic box, halogen free, for one flush mounted accessory, with 2 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ± 3 mm to $+9$ mm, 60mm inside depth.

Date of issue 25-04-2012



Signature

Hanne Yndestad

Certification Department

Product	Boxes for flush type accessories
Pos. No	5
Model / Type Ref.	L780
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID S60/22: White thermoplastic box, halogen free, for one flush mounted accessory, with 3 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ± 3 mm to $+9$ mm, 60mm inside depth.
Product	Boxes for flush type accessories
Pos. No	6
Model / Type Ref.	L666
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID S60/100: White thermoplastic box, halogen free, for one flush mounted accessory, with 6 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ± 3 mm to $+9$ mm, 60mm inside depth.
Product	Boxes for flush type accessories
Pos. No	7
Model / Type Ref.	L3585
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID 34/100: White thermoplastic box, halogen free, for one flush mounted accessory, with 6 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring, 34mm inside depth
Product	Boxes for flush type accessories
Pos. No	8
Model / Type Ref.	L447
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID 57/100/15: White thermoplastic box, halogen free, for one flush low mounted accessory, with 6 conduit entries for $\varnothing=16$ mm plain or corrugated conduits. 60mm fixing distance. 57mm inside depth.

Date of issue 25-04-2012



Signature

Hanne Yndestad

Certification Department

Product	Boxes for flush type accessories
Pos. No	9
Model / Type Ref.	L665
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Catalogue ID 45/6: White thermoplastic box, halogen free, for two flush mounted accessories, with 2 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. 45mm inside depth.

Date of issue 25-04-2012

Hanne Yndestad

Signature

Hanne Yndestad

Certification Department