

Product	Socket-outlet
Applicant	Schneider Electric Industries SAS 35, rue Joseph Monier FR 92500 Rueil-Malmaison France
Manufacturer	Schneider Electric Industries SAS 35, rue Joseph Monier FR 92500 Rueil-Malmaison France
Factory	Merten GmbH Fritz-Kotz-Strasse 8 DE-51674 Wiehl Germany
Ratings	16A 250V ~
Trade mark	
Model / Type Ref.	270/**
Principal characteristics	IP 20, IP21, IP44, Standard sheet III. See additional informaiton for more detail
A sample of the product was tested and found to be in conformity with	INST IEC 60884-1:2002, IEC 60884-1:2002/AMD1:2006, IEC 60884-1:2002/AMD2:2013 NEK 502:2016
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	See page 2
Additional model(s)	No additional models

Date of issue 19-02-2021



Sweet Yuan

Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway
TEL +47 22 96 03 30 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532

Additional information

2P+E. One-fold flush-type fixed socket-outlet. With screw terminals. Screwor claw fixing*. Available with- or without shutters**.

*) Socket-outlets with claw fixing are not certified for use in Norway.

**) Socket-outlets without shutters are not certified for use in Norway.

In model name: '****' can be any character or blank to indicate shipping destination and/or enclosure color, not related to product safety).

Socket-outlet type list:

Antivandalism: (1-gang)

270/S1B7217902

System M-Creativ

270/2300-35

System M (Thermo/Duro)

270/2371, 270/2373, 270/2376, 270/2374, 270/2300, 270/2301, 270/2309
with or without LED light module

2003, 270/2474, 270/2485, 270/2496, 270/2470, 270/2471, 270/2472,
270/2473, 270/2334 with LED light module 2334

System Design (Thermo/Duro)

270/2375, 270/2377, 270/2372, 270/2379 with or without LED light module
2003, 270/2378, 270/2306, 270/2308, 270/2478, 270/2476, 270/2477

System Design (Thermo/Metal)

270/NHA2920902, 270/NHA2922002, 270/NHA5195702

AQUADESIGN

270/2330, 270/2335

Renova

270/EAV54699

Frame types:

System M: (Thermo+Duro)

M-Smart: (1 - 5 gang)

4841, 4842, 4843, 4844, 4845

1M: (1 - 5 gang)

3891, 3892, 3893, 3894, 3895

M-Plan II: (1 - 3 gang)

4881, 5124, 4882, 5125, 4883, 5126

Date of issue 19-02-2021



Sweet Yuan

Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway

TEL +47 22 96 03 30 EMAIL info@nemko.com

ENTERPRISE NUMBER NO974404532

M-Plan: (1 - 5 gang)
4861, 4862, 4863, 4864, 4865

M-Plan Metall: (1 - 5 gang)
4751, 4752, 4753, 4754, 4755

M-Plan real glas: (1 - 5 gang)
4891, 4892, 4893, 4894, 4895

M-Plan real wood: (1 - 5 gang)
4051, 4052, 4053, 4054, 4055

Atelier-M: (1 - 5 gang)
3881, 3882, 3883, 3884, 3885

System M – Elegance: (1 - 5 gang)
4021, 4022, 4023, 4024, 4025, 4031, 4032, 4033, 4034, 4035
4041, 4042, 4043, 4044, 4045, 4051, 4052, 4053, 4054, 4055

System M – Exxact: (Thermo) Basic: (1 - 5 gang)
BBV49550, BBV49551, BBV49552, BBV49553, BBV49554

Design: (1 - 3 gang)
BBV49558, BBV49559, BBV49561

Solid: (1 - 4 gang)
BBV49558, BBV49559, BBV49561, BBV49589

Solid Glass: (1 - 4 gang)
S1A45091, S1A45092, S1A45094, S1A45092

Combi: (1 - 5 gang)
BBV49575, BBV49576, BBV49577, BBV49578, BBV49580

Primo: (1 - 6 gang)
BBV49583, BBV49584, BBV49587, BBV49585, BBV49586, BBV54904,
BBV54905

Gasket for all IP44 frames: (1 - 3 gang)
BBV49557, S1A33102, S1A33103

System M – Creativ: (1 - 5 gang)
4010-35, 4020-35, 4030-35, 4040-35, 4050-35, 4025-35, 4035-35

Date of issue 19-02-2021



Sweet Yuan

Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway
TEL +47 22 96 03 30 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532

System M – M-Pure: (1 – 5 gang)
4010-36, 4020-36, 4030-36, 4040-36, 4050-36

System Design: (Thermo + Duro)
ARTEC, Antik, Fläche: (1 - 5 gang)
4811, 4812, 4813, 4814, 4815, 4831, 3981, 3982, 3983, 3984, 3985

System Design: (Thermo + metal + glas/stone)
D-Life: (1 – 5 gang)
NHA2920502, NHA2920602, NHA5191402, NHA5191602, NHA2920702

D-Life metal: (1 – 5 gang)
NHA2923102, 2xNHA2923302, 2xNHA2923302/1xNHA2923502,
2xNHA2923302/2xNHA2923502, 2xNHA2923302/3xNHA2923502

D-Life glas/basalt: (1 – 5 gang)
NHA2922102, NHA2922402, NHA5195402, NHA5195502, NHA2922702

AQUADESIGN: (1 - 4 gang)
4011, 4012, 4013, 4014

Antivandalism: (1 – 3 gang)
4801, 4802, 4803

Renova
Glass frame: (1 - 3 gang)
BBV28342, BBV28343, BBV28344

Plastic frame: (1 - 5 gang)
101370, 101371, 101372

Date of issue 19-02-2021



Sweet Yuan

Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway
TEL +47 22 96 03 30 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532

Robust Screw-Type (270/***) Socket Outlets, IK class IK09.				Robust: frame
Insert	Center Cover	Center Cover Adapter		
Without Shutters	270/***	101363	101599	101600 (1-gang)
With Shutters		EAV54699		

Trend Screw-Type (270/***) Socket Outlets		
Insert	Center Cover (with Shutters)	Frames
270	NVE66783	100520 (1-gang) 100521 (2-gang) 100522 (3-gang) 100523 (4-gang) 101524 (5-gang)

Date of issue 19-02-2021

Sweet Yuan

Sweet Yuan

Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway

TEL +47 22 96 03 30 EMAIL info@nemko.com

ENTERPRISE NUMBER NO974404532