



NLRV.E164864 Motor Controllers, Manual

[Page Bottom](#)

Motor Controllers, Manual

[See General Information for Motor Controllers, Manual](#)

SCHNEIDER ELECTRIC INDUSTRIES S A, DBA TELEMECANIQUE

E164864

8001 Knightdale Blvd
Knightdale, NC 27545 USA



Telemecanique



Trademark and/or Tradename:

Investigated to ANSI/UL 508

Accessory Rotary Handle Kit, "Tesys Family" Model(s) LU9APN43

Accessory: Rotary Handle Kit, "Tesys Family" Model(s) LU9APN44

Across-the-line starters, open type Model(s) K115@, K150@

Couplings for Class 9421 devices Model(s) KZ50, KZ50-51, KZ50-52

Cover for modules for Class 9421 devices Model(s) VZ13, VZ16, VZ28

Door interlocks for Class 9421 devices Model(s) KZ32, KZ74, V0, V1, V2, V3, V4, V5, V6

Fault signaling contact blocks Model(s) GV AED011, GV AED0113, GV AED101, GV AED1013, GV-AD0101, GV-AD0110, GV-AD1001, GV-AD1010, GV2-AD0101, GV2-AD0110, GV2-AD1001, GV2-AD1010

Handles for Class 9421 devices Model(s) K, followed by A, B, C, or D, followed by C, D, E or F, followed by 1, 2, or 3, followed by B, L, P, or Y, followed by Z and 54

KZ26, KZ27, KZ28, KZ29, KZ41, KZ42, KZ43, KZ44, KZ45, KZ46, KZ47, KZ48, KZ49

IP20 Cover for Ring Tongue Terminals Model(s) LAD96570

Legend plate bearers for Class 9421 devices Model(s) KZ-100, KZ-101, KZ-103, KZ-13, KZ-14, KZ-15, KZ-16, KZ-17, KZ-18, KZ-19, KZ-20, KZ-21, KZ-22, KZ-23, KZ-24, KZ-25, KZ-76, KZ-77, KZ10

Manual motor controller auxiliary contacts accessories Model(s) MDSAN11, MDSAN20

Manual motor controllers, "Class 9003" Model(s) K 12 CU, K 13 CU

Manual motor controllers, "Class 9421" Model(s) V, may be followed by BD, BF, CD, CF, CCD, CCF, VD or VE, followed by 0, 01, 02, 1, 2, 3, 4, 5 or 6.

VZ, followed by one, two or three numbers.

Manual motor controllers Model(s) 22003003W, 22003006W, K10@, K30@, K50@, K63@

XBC-D, followed by five digit number, followed by C, M or S, followed by 2 or 3 digit number.

Manual motor controllers, AC motor starters for Class 9421 devices Model(s) GV7, followed by R, followed by E or S, followed by 40, 50, 80, 100, 150 or 200.

Manual motor controllers, enclosed type, "Class 9421" Model(s) VC, followed by 1,2, 3, 4, 5 or 6, followed by GU or GUN, may be followed by 4X.

Manual motor controllers, enclosed type Model(s) MD3304X, MD3604X, MDS30P

Manual motor controllers, open type Model(s) GV3, followed by P, followed by 13, 18, 25, 32, 40, 50, 65 may be followed by 6 or 1.

V, followed by a letter, followed by a letter or two numbers, may be followed by two numbers.

XBC-D, followed by five- digit number, followed by C, M or S, followed by two- or three-digit number.

Miniature busbars Model(s) GV3G264, GV3G364

Operators for Class 9421 devices Model(s) V0, V01, V02, V1, V2

Operators, 45 x 45 mm, for Class 9421 devices Model(s) KAC10, KAC1B, KAE10, KAE1B, KBC1B, KBE1B, KCC1L, KCE1L

Operators, 60 x 60 mm, for Class 9421 devices Model(s) KAD10, KAD1C, KAD1X, KAF10, KAF1C, KAF1X, KAF20, KAF2F, KAF2X, KBD1C, KBF1C, KBF2F, KCD1M, KCD1Y, KCF1M, KCF1Y, KCF2R, KCF2Y, V3, V4

Operators, 90 x 90 mm, for Class 9421 devices Model(s) KAG20, KAG2G, KAG2H, KAG2X, KBG2G, KBG2H, KCG24, KCG2T, KCG2Y

Operators, 91 x 128 mm. for Class 9421 devices Model(s) KAH2T, KBH2T, KCH2T

Press plate for operators for use with Class 9421 devices Model(s) KZ-82, KZ-83, KZ80, KZ81, V0, V01, V02, V1, V2, V3, V4

Reduction rings for use with Class 9421 devices Model(s) KZ93

Rotary handle kits for use with GV3 Model(s) GV3APN01, GV3APN02, GV3APN04

Rubber seals for use with Class 9421 devices Model(s) KZ-66, KZ-67, KZ65

Screws for use with Class 9421 devices Model(s) K-296, K-297, K295

Shaft couplings for use with Class 9421 devices Model(s) VZ17, VZ18

Shunt release coils Model(s) GV-AS02x, GV-AS05x, GV-AS11x, GV-AS125, GV-AS22x, GV-AS38x, GV-AS41x, GV-AS505, GV2-AS02x, GV2-AS05x, GV2-AS11x, GV2-AS125, GV2-AS22x, GV2-AS38x, GV2-AS41x, GV2-AS505, GV7-AS

Terminal covers for use with Class 9421 devices Model(s) 3 and 4 Type VZ9., SVZ14, V, V01, V02, V5, V6, VVD, VVE, VVE0, VVE1, VZ 1/2, VZ 3/4, VZ01, VZ02, VZ10, VZ11, VZ12, VZ15, VZ26, VZ27, VZ29, VZ8, WWE2

Terminal kits Model(s) GV7-AC021, GV7-AC022

Undervoltage release coils Model(s) GV7-AU

Investigated to ANSI/UL 60947-1 and ANSI/UL 60947-4-1

AC motor starters with non-interchangeable, adjustable thermal tripping elements Model(s) GV2, followed by M, ME, P, R, RP, RS or RT, followed by 0 through 3, followed by 0 through 8, may be followed by 3 or 6, may be followed by S183 (GV2M and GV2-ME only).

GV3, followed by M or ME, followed by 0 through 8, followed by 0 through 8.

Accessory Rotary Handle Kit Model(s) GVAPB65

Auxiliary contacts Model(s) GV-AE1, GV-AE11, GV-AE113, GV-AE13, GV-AE20, GV-AE203, GV-AN11, GV-AN113, GV-AN20, GV-AN203, GV2-AE113, GV2-AE13, GV2-AE203, GV2-AN113, GV2-AN203, GV7-AB3, GV7-AE3

Auxiliary contacts for use with Class 9421 devices Model(s) GV1-A01, GV1-A02, GV1-A03, GV1-A05, GV1-A06, GV1-A07, GV3-A01, GV3-A02, GV3-A03, GV3-A05, GV3-A06, GV3-A07

Combination blocks Model(s) GV2-AF4

Combination blocks Model(s) GV2-AF3

Current limiting modules Model(s) GV1-L3

Fault signaling contact blocks for use with Class 9421 devices Model(s) GV3-A08, GV3-A09

Junction boxes for use with Class 9421 devices Model(s) GV2-D05

Miniature busbars Model(s) GV1-G09

GV2-G, followed by 2, 3, 4 or 5, followed by 45, 54 or 72.

Rotary handle kits, "Tesys Family" Model(s) GVAPB54, GVAPR54, GVAPR65

Rotary handle kits for use with GV2 Model(s) GV2APN01, GV2APN02, GV2APN03, GV2APN04, GV3APN03

Rotary handle kits for use with TeSys U Model(s) LU9APN21, LU9APN22, LU9APN24

Short circuit fault signaling contact blocks Model(s) GV-AM11, GV2-AM11

Shunt release coils for use with Class 9421 devices Model(s) GV3-D

Undervoltage release coils Model(s) GV-AU02x, GV-AU05x, GV-AU11x, GV-AU125, GV-AU22x, GV-AU38x, GV-AU41x, GV-AU505, GV2-AU02x, GV2-AU05x, GV2-AU11x, GV2-AU125, GV2-AU22x, GV2-AU38x, GV2-AU41x, GV2-AU505

Undervoltage release coils for use with Class 9421 devices Model(s) GV3-B

@ - Followed by additional suffixes.

[Click here to view the Colombia Market Access Certification](#)

[Last Updated](#) on 2017-10-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".