# Product End of Life Instructions

**TeSys Deca overload relay** 


#### **TeSys Deca**







### End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Other plastic parts with brominates flame retardants	0.12	Plastic with brominated FR

## **Product description**

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider electric	
Product function	The main purpose of the thermal overload relays is to detect overload currents in order to prote the motor.	
Product reference	LRD08C	
Additional similar product references	LRD01C LRD02C LRD03C LRD04C LRD05C LRD06C LRD07C LRD08C LRD10C LRD12C LRD14C LRD16C LRD21C LRD22C LRD32C LRD35C	
Total representative product mass	124 g	
Representative product dimensions	66mm x 45mm x 70mm	
Accessories	No	
Date of information release	2023/09/14	

## Additional information

Legal information and Electric legislation facilities		duct family is in the scope of European Union directive 2012/19/EU on Waste Electrical stronic Equipment (WEEE). The product family must be disposed according to the on of the country. This document is intended for use by end of life recyclers or treatment. It provides the basic information to assure an appropriate end of life treatment for the ents and materials of the product.	
In case of special transportation: transportation method	No		
Ecosystem, for components/materials not covered by the tool, data from the "I		Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).	

Schneider Electric Industries SAS

Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.se.com ENVEOLI1112019\_V4 Published by Schneider Electric
© 2023 - Schneider Electric – All rights reserved

2023/09/14