

Product End-of-Life Instructions


Harmony™ 9001KXAKM Light Module Resistor's Type

Product Range

Harmony™ 9001KXAKM Light Module Resistor's Type

Marketing Model

9001KXAKM232, 9001KXAKM236, 9001KXAKM237, 9001KXAKM238



Size in mm:

H x L x D: 70 x 37 x 37

Weight in (excluding packaging) g:

Between 131 and 134




Schneider
Electric

Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :

Reuse ⇒ Separation for special treatment ⇒ Other dismantling ⇒ Shredding

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components description	Weight (g)	Comments
Operating hazards: Preloaded spring	1	Spring	0.3 each	Part ejections
Special treatment: Depollution	2	Plastic part > PBT + PC + FR <	32.8	1 part containing Brominated FR
	3	Plastic part > PBT + PC + FR <	5.9	1 part containing Brominated FR
	4	Plastic part > PBT + PC + FR <	14	2 parts containing Brominated FR

Schneider Electric Industries SAS

35, rue Joseph Monier
CS30323
F - 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439
Capital social 896 313 776 €
www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V1.

Publication : Schneider Electric