# Product End-of-Life Instructions

**Actassi ON Manager Panel** 







#### Product End-of-Life Instructions - EoLI

### **Product overview**

Product Range: Actassi ON

Marketing Model/Name: VDIS0211

Size:  $H \times L \times D$  in mm = 44.45 x 485 x 171

Weight in kg = 2,5

## **Purpose**

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

#### Note:

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE).

## Operations recommended for the end of life treatment


There are several steps to process the products at the end of life so as to recover components, materials or energy:

Reuse → Separation for special treament → Other dismantling → Shredding

The components of the products that optimize the recycling performances are listed, identified and located hereunder.







Recommendation	Number on drawing	Components	Weight (in g)	Comment
Operating hazards	1	Printed Board	146.75	
	2	LCD display	83.7	
	3	Power supply Unit	306.3	
Other dismantling	4	Metal Part top	721	

EoLl achieved with Schneider-Electric TT03 V5 procedure

Schneider Electric Industries SAS 35, rue Joseph Monier CS 30323 F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com