Product End-of-Life Instructions EXIWAY - SMART



Product End-of-Life Instructions – EoLI

Product overview

Product Range: EXIWAY-SMART

Marketing Model/Name: OVA59102 EXIWAY-SMART-EV IP42 ACT.L/45/1NC/T

References covered by this document: OVA59300, OVA59301, OVA59100, OVA59101, OVA59102, OVA59200, OVA59201, OVA59400, OVA59401

Size: $H \times L \times D$ in mm = 122 x 240 x 45 Weight with batteries: in g = 529 Weight without batteries: in g = 434

Purpose

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note:

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE).


Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :

Reuse \rightarrow Separation for special treament \rightarrow Other dismantling \rightarrow Shredding

Product End-of-Life Instructions – EoLI

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components	Weight (in g)	Comment
Special treatment	1	Battery	95	
	2	Printed circuit board	61,3	
Other dismantling	3	Enclosure	153	Polycarbonate
	4	Enclosure	173	Polycarbonate + SEBS
	5	Connector	5,3	PA
	6	Connector	6	Brass
	7	Connector	1,2	Steel
Shredding	8	Exit signs	7.5	PE
	9	Sealing ring	1.2	EPDM

EoLI achieved with Schneider-Electric TT03 V5 procedure

Schneider Electric Industries SAS 35, rue Joseph Monier CS 30323 F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com