Product End of Life Instructions

Lexium P, Delta Robots - Compact SH, ILM Motors - rotational, non rotational







ENVEOLI1503015_V2 12/2020



Recommendation	Number on drawing	Component / Material	Weight (in kg)	Comment
To be dismantled	1	Robot housing	27,5	stainless steel

Product description

Manufacturer identification	Schneider Electric Industries SAS		
Brand name	Schneider Electric		
Product function	Delta 3 robot, P4, 3-4 axis, 15 kg permissible load, 0-1200 mm, rotational, Compact		
Product reference	VRKP4S0RNC00000		
Total representative product mass	58000 g		
Representative product dimensions	135 x 120 x 100		
Date of information release	12/2020		

(19) Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
Recyclability potential	77%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 2 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).	

ENVEOLI1503015_V2 12/2020

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI1503015_V2 © 2020 - Schneider Electric – All rights reserved

12/2020