



Potential disassembly risks

The information provided in this document assumes that the product is completely de-energized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.

⚠ WARNING


HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
- Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.



End of Life Instructions





PowerLogic T300



PS50







Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	PCBAs Including Capacitors, LCD Screen	2560	
To be dismantled	2	Rest of the Product	3240	
Other	-	Cybersecurity	-	Perform the "Restore to factory defaults" operation as part of the decommissioning process in order to erase all configuration and sensitive data. For more information regarding restoration to factory defaults refer to the PowerLogic T300 User Manual (ref: NT00378).

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	PowerLogic T300 delivers advanced monitoring, protection, control, and automation functions in both overhead and underground electrical distribution networks.
Product reference	The Reference Product is an assembly of the following Commercial References EMS59151, EMS59155, EMS59000, EMS59010, EMS59528, EMS59201, EMS59210, EMS59220, EMS59300, EMS59320, EMS58587, EMS58590
Additional similar product references	EMS59002, EMS59004, EMS59005, EMS59009
Total representative product mass	5800 g
Representative product dimensions	195 H x 270 L x 210 D mm
Date of information release	07/2023

Additional information

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	35% Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Reuil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.se.com

ENVEOLI1605007_V3

Published by Schneider Electric
© 2022 - Schneider Electric – All rights reserved

07/2023