




Product End of Life Instructions

RILUX-T5 IP65 L/300/4PB



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	PC BIANCO TAROLON 2502WX2-81328	360	WHITE PC
To be depolluted	2 & 4	PCBA	74	Electronics Parts with PCB
To be depolluted	3	BATTERY (Lead-acid)	665	Battery
To be dismantled	5-6-7-8	PC BIANCO TAROLON 2502WX2-81328	11	WHITE PC
To be dismantled	9	PS NAT.ANTIURTO	140,2	WHITE PS
To be dismantled	10	PC TRASP.LEXAN 223R-111	14	TRANSPARENT PC
To be dismantled	11	PC TRASP.LEXAN 223R-111	220	TRANSPARENT PC

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Emergency lighting luminaire made in compliance with the relevant European standards, with led light source, suitable to be installed in large premises.
Product reference	OVA39566
Total representative product mass in grams	1510
Representative product dimensions	120mm x 620mm x 57mm
Date of information release	09/2016



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	75%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center

<http://www2.schneider-electric.com/sites/corporate/en/support/operations/local-operations/local-operations.page>

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI1606010

Published by Schneider Electric

© 2016 - Schneider Electric – All rights reserved

09/2016

