


# Product End of Life Instructions

## Wiser 1Chanel HUBr





## End of Life Instructions



| Recommendation    | Number on drawing | Component / Material                                 | Weight (in g) | Comment                     |
|-------------------|-------------------|--|---------------|-----------------------------|
| To be depolluted  | 1                 | Electronic Board (Communication) > 10cm <sup>2</sup> | 61.21         | 2 x PCBa (56.7644 + 4.444g) |
| Potential hazards | 2                 | Plastics   | 112.4589      |                             |
| To be dismantled  | 3                 | Plastics & Metals                                    | 38.732        |                             |
| To be depolluted  | 4                 | Other battery  | 0.6239        |                             |



## Product description

|                                       |   |
|---------------------------------------|---|
| Manufacturer identification           | Schneider Electric Industries SAS   |
| Brand name                            | DRAYTON   |
| Product function                      | The Wiser Heat Hubr is the brains of the system, interfacing with the controls through 2.4Ghz RF Mesh Technology and Wi-Fi access to allow internet access for the APP. |
| Product reference                     | WT714R1S0902  |
| Additional similar product references | WT714R1S0902 CCTFR6301  |
| Total representative product mass     | 215.028 g   |
| Representative product dimensions     | 148mm x 92mm x 30mm   |
| Accessories                           | Wallpate  |
| Date of information release           | 02/2019   |



## Additional information

|                         |  |   |
|-------------------------|--|---|
| Legal information       | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. |   |
| Recyclability potential | 7%   | Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME). |

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier  
 CS 30323  
 F- 92506 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 896 313 776 €

[www.schneider-electric.com](http://www.schneider-electric.com)

ENVEOLI1807011\_V1

Published by Schneider Electric

© 2017 - Schneider Electric – All rights reserved

02/2019