


# Product End of Life Instructions

## Touch Operator Interface GP4000M Series



**Pro-face**  
by **Schneider Electric**

## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board	95.4	
To be depolluted	2	LCD	69	
To be dismantled	3	Plastic frame/Housing/Cover	175.8	



## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Pro-Face
Product function	Modular human machine interface
Product reference	PFXGM4301TAD
Additional similar product references	PFXGM4301TAD PFXGM4201TAD
Total representative product mass	545.3 g
Representative product dimensions	137mm x 169.5mm x 59.5mm
Date of information release	01/2021



## Additional information

### Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

### Recyclability potential

**58%**

Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

*Schneider Electric Industries SAS*

*Country Customer Care Center*  
<http://www.schneider-electric.com/contact>

*35, rue Joseph Monier  
CS 30323  
F- 92506 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 896 313 776 €*

[www.schneider-electric.com](http://www.schneider-electric.com)

ENVEOLI2101002\_V1

Published by Schneider Electric

© 2021- Schneider Electric – All rights reserved

01/2021