


# Product End of Life Instructions

## Galaxy Lithium-ion Battery Cabinet

**Galaxy Lithium-ion Battery Cabinet has three version with 17/16/13 battery modules configuration per cabinet**



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Plastic parts with brominated FR	12.6	ABS with brominated flame retardants
To be depolluted	2	Lithium-ion Battery*	280500	17 x battery
To be depolluted	3	Electronic Board (Communication) > 10cm <sup>2</sup>	1076.98	Including all soldering parts
To be depolluted	4	Electronic Board (Power) > 10cm <sup>2</sup>	684.03	Including all soldering parts
To be depolluted	5	Electrolytic Capacitors*	296.8	8 x large electrolytic capacitors

\*Not all batteries, capacitors and PCBAs are pictured here.

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Galaxy Lithium-ion Battery Cabinet has modular design, low TCO by doubling battery life and reducing battery footprint and weight by up to 70%, it comply UL9540A test standard and guarantee the highest safety requirement, The Aesthetically matching the industrial design of Schneider Electric's Galaxy V range UPSs, the Green Premium Certified Galaxy Lithium-ion battery solution is the ideal energy storage solution for your critical application.
Product reference	LIBSESMG17UL
Additional similar product references	LIBSESMG17UL LIBSESMG16UL LIBSESMG13UL LIBSESMG17IEC LIBSESMG16IEC LIBSESMG13IEC LIBSEOPT001
Total representative product mass	491226.9 g
Representative product dimensions	1970 mm x 650 mm x 590 mm
Date of information release	06/2021



## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No	
Recyclability potential	<b>63%</b>	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center

<http://www.schneider-electric.com/contact>

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 896 313 776 €

[www.schneider-electric.com](http://www.schneider-electric.com)

ENVEOLI2104006\_V1

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

06/2021