


# Product End of Life Instructions

## EZD630E TM600D circuit breaker - 4P/3d



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	BOUCHON	1.31	Plastic parts with FR 17
To be depolluted	2	HAMMER C2 TMD	1.68	Plastic parts with FR 17
To be depolluted	3	OVERMOLDED TU CONNECTION SCREW C2 TMD	6.27	Plastic parts with FR 17
To be depolluted	4	BIMETAL CAP C2 TMD	1.79	Plastic parts with FR 17

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	EasyPact ESD630E is a 4 poles fixed circuit breaker designed for the protection of low voltage electrical installations.
Product reference	ESD630E4600K
Total representative product mass	6400 g
Representative product dimensions	255mm x 110mm x 185mm
Accessories	No
Date of information release	12/2022



## Additional information

<b>Legal information</b>	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
<b>In case of special transportation: transportation method</b>	No	
<b>Recyclability potential</b>	<b>53%</b>	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS  
 Country Customer Care Center  
<http://www.schneider-electric.com/contact>  
 35, rue Joseph Monier  
 CS 30323  
 F- 92506 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 896 313 776 €  
[www.schneider-electric.com](http://www.schneider-electric.com)

Published by Schneider Electric

ENVEOLI2211028\_V1

© 2019 - Schneider Electric – All rights reserved

12/2022