Emergency Ligthing EXIWAY One / EXIWAY Plus

Product End-of-life Instructions

The End of Life Instruction (EOLI) covers the entire range of Emergency Ligthing EXIWAY One / EXIWAY Plus

EXIWAY Plus



Marketing Model/Name: EXIWAY-Plus IP42 8/380/1NC B, Ref: OVA38981

Size H x L X D: EXIWAY One 160x377x76 mm EXIWAY Plus 164x373x73 mm

Weight: Between 890 and 910 without battery Between 1420 and 1440 with batteries

EXIWAY One





Product End-of-life Instruction

Purpose

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.


Note

This product family is in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).

Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy: Reuse \rightarrow Depollution \rightarrow Dismantling \rightarrow Shredding.

The components of the products that are recommended to be depolluted (according to the WEEE 2002/96/EC list) or that are recommended to be reused or dismantled so as to improve the material recovery or that lead to some hazard are listed, identified and located hereunder.



Number of drawing	Components	Weight (g)	Comment
Components listed for depoll	ution		
1	Battery	530g	1 part
2	Printed circuit board	116g	1 part
3	Fluorescent lamp	26.5g	1 part
Components listed for disma	ntling operation which impr	oves the recyc	ling performance
4	Plastic parts	707g	6 parts

The version of the Buide used to create the document: End of Llfe Instruction Drafting Guide of Schneider Electric version V2.

Publication date: 05/2011

www.schneider-electric.com