Emergency Ligthing EXIWAY One / EXIWAY Plus

Product End-of-life Instructions

The End of Life Instruction (EOLI) covers the entire range of Emergency Ligthing EXIWAY One / EXIWAY Plus

EXIWAY Plus



Marketing Model/Name:

EXIWAY-Plus IP42 ACT.11/500/1NC B, Ref: OVA38986

Size H x L X D: EXIWAY One 146x302x69mm EXIWAY Plus 154x300x68mm

Weight:

Between 771 and 791 without battery Between 1300 and 1320 with batteries

EXIWAY One





Product End-of-life Instruction

Purpose i

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.


Note

This product family is in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).

Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy: Reuse \rightarrow Depollution \rightarrow Dismantling \rightarrow Shredding.

The components of the products that are recommended to be depolluted (according to the WEEE 2002/96/EC list) or that are recommended to be reused or dismantled so as to improve the material recovery or that lead to some hazard are listed, identified and located hereunder.



Number of drawing	Components	Weight (g)	Comment
Components listed for depollution			
1	Battery	529g	1 part
2	Printed circuit board	136g	1 part
3	Fluorescent lamp	34.6g	1 part
Components listed for dismantling operation which improves the recycling performance			
4	Plastic parts	541g	6 parts

Schneider Electric Industries SAS 35 rue Joseph Monier 92500 Rueil-Malmaison France

www.schneider-electric.com

The version of the Buide used to create the document: End of Llfe Instruction Drafting Guide of Schneider Electric version V2.

Publication date: 05/2011