Product End of Life Instructions

Reflex IC60 N TI24 40A 2P B








ENVEOLI1107022_V1 11/2016

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	25	

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	The main purpose of the Reflex iC60N is an integrated control circuit breakers which combine the following main functions in a single device: 1.Remote control by latched and/or impulse type order according to the 3 operating modes to be chosen by the user. 2.Circuit protection against short-circuit currents, overload current and disconnection in the industrial sector.	
Product reference	A9C61240	
Additional similar product references	A9C61240	
Total representative product mass (in grams)	481,32	
Representative product dimensions	84mm x 81mm x 77mm	

ENVEOLI1107022_V1 11/2016

Date of information release

11/2016

(19) Additional information

Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Recyclability potential

44%

Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center: www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 896 313 776 €

Capital Social 690 313 770 €

www.schneider-electric.com ENVEOLI1107022_V1 Published by Schneider Electric

© 2016 - Schneider Electric - All rights reserved

11/2016

ENVEOLI1107022_V1 11/2016