Product End-of-Life Instructions

Product Range: KNX DALI-Gateway

Marketing Model/Name: KNX DALI-Gateway REG-K/1/16(64)/64/IP1

MTN6725-0001 KNX DALI-Gateway REG-K/1/16(64)/64/IP1
MEG6725-0002 KNX DALI-Gateway REG-K/1/16(64)/64/IP1
MTN6725-0002 KNX DALI-Gateway REG-K/1/16(64)/64/IP2
MEG6725-0002 KNX DALI-Gateway REG-K/1/16(64)/64/IP2

Purpose:

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note:

This product family is in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).



Size in mm:

H x L x D in mm: Ex: 69 x 85 x 50


Weight in g: 163 grams



Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy: Reuse \rightarrow Separation for special treament \rightarrow Other dismantling \rightarrow Shredding.

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components	Weight (g)	Comment
Operating hazards	1	Printed circuit board (3x)	104 g	
Special treatment	3	Metal parts 1x [1]	0.1 g	
	4	Glass parts 1x [1]	2 g	
Other dismantling	2	Plastic parts 5x [3,6,7,8,9]	55.5 g	
Other shredding	2	Plastic parts 5x [1,2,4,5,10,11,12]	7.21 g	

Schneider Electric SA 43-45, boulevard Franklin Roosevelt F-92500 Rueil-Malmaison Cedex (France) Tel.: +33 (0) 1 41 29 70 00 www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version $\mathsf{V} X$

ENVEOLI1205001 Publication date: 03/2015

Page 3 of 2