
# Product End of Life Instructions


### Twinbus TOUCH PANEL AP WITH WI-FI =SE=





#### A Potential disassembly risks

### Solution State State



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	3	Electronic Board (Communication) >	148	
To be depolluted	3	Electronic Board (Power) > 10cm <sup>2</sup>	148	
To be dismantled	4	Touch sensing glass, semiconductor	82	
To be dismantled	5	Plastic, PCB, semiconductor	99	

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	This is an Twinbus based Touch Panel for video door entry system
Product reference	RTY179778001
Additional similar product references	RTY179778001
Total representative product mass	732 g
Representative product dimensions	230mm x 150mm x 37mm
Accessories	0
Date of information release	06/2017

Additional information

#### ENVEOLI1706008\_V1 - End of Life Instructions - NAME OF THE PRODUCT

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.			
In case of special transportation: transportation method	0			
Recyclability potential	63%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version Sep. 2008 presented to the French Agency for Environment and Energy Manageme ADEME).	-	
Schneider Electric Industries SAS				
Country Customer Care Center http://www.schneider-electric.com/contact				
35, rue Joseph Monier				
CS 30323				
F- 92506 Rueil Malmaison Cedex				
RCS Nanterre 954 503 439 Capital social 896 313 776 €				
www.schneider-electric.com		Published by Schneider Electric		
ENVEOLI1706008_V1	© 2	2016 - Schneider Electric – All rights reserved	06/2017	