# Product End of Life Instructions


# TeSys Giga contactor 3P 225A Std 100-250V AC/DC

### **TeSys Giga Contactors**





#### Solution State State



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm <sup>2</sup>	56	

# **Product description**

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	The main purpose of the product is to switch on and off electrical power supply of a down stream installation with an electrical and/or mechanical control.	
Product reference	LC1G225KUEN	
Additional similar product references	LC1G115, LC1G1154, LC1G150, LC1G1504, LC1G185, LC1G1854, LC1G225, LC1G2254 LC1G265, LC1G2654, LC1G330, LC1G3304, LC1G400, LC1G4004, LC1G500, LC1G5004 followed by coil code BEEA, EHEA, EHEN, KUEN, LSEA, LSEN LC1G630, LC1G6304, LC1G800, LC1G8004 followed by coil code EHEA, EHEN, KUEN, LSEA, LSEN LC1G205, LC1G245, LC1G300, LC1G410, LC1G475, LC1G620 followed by coil code EHEC, KUEC, LSEC, LSEMC The coil code references may content S207 placed before the last letter example for EHEN: EHES207N	
Total representative product mass	3750 g	
Representative product dimensions	193mm x 108mm x 193mm	
Accessories	No	
Date of information release	2023/11/03	

## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	Νο		
Recyclability potential	55%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).	

Schneider Electric Industries SAS Country Customer Care Center http://www.schneider-electric.com/contact 35, rue Joseph Monier CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.se.com

ENVEOLI2105013\_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

2023/11/03