

## Déclaration UE de Conformité EU Declaration of Conformity

N°/Nr: 1003245-1

**1.0 Identification Produits / Products identification:**

Objet de la déclaration: Systèmes de goulottes pour installations électriques

Object of the declaration: Cable Trunking System for electrical installations

Modèles / Product: OptiLine Minitrunking - voir annexe / see annex

2.0 La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.

Nous, soussignés SCHNEIDER ELECTRIC INDUSTRIES SAS, déclarons par la présente que nos produits catalogués sous marque Schneider Electric, et sous réserve d'installation, d'entretien et d'utilisation conformes à leur destination, à la réglementation, aux normes en vigueur au sein du pays d'installation, aux instructions du constructeur et aux règles de l'art, sont conformes aux exigences essentielles des Directives Européennes suivantes.

L'objet de la déclaration décrit ci-dessus est conforme à la directive 2011/65/UE (et toutes les modifications) du Parlement européen et du Conseil du 8 juin 2011 relative à la limitation de l'utilisation de certaines substances dangereuses dans les équipements électriques et électroniques.

2.0 This declaration of conformity is issued under the sole responsibility of the manufacturer.

We undersigned SCHNEIDER-ELECTRIC INDUSTRIE SAS declare that Schneider Electric branded products, when subject to correct installation, maintenance and use conforming to their intended purpose, according to applicable regulations and standards in the country where they are installed, to the supplier's instructions and to accepted rules of the art comply with Essential Requirements of following European Directives.

The object of the declaration described above is in conformity with Directive 2011/65/EU (and all amendments) of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Directive Basse Tension: 2014/35/UE

Low Voltage Directive: 2014/35/EU

3.0 Basé sur les normes suivantes / Based on following standards:

EN 50085-2-1: 2006 + A1: 2011

EN 50581: 2012

4.0 Signé par et au nom de /  
Signed for and on behalf of:


Schneider Electric Industries SAS

Date et lieu d'établissement / Place and Date:

Nashville, USA, 08.11.2019

Signature / Signature:

DocuSigned by:



Nom, Fonction / Name, Title:

259437FC094C4EF...  
Makarand KARANJIKAR  
(SVP, Supply Chain & Quality  
Home & Distribution Division)

**Schneider Electric Industries SAS**

Adresse / Address:  
35, rue Joseph Monier,  
92500 Rueil-Malmaison, France

<http://www.schneider-electric.com>

Legal information / Mentions légales  
Société par actions simplifiée au capital de 896 313 776 euros  
954 503 439 rcs Nanterre – code APE : 2712Z  
Siret : 954 503 439 01719  
n° ident. TVA : FR 04 954 503 439  
Siège social : 35 rue Joseph Monier  
F – 92500 Rueil-Malmaison

## Déclaration UE de Conformité EU Declaration of Conformity

N°/Nr: 1003245-1

Annexe / Annex

1/5

| Modèles<br>Product | Objet de la déclaration<br>Object of the declaration                    | Assortiment<br>Range |
|--------------------|---|----------------------|
| ISM14100           | Mini-trunking 12x20 1-comp. 2,1 m - PVC - White                         | OPTILINE             |
| ISM14100P          | Mini-trunking 12x20 1-comp. 2,1 m - PVC - Polar white                   | OPTILINE             |
| ISM14101           | Mini-trunking 12x20 - Internal corner - PC/ABS - White                  | OPTILINE             |
| ISM14101P          | Mini-trunking 12x20 - Internal corner - PC/ABS - Polar white            | OPTILINE             |
| ISM14102           | Mini-trunking 12x20 - External corner - PC/ABS - White                  | OPTILINE             |
| ISM14102P          | Mini-trunking 12x20 - External corner - PC/ABS - Polar white            | OPTILINE             |
| ISM14103           | Mini-trunking 12x20 - Bend 90° - PC/ABS - White                         | OPTILINE             |
| ISM14104           | Mini-trunking 12x20 - Stop end - PC/ABS - White                         | OPTILINE             |
| ISM14104P          | Mini-trunking 12x20 - Stop end - PC/ABS - Polar white                   | OPTILINE             |
| ISM14105           | Mini-trunking 12x20 - Joint cover piece - PC/ABS - White                | OPTILINE             |
| ISM14105P          | Mini-trunking 12x20 - Joint cover piece - PC/ABS - Polar white          | OPTILINE             |
| ISM14106           | Mini-trunking 12x20 - T-piece - PC/ABS - White                          | OPTILINE             |
| ISM14106P          | Mini-trunking 12x20 - T-piece - PC/ABS - Polar white                    | OPTILINE             |
| ISM14109P          | Mini-trunking 12x20 - Bend 90° - PC/ABS - Polar white                   | OPTILINE             |
| ISM14111P          | Mini-trunking 12x20 - Adjustable Internal corner - PC/ABS - Polar white | OPTILINE             |
| ISM14112P          | Mini-trunking 12x20 - Adjustable External corner - PC/ABS - Polar white | OPTILINE             |
| ISM14120P          | Mini-trunking 12x20 1-comp. 2,0 m - PVC - Polar white                   | OPTILINE             |
| ISM14125           | Mini-trunking 12x20 1-comp. 2,1 m - PVC with tape - White               | OPTILINE             |
| ISM14125P          | Mini-trunking 12x20 1-comp. 2,1 m - PVC with tape - Polar white         | OPTILINE             |
| ISM14126P          | Mini-trunking 12x20 1-comp. 2,0 m - PVC with tape - Polar white         | OPTILINE             |
| ISM14130           | Mini-trunking 12x20 1-comp. 2,1 m - PC/ABS - White                      | OPTILINE             |
| ISM14130P          | Mini-trunking 12x20 1-comp. 2,1 m - PC/ABS - Polar white                | OPTILINE             |
| ISM14135           | Mini-trunking 12x20 1-comp. 2,1 m - PC/ABS with tape - White            | OPTILINE             |
| ISM14135P          | Mini-trunking 12x20 1-comp. 2,1 m - PC/ABS with tape - Polar white      | OPTILINE             |
| ISM14151           | Mini-trunking 12x20 - Internal corner - PC/ABS - Alu metallic           | OPTILINE             |
| ISM14152           | Mini-trunking 12x20 - External corner - PC/ABS - Alu metallic           | OPTILINE             |
| ISM14153           | Mini-trunking 12x20 - Bend 90° - PC/ABS - Alu metallic                  | OPTILINE             |
| ISM14154           | Mini-trunking 12x20 - Stop end - PC/ABS - Alu metallic                  | OPTILINE             |
| ISM14155           | Mini-trunking 12x20 - Joint cover piece - PC/ABS - Alu metallic         | OPTILINE             |
| ISM14156           | Mini-trunking 12x20 - T-piece - PC/ABS - Alu metallic                   | OPTILINE             |
| ISM14191P          | Mini-trunking 12x20 - Branching piece for DCL - PC/ABS - Polar white    | OPTILINE             |
| ISM14200           | Mini-trunking 12x30 2-comp. 2,1 m - PVC - White                         | OPTILINE             |
| ISM14200P          | Mini-trunking 12x30 2-comp. 2,1 m - PVC - Polar white                   | OPTILINE             |

### Schneider Electric Industries SAS

Adresse / Address:  
35, rue Joseph Monier,  
92500 Rueil-Malmaison, France  
<http://www.schneider-electric.com>

Legal information / Mentions légales  
Société par actions simplifiée au capital de 896 313 776 euros  
954 503 439 rcs Nanterre – code APE : 2712Z  
Siret : 954 503 439 01719  
n° ident. TVA : FR 04 954 503 439  
Siège social : 35 rue Joseph Monier  
F – 92500 Rueil-Malmaison

## Déclaration UE de Conformité EU Declaration of Conformity

N°/Nr: 1003245-1

Annexe / Annex

2/5

| Modèles<br>Product | Objet de la déclaration<br>Object of the declaration                                | Assortiment<br>Range |
|--------------------|---|----------------------|
| ISM14201           | Mini-trunking 12x30 - Internal corner - PC/ABS - White                              | OPTILINE             |
| ISM14201P          | Mini-trunking 12x30 - Internal corner - PC/ABS - Polar white                        | OPTILINE             |
| ISM14202           | Mini-trunking 12x30 - External corner - PC/ABS - White                              | OPTILINE             |
| ISM14202P          | Mini-trunking 12x30 - External corner - PC/ABS - Polar white                        | OPTILINE             |
| ISM14203           | Mini-trunking 12x30 - Bend 90° - PC/ABS - White                                     | OPTILINE             |
| ISM14204           | Mini-trunking 12x30 - Stop end - PC/ABS - White                                     | OPTILINE             |
| ISM14204P          | Mini-trunking 12x30 - Stop end - PC/ABS - Polar white                               | OPTILINE             |
| ISM14205           | Mini-trunking 12x30 - Joint cover piece - PC/ABS - White                            | OPTILINE             |
| ISM14205P          | Mini-trunking 12x30 - Joint cover piece - PC/ABS - Polar white                      | OPTILINE             |
| ISM14206           | Mini-trunking 12x30 - T-piece - PC/ABS - White                                      | OPTILINE             |
| ISM14206P          | Mini-trunking 12x30 - T-piece - PC/ABS - Polar white                                | OPTILINE             |
| ISM14209P          | Mini-trunking 12x30 - Bend 90° - PC/ABS - Polar white                               | OPTILINE             |
| ISM14211P          | Mini-trunking 12x30 - Adjustable Internal corner - PC/ABS - Polar white             | OPTILINE             |
| ISM14212P          | Mini-trunking 12x30 - Adjustable External corner - PC/ABS - Polar white             | OPTILINE             |
| ISM14220P          | Mini-trunking 12x30 2-comp. 2,0 m - PVC - Polar white                               | OPTILINE             |
| ISM14225P          | Mini-trunking 12x30 2-comp. 2,1 m - PVC with tape - White - Polar                   | OPTILINE             |
| ISM14230P          | Mini-trunking 12x30 1-comp. 2,1 m with Cable retainer - PVC - Polar white           | OPTILINE             |
| ISM14231P          | Mini-trunking 12x30 1-comp. 2,0 m with Cable retainer - PVC - Polar white           | OPTILINE             |
| ISM14235P          | Mini-trunking 12x30 1-comp. 2,1 m with Cable retainer - PVC with tape - Polar white | OPTILINE             |
| ISM14291P          | Mini-trunking 12x30 - Branching piece for DCL - PC/ABS - Polar white                | OPTILINE             |
| ISM14300           | Mini-trunking 18x20 1-comp. 2,1 m - PVC - White                                     | OPTILINE             |
| ISM14300P          | Mini-trunking 18x20 1-comp. 2,1 m - PVC - Polar white                               | OPTILINE             |
| ISM14301           | Mini-trunking 18x20 - Internal corner - PC/ABS - White                              | OPTILINE             |
| ISM14301P          | Mini-trunking 18x20 - Internal corner - PC/ABS - Polar white                        | OPTILINE             |
| ISM14302           | Mini-trunking 18x20 - External corner - PC/ABS - White                              | OPTILINE             |
| ISM14302P          | Mini-trunking 18x20 - External corner - PC/ABS - Polar white                        | OPTILINE             |
| ISM14303           | Mini-trunking 18x20 - Bend 90° - PC/ABS - White                                     | OPTILINE             |
| ISM14304           | Mini-trunking 18x20 - Stop end - PC/ABS - White                                     | OPTILINE             |
| ISM14304P          | Mini-trunking 18x20 - Stop end - PC/ABS - Polar white                               | OPTILINE             |
| ISM14305           | Mini-trunking 18x20 - Joint cover piece - PC/ABS - White                            | OPTILINE             |
| ISM14305P          | Mini-trunking 18x20 - Joint cover piece - PC/ABS - Polar white                      | OPTILINE             |
| ISM14306           | Mini-trunking 18x20 - T-piece - PC/ABS - White                                      | OPTILINE             |
| ISM14306P          | Mini-trunking 18x20 - T-piece - PC/ABS - Polar white                                | OPTILINE             |

### Schneider Electric Industries SAS

Adresse / Address:  
35, rue Joseph Monier,  
92500 Rueil-Malmaison, France

<http://www.schneider-electric.com>

Legal information / Mentions légales  
Société par actions simplifiée au capital de 896 313 776 euros  
954 503 439 rcs Nanterre – code APE : 2712Z  
Siret : 954 503 439 01719  
n° ident. TVA : FR 04 954 503 439  
Siège social : 35 rue Joseph Monier  
F – 92500 Rueil-Malmaison

## Déclaration UE de Conformité EU Declaration of Conformity

N°/Nr: 1003245-1

Annexe / Annex

3/5

| Modèles<br>Product | Objet de la déclaration<br>Object of the declaration                    | Assortiment<br>Range |
|--------------------|---|----------------------|
| ISM14309P          | Mini-trunking 18x20 - Bend 90° - PC/ABS - Polar white                   | OPTILINE             |
| ISM14325           | Mini-trunking 18x20 1-comp. 2,1 m - PVC with tape - White               | OPTILINE             |
| ISM14325P          | Mini-trunking 18x20 1-comp. 2,1 m - PVC with tape - Polar white         | OPTILINE             |
| ISM14330           | Mini-trunking 18x20 1-comp. 2,1 m - PC/ABS - White                      | OPTILINE             |
| ISM14330P          | Mini-trunking 18x20 1-comp. 2,1 m - PC/ABS - Polar white                | OPTILINE             |
| ISM14335           | Mini-trunking 18x20 1-comp. 2,1 m - PC/ABS with tape - White            | OPTILINE             |
| ISM14335P          | Mini-trunking 18x20 1-comp. 2,1 m - PC/ABS with tape - Polar white      | OPTILINE             |
| ISM14351           | Mini-trunking 18x20 - Internal corner - PC/ABS - Alu metallic           | OPTILINE             |
| ISM14352           | Mini-trunking 18x20 - External corner - PC/ABS - Alu metallic           | OPTILINE             |
| ISM14353           | Mini-trunking 18x20 - Bend 90° - PC/ABS - Alu metallic                  | OPTILINE             |
| ISM14354           | Mini-trunking 18x20 - Stop end - PC/ABS - Alu metallic                  | OPTILINE             |
| ISM14355           | Mini-trunking 18x20 - Joint cover piece - PC/ABS - Alu metallic         | OPTILINE             |
| ISM14356           | Mini-trunking 18x20 - T-piece - PC/ABS - Alu metallic                   | OPTILINE             |
| ISM14400           | Mini-trunking 18x35 2-comp. 2,1 m - PVC - White                         | OPTILINE             |
| ISM14400P          | Mini-trunking 18x35 2-comp. 2,1 m - PVC - Polar white                   | OPTILINE             |
| ISM14401           | Mini-trunking 18x35 - Internal corner - PC/ABS - White                  | OPTILINE             |
| ISM14401P          | Mini-trunking 18x35 - Internal corner - PC/ABS - Polar white            | OPTILINE             |
| ISM14402           | Mini-trunking 18x35 - External corner - PC/ABS - White                  | OPTILINE             |
| ISM14402P          | Mini-trunking 18x35 - External corner - PC/ABS - Polar white            | OPTILINE             |
| ISM14403           | Mini-trunking 18x35 - Bend 90° - PC/ABS - White                         | OPTILINE             |
| ISM14404           | Mini-trunking 18x35 - Stop end - PC/ABS - White                         | OPTILINE             |
| ISM14404P          | Mini-trunking 18x35 - Stop end - PC/ABS - Polar white                   | OPTILINE             |
| ISM14405           | Mini-trunking 18x35 - Joint cover piece - PC/ABS - White                | OPTILINE             |
| ISM14405P          | Mini-trunking 18x35 - Joint cover piece - PC/ABS - Polar white          | OPTILINE             |
| ISM14406           | Mini-trunking 18x35 - T-piece - PC/ABS - White                          | OPTILINE             |
| ISM14406P          | Mini-trunking 18x35 - T-piece - PC/ABS - Polar white                    | OPTILINE             |
| ISM14407           | Mini-trunking 12x20-18x35 - Branching - PC/ABS - White                  | OPTILINE             |
| ISM14407P          | Mini-trunking 12x20-18x35 - Branching - PC/ABS - Polar white            | OPTILINE             |
| ISM14409P          | Mini-trunking 18x35 - Bend 90° - PC/ABS - Polar white                   | OPTILINE             |
| ISM14411P          | Mini-trunking 18x35 - Adjustable Internal corner - PC/ABS - Polar white | OPTILINE             |
| ISM14412P          | Mini-trunking 18x35 - Adjustable External corner - PC/ABS - Polar white | OPTILINE             |
| ISM14420P          | Mini-trunking 18x35 2-comp. 2,0 m - PVC - Polar white                   | OPTILINE             |
| ISM14430           | Mini-trunking 18x35 2-comp. 2,1 m - PC/ABS - White                      | OPTILINE             |

### Schneider Electric Industries SAS

Adresse / Address:  
35, rue Joseph Monier,  
92500 Rueil-Malmaison, France  
<http://www.schneider-electric.com>

Legal information / Mentions légales  
Société par actions simplifiée au capital de 896 313 776 euros  
954 503 439 rcs Nanterre – code APE : 2712Z  
Siret : 954 503 439 01719  
n° ident. TVA : FR 04 954 503 439  
Siège social : 35 rue Joseph Monier  
F – 92500 Rueil-Malmaison

## Déclaration UE de Conformité EU Declaration of Conformity

N°/Nr: 1003245-1

Annexe / Annex

4/5

| Modèles<br>Product | Objet de la déclaration<br>Object of the declaration                      | Assortiment<br>Range |
|--------------------|---|----------------------|
| ISM14430P          | Mini-trunking 18x35 2-comp. 2,1 m - PC/ABS - Polar white                  | OPTILINE             |
| ISM14451           | Mini-trunking 18x35 - Internal corner - PC/ABS - Alu metallic             | OPTILINE             |
| ISM14452           | Mini-trunking 18x35 - External corner - PC/ABS - Alu metallic             | OPTILINE             |
| ISM14453           | Mini-trunking 18x35 - Bend 90° - PC/ABS - Alu metallic                    | OPTILINE             |
| ISM14454           | Mini-trunking 18x35 - Stop end - PC/ABS - Alu metallic                    | OPTILINE             |
| ISM14455           | Mini-trunking 18x35 - Joint cover piece - PC/ABS - Alu metallic           | OPTILINE             |
| ISM14456           | Mini-trunking 18x35 - T-piece - PC/ABS - Alu metallic                     | OPTILINE             |
| ISM14457           | Mini-trunking 12x20-18x35 - Branching - PC/ABS - Alu metallic             | OPTILINE             |
| ISM14491P          | Mini-trunking 18x45 - Branching piece for DCL - PC/ABS - Polar white      | OPTILINE             |
| ISM14500           | Mini-trunking 18x45 2-comp. 2,1 m - PVC - White                           | OPTILINE             |
| ISM14500P          | Mini-trunking 18x45 2-comp. 2,1 m - PVC - Polar white                     | OPTILINE             |
| ISM14501           | Mini-trunking 18x45 - Internal corner - PC/ABS - White                    | OPTILINE             |
| ISM14501P          | Mini-trunking 18x45 - Internal corner - PC/ABS - Polar white              | OPTILINE             |
| ISM14502           | Mini-trunking 18x45 - External corner - PC/ABS - White                    | OPTILINE             |
| ISM14502P          | Mini-trunking 18x45 - External corner - PC/ABS - Polar white              | OPTILINE             |
| ISM14503           | Mini-trunking 18x45 - Bend 90° - PC/ABS - White                           | OPTILINE             |
| ISM14504           | Mini-trunking 18x45 - Stop end - PC/ABS - White                           | OPTILINE             |
| ISM14504P          | Mini-trunking 18x45 - Stop end - PC/ABS - Polar white                     | OPTILINE             |
| ISM14505           | Mini-trunking 18x45 - Joint cover piece - PC/ABS - White                  | OPTILINE             |
| ISM14505P          | Mini-trunking 18x45 - Joint cover piece - PC/ABS - Polar white            | OPTILINE             |
| ISM14506           | Mini-trunking 18x45 - T-piece - PC/ABS - White                            | OPTILINE             |
| ISM14506P          | Mini-trunking 18x45 - T-piece - PC/ABS - Polar white                      | OPTILINE             |
| ISM14507           | Mini-trunking 12x20-18x45 - Branching - PC/ABS - White                    | OPTILINE             |
| ISM14507P          | Mini-trunking 12x20-18x45 - Branching - PC/ABS - Polar white              | OPTILINE             |
| ISM14509P          | Mini-trunking 18x45 - Bend 90° - PC/ABS - Polar white                     | OPTILINE             |
| ISM14511P          | Mini-trunking 18x45 - Adjustable Internal corner - PC/ABS - Polar white   | OPTILINE             |
| ISM14512P          | Mini-trunking 18x45 - Adjustable External corner - PC/ABS - Polar white   | OPTILINE             |
| ISM14520P          | Mini-trunking 18x45 2-comp. 2,0 m - PVC - Polar white                     | OPTILINE             |
| ISM14530P          | Mini-trunking 18x45 1-comp. 2,1 m with Cable retainer - PVC - Polar white | OPTILINE             |
| ISM14531P          | Mini-trunking 18x45 1-comp. 2,0 m with Cable retainer - PVC - Polar white | OPTILINE             |
| ISM14600           | Mini-trunking 25x60 3-comp. 2,1 m - PVC - White                           | OPTILINE             |
| ISM14600P          | Mini-trunking 25x60 3-comp. 2,1 m - PVC - Polar white                     | OPTILINE             |
| ISM14601           | Mini-trunking 25x60 - Internal corner - PC/ABS - White                    | OPTILINE             |

### Schneider Electric Industries SAS

Adresse / Address:  
35, rue Joseph Monier,  
92500 Rueil-Malmaison, France  
<http://www.schneider-electric.com>

Legal information / Mentions légales  
Société par actions simplifiée au capital de 896 313 776 euros  
954 503 439 rcs Nanterre – code APE : 2712Z  
Siret : 954 503 439 01719  
n° ident. TVA : FR 04 954 503 439  
Siège social : 35 rue Joseph Monier  
F – 92500 Rueil-Malmaison

## Déclaration UE de Conformité EU Declaration of Conformity

N°/Nr: 1003245-1

Annexe / Annex

5/5

| Modèles<br>Product | Objet de la déclaration<br>Object of the declaration                      | Assortiment<br>Range |
|--------------------|---|----------------------|
| ISM14601P          | Mini-trunking 25x60 - Internal corner - PC/ABS - Polar white              | OPTILINE             |
| ISM14602           | Mini-trunking 25x60 - External corner - PC/ABS - White                    | OPTILINE             |
| ISM14602P          | Mini-trunking 25x60 - External corner - PC/ABS - Polar white              | OPTILINE             |
| ISM14603           | Mini-trunking 25x60 - Bend 90° - PC/ABS - White                           | OPTILINE             |
| ISM14604           | Mini-trunking 25x60 - Stop end - PC/ABS - White                           | OPTILINE             |
| ISM14604P          | Mini-trunking 25x60 - Stop end - PC/ABS - Polar white                     | OPTILINE             |
| ISM14605           | Mini-trunking 25x60 - Joint cover piece - PC/ABS - White                  | OPTILINE             |
| ISM14605P          | Mini-trunking 25x60 - Joint cover piece - PC/ABS - Polar white            | OPTILINE             |
| ISM14606           | Mini-trunking 25x60 - T-piece - PC/ABS - White                            | OPTILINE             |
| ISM14606P          | Mini-trunking 25x60 - T-piece - PC/ABS - Polar white                      | OPTILINE             |
| ISM14607           | Mini-trunking 18x35-25x60 - Branching - PC/ABS - White                    | OPTILINE             |
| ISM14607P          | Mini-trunking 18x35-25x60 - Branching - PC/ABS - Polar white              | OPTILINE             |
| ISM14609P          | Mini-trunking 25x60 - Bend 90° - PC/ABS - Polar white                     | OPTILINE             |
| ISM14611P          | Mini-trunking 25x60 - Adjustable Internal corner - PC/ABS - Polar white   | OPTILINE             |
| ISM14612P          | Mini-trunking 25x60 - Adjustable External corner - PC/ABS - Polar white   | OPTILINE             |
| ISM14620P          | Mini-trunking 25x60 3-comp. 2,0 m - PVC - Polar white                     | OPTILINE             |
| ISM14630           | Mini-trunking 25x60 3-comp. 2,1 m - PC/ABS - White                        | OPTILINE             |
| ISM14630P          | Mini-trunking 25x60 3-comp. 2,1 m - PC/ABS - Polar white                  | OPTILINE             |
| ISM14700P          | Mini-trunking 15x35 2-comp. 2,1 m - PVC - Polar white                     | OPTILINE             |
| ISM14701P          | Mini-trunking 15x35 - Internal corner - PC/ABS - Polar white              | OPTILINE             |
| ISM14702P          | Mini-trunking 15x35 - External corner - PC/ABS - Polar white              | OPTILINE             |
| ISM14704P          | Mini-trunking 15x35 - Stop end - PC/ABS - Polar white                     | OPTILINE             |
| ISM14705P          | Mini-trunking 15x35 - Joint cover piece - PC/ABS - Polar white            | OPTILINE             |
| ISM14706P          | Mini-trunking 15x35 - T-piece - PC/ABS - Polar white                      | OPTILINE             |
| ISM14709P          | Mini-trunking 15x35 - Bend 90° - PC/ABS - Polar white                     | OPTILINE             |
| ISM14711P          | Mini-trunking 15x35 - Adjustable Internal corner - PC/ABS - Polar white   | OPTILINE             |
| ISM14712P          | Mini-trunking 15x35 - Adjustable External corner - PC/ABS - Polar white   | OPTILINE             |
| ISM14720P          | Mini-trunking 15x35 2-comp. 2,0 m - PVC - Polar white                     | OPTILINE             |
| ISM14730P          | Mini-trunking 15x35 1-comp. 2,1 m with Cable retainer - PVC - Polar white | OPTILINE             |
| ISM14731P          | Mini-trunking 15x35 1-comp. 2,0 m with Cable retainer - PVC - Polar white | OPTILINE             |
| ISM14791P          | Mini-trunking 15x35 - Branching piece for DCL - PC/ABS - Polar white      | OPTILINE             |

### Schneider Electric Industries SAS

Adresse / Address:  
35, rue Joseph Monier,  
92500 Rueil-Malmaison, France  
<http://www.schneider-electric.com>

Legal information / Mentions légales  
Société par actions simplifiée au capital de 896 313 776 euros  
954 503 439 rcs Nanterre – code APE : 2712Z  
Siret : 954 503 439 01719  
n° ident. TVA : FR 04 954 503 439  
Siège social : 35 rue Joseph Monier  
F – 92500 Rueil-Malmaison