



UK Declaration of Conformity

Nr : BQT8587200-01

Products identification :

Type of products : Safety limit switches

Trademark : **Telemecanique Sensors**

Models : **XCSTA..., XCSTR...**

(complete list of models covered in page 2)

We, **TMSS France (Manufacturer)** and **Yageo TMSS UK Limited (UK Representative)**, declare under our sole responsibility that the products to which this declaration refers comply with Essential Requirements of the following Regulation(s) :

Supply of Machinery (Safety) Regulations : **SI 2008 No. 1597**

Electrical Equipment (Safety) Regulations : **SI 2016 No. 1101**

Electromagnetic Compatibility Regulations : **SI 2016 No. 1091**

Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 : **SI 2012 No. 3032**

Product's conformity has been assessed by applying the following designated standard(s) :

BS EN ISO 13849-1:2015

BS EN ISO 14119:2013

BS EN 60204-1:2018

BS EN 60947-5-1:2017 + AC:2020

BS EN IEC 62061:2021

BS EN IEC 63000:2018

When subject to installation, maintenance and use conforming to their intended purpose, to regulations and standards applicable in the country where they are installed, to the supplier's instructions and to accepted state of the art.

Tony KUMETA

General Manager, UK&I

Issued at : Harrogate – UNITED KINGDOM

Emission date : February 27th, 2024

Manufacturer :
TMSS France

Tour Eqho – 2 avenue Gambetta
92400 Courbevoie – FRANCE

UK Representative :
Yageo TMSS UK Limited

2 North Park Road
Harrogate, HG1 5PA – UNITED KINGDOM

Technical Documentation authority :
TMSS France

Boulevard Salvador Allende – ZI n°3
16340 L'Isle d'Espagnac – FRANCE

Appendix

Nr : BQT8587200-01

List of product models covered by the present UK Declaration of Conformity

XCST	A	7	9	2
I	II	III	IV	V

I	Product type	
	XCST	: Plastic body, large shape safety switch (without locking/unlocking of the actuator)
II	Operating head type	
	A	: Linear operating head, operated by key
	R	: Rotary operating head, operated by spindle (for hinged covers and guards)
III	Contact block type	
	5	: 1 NC + 2 NO, slow break (break before make)
	7	: 2 NC + 1 NO, slow break (break before make)
	8	: 3 NC, slow break
IV	Key type (for XCSTA)	
	9	: Metallic key, front entry
	Spindle type (for XCSTR)	
	5	: Ø12 mm / length 30 mm axle
	8	: Ø12 mm / length 80 mm axle
V	Cable entries type	
	1	: Threaded hole for PG 11 cable gland
	2	: Threaded hole for ISO M16 x 1,5 cable gland
	3	: Threaded hole for 1/2" NPT cable gland

NOTE : These references may be followed by 1 to 3 alphanumeric digits, to denote assembly, marking or packaging variations, without impact on products characteristics and/or compliance.

Manufacturer :
TMSS France
 Tour Eqho – 2 avenue Gambetta
 92400 Courbevoie – FRANCE

UK Representative :
Yageo TMSS UK Limited
 2 North Park Road
 Harrogate, HG1 5PA – UNITED KINGDOM

Technical Documentation authority :
TMSS France
 Boulevard Salvador Allende – ZI n°3
 16340 L'Isle d'Espagnac – FRANCE