

Product End-of-Life Instructions


9001BG Surface Mount Control Station

Product Range

9001BG Surface Mount Control Station

Marketing Model

9001BG1●●, 9001BG101S13, 9001BG107S1, 9001BG1●●●, 9001BG2●●, 9001BG2●●●, 9001BG3●●, 9001BG3●●●, 9001BG316S2, 9001BGB1●●, 9001BGB2●●, 9001BGB3●●, 9001BGC1●●, 9001BGC2●●, 9001BGC3●●



Size in mm:

H x L x D: 127 x 52 x 64

Weight in (excluding packaging) g:

Between 230 and 372




Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :

Reuse ⇒ **Separation for special treatment** ⇒ **Other dismantling** ⇒ **Shredding**

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components description	Weight (g)	Comments
Special treatment: Depollution	1	Plastic part > PBT + PC + FR <	27.6	1 part with Brominated flame retardant
	2	Plastic part > ABS + FR <	50	1 part with Brominated flame retardant
	3	Plastic part > PBT + PC + FR <	36.8	1 part with Brominated flame retardant

Schneider Electric Industries SAS

35, rue Joseph Monier
CS30323
F - 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439
Capital social 896 313 776 €
www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V1.

Publication : Schneider Electric