



Circularity Profile

ILM62 Hybrid Cable





End of Life Instructions



1

Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Cable (high current)	386	connectors to be removed



Product description

Manufacturer identification	Schneider Electric Industries SAS
Product function	The wiring of the Connection Module ILM62CM, the Distribution Box ILM62DB and the ILM62 Servo Module in line structure or tree structure occurs with the ILM62 Hybrid Cable range. This range consists of hybrid cables of different length (from 1 meter to 20 meters) and plug connector variants (straight connection; connection at the bottom and connection on the top).
Product reference	VW3E1142R010
Total representative product mass	574.7 g
Representative product dimensions	1 meter
Date of information release	11/2020



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	29% Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI1409022_V2

Published by Schneider Electric

© 2020 - Schneider Electric – All rights reserved

11/2020